

Electrical UL/CSA Electrical IEC Electronics Consumer/Aftermarket OEM Transportation Terminal Blocks Systems/Services/Software

#### Cooper Bussmann

Homepage About Cooper Bussmann Contact Us Privacy Legal Cooper Bussmann® Brand Site Map



### KTK-3-1/2

Fast-ActingSupplementary Fuse, 600V, 13/32 - 1-1/2 Inches

Product Information			
Product Type:	Fuse		
Product Family:	Electrical Power		
Upgrade Product:	<u>LP-CC-3-1/2</u>		
Brand:	Cooper Bussmann		
Sub-brand:	Low-Peak		

Recommended Products				
Rec. Fuse Block:	BM603 Series			
Rec. Inline Fuse Holder:	HEB Series			
Rec. Panel-mount Fuse Holder:	HPS Series			
Rec. Modular Fuse Holder:	CHM Series			
Rec. Fuse Clips:	5960 Series			
Rec. Cover:	SAMI-7 Series			

## Physical Properties Dimensions: $\begin{array}{ll} 1.5 \text{in.(L)} \times 0.41 \text{in.(W)} \times 0 \text{in.} \\ \text{(H)} \end{array}$


# Certifications UL Listed CSA Certified

Electrical Properties		
Maximum AC Voltage:	600	
Amperage Rating:	3.5	
AC Interrupting Ratings:	• 100000 at 600V	
Fast Acting:	Yes	

### KTK

# LIMITRON® Fast-Acting Fuses 600 Volt, 1/10 - 30 Amps





Catalog Symbol: KTK

Fast-Acting 1/10 TO 30A 600Vac (or less)

Interrupting Rating: 100,000A RMS Sym. (UL) UL Listed, STD. 248-14, (Guide #JDYX, File #E19180)

**CSA Certified:** C22.2 NO. 248.14 (File #53787—Class #1422-01)

HRC-MISC

#### **Electrical Ratings (Catalog Symbol and Amperes)**

600Vac - UL Listed and C.S.A.				
KTK-1/10	KTK-1	KTK-6	KTK-25	
KTK-1/8	KTK-1-1/4	KTK-7	KTK-30	
KTK-2/10	KTK-1-1/2	KTK-7-1/2	_	
KTK-1/4	KTK-2	KTK-8	_	
KTK-3/10	KTK-2-1/2	KTK-9	_	
KTK-4/10	KTK-3	KTK-10	_	
KTK-1/2	KTK-3-1/2	KTK-12	_	
KTK-6/10	KTK-4	KTK-15	_	
KTK-3/4	KTK-5	KTK-20	_	

#### **Carton Quantity and Weight**

	•	U		
Ampere	Carton	Weight*		
Ratings	Qty.	Lbs.	Kg.	
1-30	10	.180	.082	

<sup>\*</sup>Weight per carton.




## Recommended fuseblocks/fuseholders for 13/32" x 1-1/2" fuses See Data Sheets listed below

- Open fuseblocks 1104, 2104
- Finger-safe fuseholders 1109, 1102, 1103, 1151
- Panel-mount fuseholders 2114, 2113, 2108, 2112, 2109, 2140
- In-line fuseholders 2127, 2126

#### • LIMITRON® fast-acting fuse.

- Melamine tube.
- Nickel-plated bronze endcaps.

#### Time-Current Characteristic Curves-Average Melt



C€

