## **Industrial Power Connectors**

online catalog

## **Amphenol**



HOME

## Searches

Part Information | Specifications



Company Information **About Tuchel Amphenol Corporate Our Commitment** Terms & Conditions **Environmental Information** Online Catalogs

Automotive Interconnect

Industrial Connectors

Process Info Request Download Catalog

**Smart Card Connectors** 

Contact Information

Technical Support

Amphenol Corporation

Distributors

Contact Us

Find a Sales Location

Search by Family Search by Part

Part Information:

Part Number: C146 10G024 606 1

**Description:** Hood top entry for 1 locking lever system, low profile

Family: C146 Housings



## **Specifications**

General	Standard	Value
Protect Class Housing		IP 65
Protection Class Spring Cover Locked		IP 65

Spring Cover Spring Loaded		IP 53
Locking System	CECC 75 301-801 (DIN 43 652)	1 Locking Lever 2 Locking Levers
Climatical	1	
Climatic category	IEC 60068-1	40 / 100 / 21
Temperature Range	IEC 60068-1	-40°C / +100°C
Upper Temperature	IEC 60512-6; Test 11j	+100°C / 1000h
Lower Temperature	IEC 60512-6; Test 11j	-40°C / 16h
Mechanical	,	
Mechanical operation	IEC 60512-5; Test 9a	≥ 500 cycles
Materials	,	
Housings		Aluminium Die Cast Alloy
Housings Thermoplastic Housing		Aluminium Die Cast Alloy PBT
Thermoplastic		
Thermoplastic Housing		
Thermoplastic Housing  Metal Housing D7		PBT  Zinc Die Cast Alloy
Thermoplastic Housing  Metal Housing D7  Protective Cover		PBT  Zinc Die Cast Alloy  PA

Surface EMV Housings		Special Alloy
-------------------------	--	---------------

© Amphenol-Tuchel Electronics 2004/ Legal Disclaimer/ Data Protection/ Imprint