

## **ROX1SJ1R2** Product Details



Documentation & Additional Information	
Product Drawings: • None Available	Additional Information: • Product Line Information
Catalog Pages/Data Sheets: • <u>Flame Proof Power Metal Oxide Film Resistors - Type</u> (PDF, English)	Related Products: • <u>Tooling</u>
<ul><li>Product Specifications:</li><li>None Available</li></ul>	
Application Specifications: • None Available	
Instruction Sheets: • None Available	
CAD Files: • None Available	
List all Documents	

Product Features (Please use the Product Drawing for all design activity) Industry Standards: **Product Type Features:** • Product Type = Fixed Resistor • <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant • Resistor Type = Power Resistor • Lead Free Solder Processes = Wave solder • Resistance  $(\Omega) = 1.2$ capable to 240°C, Wave solder capable to 260°C, • <u>Element</u> = Metal Oxide Wave solder capable to 265°C • <u>Termination Type</u> = Tinned Copper Leads • RoHS/ELV Compliance History = Converted to comply with RoHS directive **Electrical Characteristics:** • Resistance Selection ( $\Omega$ ) = <1K Conditions for Usage: • Power Rating (W) = 1.00• <u>Temperature Coefficient (ppm/°C)</u> = ±300 • Tolerance (%) = 5 • <u>Package Type</u> = Ammo Packed **Operation/Application:** • <u>Application</u> = Power **Body Related Features:** • <u>Series</u> = ROX Other: • Mount Style = Axial Leaded • Brand = Neohm • Package, Component Size = 9.0 x 3.0