88.00 (3.464") CRS.

44.00 (1.732") CRS.

482.50 ( (18.996")

465.66 (18.333") CRS.

34.64 (1.363")

M5 x 20 LG. PAN HD. SCREW
(4 POS)

| INVENTORS | Hellermann Tyton ® A SPIRENT Company ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER SHOWN ON THIS DRAWING ARE EXCLUSIVE PROPERTY OF HELLERMANNTYTON | | | REVISION | DRAWING | level | E | DIMENSIONS | TOLERANCES | XXXX= ±0.001 | PART | number | PP110C5E48 | phase | PRODUCTION | DRAWING | FORMAT AH version J | CAD | PRO-E | scale 0.333 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | name | date | city, state | | by | G MAY | | | XXX= ±0.010 | | name | | | | | computer file number | | previous number | |
| | HT DATA | 22/06/01 | NORTHAMPTON U.K | | date | 01/08/02 | | | XX= ±0.02 | | | CAT 5e 2U 48 PORT 110 PATCH PANEL | | | | drawn G GEIGER | | | |
| | | | | | ECN | | | | X= ±0.1 | | material | | | | | 22/08/01 checked | | | |
| | | | | | | | | | ∠= ±0.5 | | | | N/A | | | type | | sheet 1 of 1 | |
| | | | | | part level | | | | units mm/inches | | | | | | | number | | P155-007 | |

# PP110C5E48

CAT 5e universal 48 port patch panel

Article Number: 853-20078
Part Number:    PP110C5E48
Type:           PP110C5E48

## 1. Base Data

| | |
|---|---|
| **Part No.** | PP110C5E48 |
| **Type** | PP110C5E48 |
| **Color** | Black (BK) |
| **Features** | Category 5e Universal Patch Panels HellermannTyton's Category 5e Universal patch panels are pre-configured in 12, 24 and 48 port versions to meet the needs of nearly all customer applications. The panels are offered with increments of 6 port modules – which can be replaced if damaged during installation. Category 5e Universal Patch Panels • 6 port modules can be replaced easily if damaged during installation • Front face provides an attractive, flush appearance • Write-on labels provided for easy identification • Self-adhesive labels are available for use with HellermannTyton TagPrint Pro software* • Universal panels are pre-assembled with T568B wiring; however, they can be used for both T568A and T568B wiring configurations, thus eliminating the need for extra inventory • HellermannTyton offers a very simple, easy-to-install rear cable manager which is recommended for all Category 5e installations • Sturdy and smooth rolled edges • Clear plastic channel protects PCB and allows easy viewing of wiring label |
| **Performance Category** | Category 5E (Class D) |
| **Port_count** | 48 |

## 2. Product Dimensions

| | |
|---|---|
| **Height_Units** | 2U |

## 4. Material and Specifications

| | |
|---|---|
| **Wiring** | 568A |

## Logistic and Packaging

**Packaging Type**      box

**Pkg. Qty.**      1

**EAN code**      5022660839443

**Minimum Order Quantity**      1

**UPC**      08930621587

This product was found in Copper Network Solutions > Cat 5e Patch Panels

© HellermannTyton North America 2008