



Make The Connection

With 3M Contractor Solutions



Looking for a better solution...



3M Construction Markets offer reliable, customized solutions that save time, require less skill, reduce costs and increase productivity. Unlike our competitors who are well entrenched in niche markets, 3M carries a more comprehensive range of better alternatives in more market segments, and is a trusted partner with industry-leading product lines.

3M provides local technical service support and is backed by a strong legacy in construction solutions. We are committed to our customers and make every effort to build strong relationships based on meeting their needs.

Need help? Ask the 3M Experts.

For technical information or product application recommendations, call the 3M Helpline:
1-800-3M HELPS, 1-800-364-3577
www.3M.ca/construction

Choose from 3M Construction solutions that include:

- Advanced PERSONAL & WORKPLACE SAFETY products, including FALL PROTECTION that offer you a full range of reliable and proven cost effective alternatives
- Unique TAPES and ADHESIVES for fastening and bonding that provide better aesthetics, with durable rugged performance
- Construction grade SEALANTS and ADHESIVES
- A full range of TAPES for masking, sheathing, bundling, sealing and bonding
- 3M STRUCTURAL GLAZING Solutions that assure instant binding strength and faster unit installations, thus expediting construction time while ensuring safety and aesthetics
- A broad line of ABRASIVES for cutting, grinding, polishing and finishing
- A full line of approved FIRE BARRIER systems
- 3M ELECTRICAL solutions to identify, label, connect, seal and splice a wide array of low to high voltage wires and cables



Table of Contents

PRODUCT SELECTION GUIDE..... 1 – 136

Alphabetic guide for the more than 3,200 3M™ Construction Products

ABRASIVES – GUIDE TO PRODUCT USAGE..... A5

ABRASIVES – PERFORMANCE ADVANTAGES OVER ALTERNATIVE SOLUTIONS A6

ABRASIVES..... 1 – 37

Belts1 – 4

- Narrow 1 – 4
- Surface Conditioning 4

Bench Area Products..... 5 – 6

- Flap Brush..... 5
- Stars 6
- Stars – Accessories 6

Discs..... 6 – 23

- Bristle Discs 6
- Bristle Discs – Roloc™ 7
- Clean and Strip Discs 7
- Coating Removal Discs 7
- Fibre Discs 8 – 9
- Fibre Discs – Accessories 9
- Flap Discs 10
- Flap Discs – Accessories 10
- High Strength Discs 11
- Hookit™ Clean and Finish Discs 11
- Hookit™ Discs 11
- Hookit™ Discs – Accessories 11 – 12
- Hookit™ Film Discs 12 – 13
- Microfinishing..... 14
- PSA Discs..... 14 – 15
- PSA Discs – Accessories 15
- Roloc™ Discs 16
- Roloc™ Discs – Accessories..... 17
- Roloc™ Discs – Pack 17
- Roloc™ Fibre Discs 17
- Scotch-Brite™ Roloc™ Discs 18
- Stikit™ Discs..... 18
- Stikit™ Discs – Accessories 18 – 19
- Stikit™ Discs – Rolls 20 – 21
- Surface Conditioning Discs 22 – 23
- Surface Conditioning Discs – Accessories..... 23

Wheels..... 23 – 30

- Clean and Strip Cup..... 23
- Combi-S..... 23
- Cut and Polish 23
- Cut-Off Wheels 23, 24
- Chop Saw Wheels..... 23
- Depressed Center Wheels..... 24
- Deburring Wheels 24 – 25
- Flap Wheels..... 25 – 26

- Flap Wheels – Accessories 27
- Grinding Wheels 27
- Metal Finishing 28
- Multi Finishing..... 28
- Unitized Wheels 28 – 29
- Unitized Wheels – Accessories..... 29 – 30
- Wheels – Accessories..... 30

Hand Sanding..... 31 – 37

- Drywall Cloth Abrasives 31
- Clean and Finish Rolls 32
- Cut and Polish Rolls..... 32
- Deburring Roll 32
- Hand Pads..... 32
- High Gloss..... 32
- High Strength Rolls..... 33
- Metal Blending Roll..... 33
- Multi-Flex Rolls 33
- Sheets & Rolls 33 – 36
- Sheets & Rolls – Accessories..... 36
- Sponges 36
- Super Polish Roll 37
- Stikit™ Refill Rolls 37

ADHESIVES 38 – 55

Acrylic Adhesives 38

Acrylic Sealant 38

Aerosols 38 – 39

- Aerosols 38
- Adhesive Remover..... 39

Concrete Repair 39 – 40

- Concrete Repair Accessories 40

Construction Adhesive 40

- General Purpose Construction Mastic 40

Contact Adhesive..... 41

- Fastbond™ 41
- Scotch-Weld™ 41

Adhesive Cylinders 42

Epoxy Adhesives..... 42 – 44

- Scotch-Weld™ 42 – 44
- EPX™ Applicators and Accessories 44

Hot-Melt Bonding..... 45 – 50

- Scotch-Weld™ Applicators 45
- Scotch-Weld™ Accessories 45
- Applicator Guide..... 45
- Scotch-Weld™ Hot-Melt™ Adhesives..... 46 – 49
- Scotch-Weld™ Adhesives 49 – 50

Instant Adhesives 50 – 52

Plastic Adhesives	53	FACILITY CARE	74 – 76
Polyurethane	54	Cleaners	74
Rubber & Gasket Adhesive.....	54	Sponges & Pads.....	74 – 76
Sealant	55	Floor Care.....	76
Structural	55	Wipes & Cloths.....	76
Urethane.....	55	FASTENERS	77 – 78
ARCHITECTURAL FINISHES	56 – 57	Reclosable Fasteners	77 – 78
BUMPERS	58 – 59	FIRE PROTECTION	79 – 84
Protective Products	58 – 59	Fire Barrier Caulks.....	79
CLEANERS/LUBRICANTS	60	Fire Barrier Sealant	79
Industrial Cleaners	60	Fire Barrier Spray	79
Lubricants	60	Fire Barrier Silicone Sealants	80, 81
DUCT TAPES	61 – 62	Fire Barrier Foams	80
Cloth	62	Fire Barrier FireStrap	81
Vinyl	62	Fire Barrier Plastic Pipe Device.....	81
ELECTRICAL	63 – 73	Fire Barrier Wrap Strip	81
Cable Ties	63 – 64	Fire Barrier Cast-in Device Products	82
Assortment.....	63	Fire Barrier Wraps, Tapes	82
Heavy Duty.....	63	Fire Barrier Putty	83
Miniature.....	63	Fire Barrier Sheets.....	83
Mounting Base	63	Fire Barrier Mortar	83
Weather Resistant	63 – 64	Fire Barrier Pillows.....	83
Connectors	64 – 65	Fire Barrier Pass-through Devices and Brackets.....	84
IDC Connectors.....	64	Round	84
Spring	64 – 65	Square	84
Tools	65	Fire Barrier Applicator Guns and Nozzles.....	84
Crimping Tools	65 – 66	Fire Barrier Duct Wrap Blanket	84
Heat Shrink	66 – 70	HEALTH CARE	85 – 86
Kits.....	66	First Aid Products	85 – 86
Thin Wall Tubing	67	MASKING PRODUCTS	87 – 90
Tubing Spools.....	67	Masking Tape Application Guide	87
Highland Terminals.....	68 – 70	Masking Tapes	88 – 89
Tapes	70 – 72	Masking Film	89
Colour Coding.....	71	Masking Film – Accessories	89 – 90
Electrician's Duct Tape.....	71	Masking Papers	90
Friction Tape.....	71		
Glass Cloth	71		
Insulation Putty.....	72		
Linerless Rubber Splicing Tapes	72		
Mastic Products.....	72		
Moisture Sealant	72		
Terminals	72 – 73		
Wire Marking	73		

Table of Contents

MATTING & TREADS	91 – 95	SPECIALTY TAPES	121 – 131
Matting Product Guide.....	91	Anti-Slip/Anti-Stick	121
Matting.....	92 – 93	Aluminum Foil Tape	121
Treads.....	93 – 95	Cloth Tapes	122
PACKAGING PRODUCTS	96 – 102	Double Coated Tapes	122 – 123
Box Sealing Tapes	96 – 97	Foam.....	122 – 125
Acrylic.....	97, 99	Tissue	125
Cold Temperature	97	Dispensers	125
High Tack	97	Film Tapes	125 – 126
Dispensers	98	Foam Tapes	127 – 128
Polyester.....	99	Foam Tapes.....	127
Filament Tapes	99 – 101	Very High Bond (VHB)	128
Filament Tapes – Dispensers	100 – 101	FSK Tape	128
Tape Pads	101	Removable Repositionable	128
Label Protection	101	Safety Tapes	129 – 130
Label Protection – Dispensers	101	Aisle Marking & Identification	129 – 130
Packing List Envelopes	102	Sheathing Tape	130
Stretchable Tapes	102	Single Coated Tape – Dispensers	130 – 131
SAFETY	103 – 120	Squeak Reduction Tapes	131
Hearing Protection.....	104 – 105	Thread Sealant Tape	131
Communication Headsets	106	Vinyl Tapes	131
Safety Eyewear	106-107	Foam Tape.....	131
Head and Face Protection	107	Structural Glazing / Cladding Tape	132
Fall Protection	108	WATER/AIR FILTRATION	133 – 136
Respirators.....	109 – 113	Residential Air Cleaning Filters.....	133
Respirator Selector Guide	109	POU (Point-of-Use) Drinking Water Systems	134 – 135
Particulate	110 – 112	Existing Faucet.....	134
Fit Testing.....	112	Dedicated Faucet	134 – 135
Half Face.....	113	Water Filtration - Whole House Point of Entry Filtration	135
Full Face	113	Water Treatment	136
Respirators – Accessories	114 – 119	Ultraviolet Disinfection System	136
2000 Series Filters	114 – 115	Aqua-Pure® Heater Scale Inhibition System, AP430SS	136
6000 Series Cartridges.....	115 – 116	ALPHA-NUMERIC PRODUCT INDEX	C1 – C6
Supplied Air Respirator Guide	118		
6000 - 7000 Series Cartridges	117, 119		
Sorbents Petroleum	119 – 120		
Welding	120		
Speedglas™ Accessories	120		

Information about Fibre Disc and Surface Conditioning To Get Your Started...



Fibre Discs

3M™ 785C

Grinds cool with a high rate of cut to give optimum performance on stainless steel. This disc contains a blend of 3M Cubitron™ abrasive grain and aluminum oxide mineral with grinding aid. Also suitable for grinding carbon steel or aluminum.

3M 281C

Aluminum oxide fibre disc. Can be used in most general-purpose applications.

3M 747D Abrasive Flap Discs

Used for offhand grinding and finishing of metal. Provides consistent rate of cut and long life performance that improves quality and lowers cost.



Scotch-Brite™ SE

Surface Conditioning Discs

“SE” surface conditioning discs feature a coarser, tougher, more aggressive web construction than original surface conditioning discs. For heavier deburring and finishing applications.

Scotch-Brite Surface Conditioning Discs

Scotch-Brite surface conditioning discs are best for finishing, cleaning and light deburring on flat metal surfaces.



Scotch-Brite Coating Removal Discs (Hook and Loop)

Rugged non-loading open web is designed to tackle your toughest cleaning jobs like stripping paint and coatings from metal surfaces, preparing surface for re-coating and general plant maintenance.



Scotch-Brite Bristle Discs

Ideal for safely cleaning and stripping paint and a wide variety of other substances off of metal. Benefits include consistent wear, uniform finish, and lack of loading.

Abrasives – Performance Advantages over Alternative Solutions

Alternative Solution	Scotch-Brite™ Products			
	Cleaning	Deburring	Polishing	Finishing
Steel Wool	Leaves No Metal Fines No Carbon Contamination on Surface	–	Leaves No Metal Fines No Carbon Contamination on Surface	Leaves No Metal Fines No Oil Contamination
Sandpaper: Sheets, Rolls, Belts and Flap Wheels	Work Piece Protected Consistent Finish Resists Loading	Work Piece Protected No Secondary Burns Uniform Radius	Work Piece Protected No Secondary Burns	Consistent Finish Resists Loading Work Piece Protected
Wire Brushes	Removes all Surface Contaminants Doesn't Fling Wires	Complete Burr Removal Doesn't Fling Wires Uniform Radius	–	–
Buff and Compound	–	Cleaner/Faster	Cleaner/Faster	Cleaner/Faster
Tampico and Bristle	Faster Thorough Cleaning	Better Radiused Edge	–	–
Files, Burrs and Scrapers	Won't Damage Piece Faster	Won't Damage Piece Faster	–	–
Set-Up Wheels	–	No Undercutting Cleaner	Cleaner/Faster Less Set-Up Time	Cleaner/Faster Less Set-Up Time
Sand Blasting	No Airborne Particles to be Contaminated	–	–	–
Rubber Bonded Wheels	Cleaner Finish Faster	Cleaner Finish Faster	Cleaner Finish Faster	–

Factors Affecting Performance of Surface Conditioning Products

Product Surface Speed

Because product speed has a significant effect on performance (cut, life, and finish), it is important to select the proper speed for a particular operation and work piece.

Generally, low speeds are desired for generating very uniform satin finishes, for finishing aluminum alloys without lubricants and for use on composite or other soft material applications. High speeds are recommended when it is desired to remove or blend surface imperfections. This high speed will result in faster cut along with finer finishes.

Recommended Operating Speeds

Decorative Finishing	500 - 3000 SFPM
Composites / Soft Materials	1200 - 2700 SFPM
Cleaning and Conditioning	2000 - 5000 SFPM
Prepolishing	2000 - 7000 SFPM
Oxide Removal	4500 - 6500 SFPM
Deburring	5000 - 6500 SFPM
Blending / Polishing	6000 - 8000 SFPM
Cutdown Prior to Buffing	7000 - 8500 SFPM

Work Pressure

It is important that adequate pressure be used to generate the desired cut, finish, and life. Excess pressure, however, can result in decreased product life. Scotch-Brite™ wheels operate under work pressures of 10 to 40 pounds per inch of width. In the case of harder (6 – 9 density) products, high pressures are usually necessary to gain the full benefit of the wheel.

Feed Speed (Dwell Time)

Feed speed is directly related to product life, finish and cut. Lower feed speed means longer dwell time and, thus, more work can be done on the workpiece. When an operation is set up an attempt should be made to use the fastest feed speed possible to obtain the desired results. This will give the best economic result from the standpoint of product life.

In general, if product speed remains constant, fast feed speeds increase scratch length and, conversely, slow feed speeds shorten scratch length. This technique can be used to generate a particular decorative finish.

Oscillation

In many cases, such as decorative finishing and cleaning, it is desirable to incorporate an oscillatory motion for the purpose of increasing cut, breaking up directional scratch, and producing a uniform finish. A good starting point is 150 CPM (cycles per minute) at a stroke of 3/8 inches. This may be varied depending on the particular result desired.

In off-hand operations, moving the part from side to side will provide an oscillating action and more uniform finish.

Lubricant – Coolant

Coolants, like water and some water soluble oils, reduce heat resulting in longer product life and greater cut. In the case of most oils or tallow lubricants, surface roughness can be reduced. The higher viscosity lubricants produce lower surface roughness, i.e., grease produces a finer surface finish than oil. In automatic or semi-automatic operations, it is desirable to use lubricants or coolants whenever possible.

Belts, Narrow

3M™ Cloth Belt 761D

A Cubitron™ abrasive grain cloth belt constructed on a Y weight, strong, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty
00-051144-81412-1	80	3" x 24"	25
00-051144-81413-8	P100	3" x 24"	25
00-051144-81414-5	P120	3" x 24"	25

3M™ Cloth Belt 240D

Provides a premium and consistent performance on wood and other soft substrates. An excellent choice for sanding and finishing items such as cabinet doors, table tops or panels. Open coat construction resists loading and is more flexible than closed coat design.



High strength X wt. backing will endure for long lasting, economical performance. Excellent for wood and soft substrates.

UPC Number	Grade	Size	Case Qty
00-051144-71512-1	P50	3" x 18"	25
00-051144-30639-8	P80	3" x 18"	50
00-051144-71785-9	P120	3" x 18"	50
00-051144-27499-4	P50	3" x 21"	25
00-051144-27498-7	P60	3" x 21"	50
00-051144-27497-0	P80	3" x 21"	50
00-051144-27496-3	P100	3" x 21"	50
00-051144-27495-6	P120	3" x 21"	50
00-051144-27474-1	P50	3" x 24"	25
00-051144-27473-4	P60	3" x 24"	50
00-051144-27472-7	P80	3" x 24"	50
00-051144-27471-0	P100	3" x 24"	50
00-051144-27470-3	P120	3" x 24"	50
00-051144-27489-5	P50	4" x 21-3/4"	25
00-051144-27487-1	P80	4" x 21-3/4"	50
00-051144-27485-7	P120	4" x 21-3/4"	50
00-051144-27464-2	P50	4" x 24"	25
00-051144-27463-5	P60	4" x 24"	50
00-051144-27462-8	P80	4" x 24"	50
00-051144-27461-1	P100	4" x 24"	50
00-051144-27460-4	P120	4" x 24"	50

Belts, Narrow - continued

3M™ Cloth Belts 241D/341D

Aluminum oxide — X wt. Cloth. Excellent all around abrasive belt for everyday use.



UPC Number	Grade	Size	Case Qty
00-051144-26614-2	P36	1" x 42"	200
00-051144-26612-8	P40	1" x 42"	200
00-051144-26560-2	P120	2" x 48"	50
00-051144-31823-0	P50	1" x 42"	200
07-891040-01450-7	P60	1" x 42"	100
07-891040-01451-4	P80	1" x 42"	100
07-891040-01452-1	P100	1" x 42"	100
07-891040-01453-8	P120	1" x 42"	100
00-051144-26602-9	P150	1" x 42"	200
00-051144-26601-2	P180	1" x 42"	200
00-051144-26599-2	P240	1" x 42"	200
00-051144-26597-8	P320	1" x 42"	200
00-051144-26443-8	P36	1-1/2" x 60"	50
00-051144-26441-4	P40	1-1/2" x 60"	50
00-051144-26440-7	P50	1-1/2" x 60"	50
00-051144-26438-4	P60	1-1/2" x 60"	50
00-051144-26436-0	P80	1-1/2" x 60"	50
00-051144-26435-3	P100	1-1/2" x 60"	50
00-051144-26434-6	P120	1-1/2" x 60"	50
00-051144-26641-8	P60	2" x 36"	50
00-051144-26640-1	P80	2" x 36"	50
00-051144-26636-4	P120	2" x 36"	50
00-051144-26571-8	P36	2" x 48"	50
00-051144-26569-5	P40	2" x 48"	50
00-051144-26568-8	P50	2" x 48"	50
00-051144-26564-0	P60	2" x 48"	50
00-051144-26562-6	P80	2" x 48"	50
00-051144-26561-9	P100	2" x 48"	50
00-051144-26559-6	P150	2" x 48"	50
00-051144-26557-2	P180	2" x 48"	50
00-051144-26555-8	P240	2" x 48"	50
00-051144-85375-5	P320	2" x 48"	50
00-051144-26426-1	P36	2" x 60"	50
00-051144-26425-4	P40	2" x 60"	50
00-051144-26424-7	P50	2" x 60"	50
00-051144-33640-1	P60	2" x 60"	50

continued next page ➞

Belts, Narrow - continued

3M™ Cloth Belts 241D/341D - continued

UPC Number	Grade	Size	Case Qty
00-051144-33639-5	P80	2" x 60"	50
00-051144-26420-9	P100	2" x 60"	50
00-051144-33667-8	P120	2" x 60"	50
00-051144-33638-8	P180	2" x 60"	50
00-051144-26415-5	P240	2" x 60"	50
00-051144-33636-4	P320	2" x 60"	50
00-051144-26320-2	P36	2" x 72"	50
00-051144-26317-2	P50	2" x 72"	50
00-051144-26316-5	P60	2" x 72"	50
00-051144-33067-6	P80	2" x 72"	50
00-051144-26313-4	P100	2" x 72"	50
00-051144-26312-7	P120	2" x 72"	50
00-051144-26309-7	P180	2" x 72"	50
00-051144-81752-8	P240	2" x 72"	50
00-051144-26305-9	P320	2" x 72"	50
00-051144-11658-4	P400	2" x 72"	50
00-051144-33648-7	P36	2" x 132"	50
00-051144-25856-7	P50	2" x 132"	50
00-051144-31775-2	P60	2" x 132"	50
00-051144-25840-6	P80	2" x 132"	50
00-051144-25833-8	P100	2" x 132"	50
00-051144-25821-5	P120	2" x 132"	50
00-051144-25798-0	P180	2" x 132"	50
00-051144-25785-0	P240	2" x 132"	50
00-051144-25779-9	P320	2" x 132"	50
00-051144-77295-7	P60	2-1/2" x 16"	50
00-051144-70147-6	P80	2-1/2" x 16"	50
00-051144-26551-0	P36	2-1/2" x 48"	50
00-051144-82344-4	P40	2-1/2" x 48"	50
00-051144-33651-7	P50	2-1/2" x 48"	50
00-051144-26548-0	P60	2-1/2" x 48"	50
00-051144-26547-3	P80	2-1/2" x 48"	50
00-051144-26546-6	P100	2-1/2" x 48"	50
00-051144-26544-2	P120	2-1/2" x 48"	50
00-051144-26408-7	P36	2-1/2" x 60"	50
00-051144-26405-6	P40	2-1/2" x 60"	50
00-051144-26404-9	P50	2-1/2" x 60"	50
00-051144-26400-1	P60	2-1/2" x 60"	50
00-051144-26396-7	P80	2-1/2" x 60"	50
00-051144-33635-7	P100	2-1/2" x 60"	50
00-051144-26388-2	P120	2-1/2" x 60"	50
00-051144-26386-8	P150	2-1/2" x 60"	50
07-891040-01416-3	P36	3" x 18"	40
07-891040-01417-0	P50	3" x 18"	40

Belts, Narrow - continued

3M™ Cloth Belts 241D/341D - continued

UPC Number	Grade	Size	Case Qty
07-891040-01419-4	P80	3" x 18"	40
07-891040-02679-1	P24	3" x 21"	40
07-891040-01422-4	P36	3" x 21"	40
07-891040-01423-1	P40	3" x 21"	40
07-891040-01424-8	P50	3" x 21"	40
07-891040-01425-5	P60	3" x 21"	40
07-891040-01426-2	P80	3" x 21"	40
07-891040-01427-9	P100	3" x 21"	40
07-891040-01428-6	P120	3" x 21"	40
07-891040-01529-0	P180	3" x 21"	40
07-891040-02645-6	P36	3" x 23-3/4"	40
07-891040-02681-4	P24	3" x 24"	40
07-891040-01429-3	P36	3" x 24"	40
07-891040-01430-9	P40	3" x 24"	40
07-891040-01431-6	P50	3" x 24"	40
07-891040-01432-3	P60	3" x 24"	40
07-891040-01433-0	P80	3" x 24"	40
07-891040-01434-7	P100	3" x 24"	40
07-891040-01435-4	P120	3" x 24"	40
07-891040-01536-8	P150	3" x 24"	40
07-891040-02659-3	P240	3" x 24"	40
00-051144-25752-2	P36	3" x 132"	50
00-051144-25743-0	P50	3" x 132"	50
00-051144-33104-8	P60	3" x 132"	50
00-051144-25727-0	P80	3" x 132"	50
00-051144-25717-1	P100	3" x 132"	50
00-051144-25707-2	P120	3" x 132"	50
00-051144-25685-3	P180	3" x 132"	50
00-051144-77290-2	P24	3-1/2" x 15-1/2"	50
00-051144-26860-3	P36	3-1/2" x 15-1/2"	50
07-891040-02661-6	P40	3-1/2" x 15-1/2"	40
00-051144-26858-0	P50	3-1/2" x 15-1/2"	50
00-051144-26857-3	P60	3-1/2" x 15-1/2"	50
00-051144-26856-6	P80	3-1/2" x 15-1/2"	50
00-051144-26853-5	P100	3-1/2" x 15-1/2"	50
07-891040-02663-0	P120	3-1/2" x 15-1/2"	40
07-891040-02665-4	P180	3-1/2" x 15-1/2"	40
07-891040-01436-1	P36	4" x 24"	40
07-891040-01437-8	P40	4" x 24"	40
07-891040-01438-5	P50	4" x 24"	40
07-891040-01439-2	P60	4" x 24"	40
07-891040-01440-8	P80	4" x 24"	40
07-891040-01441-5	P100	4" x 24"	40
07-891040-01442-2	P120	4" x 24"	40

continued next page ➞

Belts, Narrow - continued

3M™ Cloth Belts 241D/341D - continued

UPC Number	Grade	Size	Case Qty
07-891040-01443-9	P36	4" x 36"	20
07-891040-01444-6	P40	4" x 36"	20
07-891040-01445-3	P50	4" x 36"	20
07-891040-01446-0	P60	4" x 36"	20
07-891040-01447-7	P80	4" x 36"	40
07-891040-01448-4	P100	4" x 36"	40
07-891040-01449-1	P120	4" x 36"	40
00-051144-26624-1	P180	4" x 36"	50
00-051144-26536-7	P60	4" x 48"	50
00-051144-26535-0	P80	4" x 48"	50
00-051144-11652-2	P100	4" x 48"	50
00-051144-26476-6	P36	4" x 54"	50
00-051144-26475-9	P40	4" x 54"	50
00-051144-26474-2	P50	4" x 54"	50
00-051144-26472-8	P60	4" x 54"	50
00-051144-26471-1	P80	4" x 54"	50
00-051144-26470-4	P100	4" x 54"	50
00-051144-26371-4	P36	4" x 60"	50
00-051144-26370-7	P60	4" x 60"	50
00-051144-26368-4	P80	4" x 60"	50
00-051144-25661-7	P36	4" x 132"	25
00-051144-25655-6	P50	4" x 132"	50
00-051144-33647-0	P60	4" x 132"	25
00-051144-25642-6	P80	4" x 132"	25
00-051144-25635-8	P120	4" x 132"	50
00-051144-25629-7	P150	4" x 132"	50
00-051144-26533-6	P24	6" x 48"	20
07-891040-01454-5	P36	6" x 48"	20
07-891040-01455-2	P40	6" x 48"	20
07-891040-01456-9	P50	6" x 48"	20
07-891040-01457-6	P60	6" x 48"	20
07-891040-01458-3	P80	6" x 48"	40
07-891040-01459-0	P100	6" x 48"	40
07-891040-01460-6	P120	6" x 48"	40
00-051144-26517-6	P150	6" x 48"	20
00-051144-26515-2	P180	6" x 48"	20
00-051144-26513-8	P240	6" x 48"	20
00-051144-26512-1	P320	6" x 48"	20
00-051144-26361-5	P36	6" x 60"	20
00-051144-26360-8	P40	6" x 60"	20
00-051144-26359-2	P50	6" x 60"	20
00-051144-26358-5	P60	6" x 60"	20
00-051144-26357-8	P80	6" x 60"	20
00-051144-26356-1	P100	6" x 60"	20

Belts, Narrow - continued

3M™ Cloth Belts 241D/341D - continued

UPC Number	Grade	Size	Case Qty
00-051144-26355-4	P120	6" x 60"	20
00-051144-82150-1	P36	6" x 132"	10
00-051144-25599-3	P100	6" x 132"	20
00-051144-25433-0	P40	6" x 168"	20

3M™ Cloth Belts 241E

Aluminum oxide — XE wt. Cloth. High strength backing for tougher applications.



UPC Number	Grade	Size	Case Qty
00-051144-71053-9	60	1/8" x 24"	200
00-051144-26733-0	60	1/4" x 24"	200
00-051144-26732-3	80	1/4" x 24"	200
00-051144-32407-1	100	1/4" x 24"	200
00-051144-26731-6	120	1/4" x 24"	200
00-051144-26730-9	180	1/4" x 24"	200
00-051144-26895-5	50	1/2" x 12"	200
00-051144-31170-5	60	1/2" x 12"	200
00-051144-26894-8	80	1/2" x 12"	200
00-051144-26893-1	100	1/2" x 12"	200
00-051144-26892-4	120	1/2" x 12"	200
00-051144-31074-6	180	1/2" x 12"	200
00-051144-32398-2	240	1/2" x 12"	200
00-051144-72227-3	60	1/2" x 18"	200
00-051144-72228-0	80	1/2" x 18"	200
00-051144-14754-0	100	1/2" x 18"	200
00-051144-72229-7	120	1/2" x 18"	200
00-051144-77986-4	220	1/2" x 18"	200
00-051144-32375-3	36	1/2" x 24"	200
00-051144-26725-5	50	1/2" x 24"	200
00-051144-26723-1	60	1/2" x 24"	200
00-051144-26720-0	80	1/2" x 24"	200
00-051144-26719-4	100	1/2" x 24"	200
00-051144-26717-0	120	1/2" x 24"	200
00-051144-26716-3	150	1/2" x 24"	200
00-051144-26715-6	180	1/2" x 24"	200
00-051144-26714-9	220	1/2" x 24"	200
00-051144-26713-2	320	1/2" x 24"	200

continued next page ➤

Belts, Narrow - continued

UPC Number	Grade	Size	Case Qty
00-051144-34176-4	80	1/2" x 42"	200
00-051144-26782-8	50	3/4" x 20-1/2"	200
00-051144-26781-1	60	3/4" x 20-1/2"	200
00-051144-26780-4	80	3/4" x 20-1/2"	200
00-051144-26779-8	100	3/4" x 20-1/2"	200
00-051144-26778-1	120	3/4" x 20-1/2"	200
00-051144-26776-7	180	3/4" x 20-1/2"	200
00-051144-32157-5	100	1" x 30"	200
00-051144-32158-2	120	1" x 30"	200
00-051144-32160-5	180	1" x 30"	200

3M™ Cloth Belt 777F

A Cubitron™ abrasive grain cloth belt constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. Can be run wet or dry. Primary market: metalworking.



UPC Number	Grade	Size	Case Qty
00-051144-80551-8	60	1/2" x 18"	200
00-051144-84304-6	120	1/2" x 18"	200
00-051144-77065-6	60	1/2" x 24"	200
00-051144-77491-3	80	1/2" x 24"	200
00-051144-81064-2	120	1/2" x 24"	200
00-051144-76519-5	60	2" x 48"	50
00-051144-77333-6	80	3 1/2" x 15 1/2"	50
00-051144-76679-6	60	6" x 48"	20
00-051144-76733-5	80	6" x 48"	20

3M™ Cloth Belts 963G

Premium 3M™ Cubitron™ — YN wt. Cloth. Water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary markets: Metalworking, woodworking.




UPC Number	Grade	Size	Case Qty
00-051144-12764-1	36	3" x 132"	25
00-051144-74324-7	60	3" x 132"	25

Belts, Surface Conditioning

Scotch-Brite™ Surface Conditioning Belt

Designed for cleaning, finishing and light deburring. Maximum Operating Speed: 6,500 SFPM (Surface Feet Per Minute).



UPC Number	Grade	Size	Case Qty	Colour
00-048011-14502-0	AMED	3/8" x 13"	20	Maroon
00-048011-08856-3	AVFN	1/2" x 18"	20	Blue
00-048011-08857-0	AMED	1/2" x 18"	20	Maroon
00-048011-08858-7	ACRS	1/2" x 18"	20	Brown
00-048011-04299-2	AVFN	1/2" x 24"	20	Blue
00-048011-03998-5	AMED	1/2" x 24"	20	Maroon
00-048011-05741-5	ACRS	1/2" x 24"	20	Brown
00-048011-14543-3	AVFN	3/4" x 18"	20	Blue
00-048011-15899-0	AMED	3/4" x 18"	20	Maroon
00-048011-13639-4	ACRS	3/4" x 18"	20	Brown
00-048011-15897-6	AMED	3/4" x 20-1/2"	20	Maroon
00-048011-18906-2	ACRS	3/4" x 20-1/2"	20	Brown
00-048011-04190-2	AVFN	1" x 42"	10	Blue
00-048011-04189-6	AMED	1" x 42"	10	Maroon
00-048011-04295-4	AVFN	2" x 48"	10	Blue
00-048011-08915-7	AMED	2" x 48"	10	Maroon
00-048011-00579-9	AVFN	2" x 72"	10	Blue
00-048011-00580-5	AMED	2" x 72"	10	Maroon
00-048011-04297-8	AVFN	2" x 132"	5	Blue
00-048011-03999-2	AMED	2" x 132"	5	Maroon
00-048011-05227-4	AMED	2-3/4" x 15-1/2"	10	Maroon
00-048011-05022-5	ACRS	2-3/4" x 15-1/2"	10	Brown
00-048011-09650-6	AVFN	3" x 10-11/16"	10	Blue
00-048011-05783-5	AMED	3" x 10-11/16"	10	Maroon
00-048011-05820-7	ACRS	3" x 10-11/16"	10	Brown
00-048011-14550-1	AVFN	3" x 18"	10	Blue
00-048011-14285-2	AMED	3" x 18"	10	Maroon
00-048011-04298-5	AVFN	3" x 24"	10	Blue
00-048011-00583-6	AMED	3" x 24"	10	Maroon
00-048011-08880-8	ACRS	3" x 24"	10	Brown
00-048011-04289-3	AVFN	3" x 132"	5	Blue
00-048011-00568-3	AMED	3" x 132"	5	Maroon
00-048011-05023-2	ACRS	3" x 132"	5	Brown
00-048011-05643-2	AVFN	3-1/2" x 15-1/2"	10	Blue
00-048011-05228-1	AMED	3-1/2" x 15-1/2"	10	Maroon
00-048011-05016-4	ACRS	3-1/2" x 15-1/2"	10	Brown
00-048011-04283-1	AVFN	6" x 48"	5	Blue
00-048011-00590-4	AMED	6" x 48"	5	Maroon
00-048011-05019-5	ACRS	6" x 48"	5	Brown

Bench Area Products, Flap Brush

Scotch-Brite™ CFFB-R (HPFB-R)

Ideal for decorative finishes and light deburring applications. Available on Roloc+™ attachment system.



UPC Number	Grade	Size	Case Qty
00-048011-14587-7	ACRS	3" x 1 x 3/8"	10
00-048011-14783-3	SFIN	3" x 1 x 3/8"	10

Scotch-Brite™ CFFB-S (HPFB-S)

Ideal for decorative finishes and light deburring applications. Available on 1/4" shaft.



UPC Number	Grade	Size	Case Qty
00-048011-05975-4	ACRS	3" x 1-3/4" x 1/4"	10
00-048011-14781-9	SFIN	3" x 1-3/4" x 1/4"	10

Scotch-Brite™ CPD5

Ideal for decorative finishes and light deburring applications. Grade: AMED.



UPC Number	Grade	Size	Case Qty
00-048011-14593-8	CPD5-S	3" x 1-1/4" x 1/4"	10
00-048011-14594-5	CPD5-R	3" x 1-1/4" x 1/4"	10
00-048011-14779-6	CPD5-S	4" x 1-1/4"	10
00-048011-14590-7	CPD5-R	4" x 1-1/4"	10

Bench Area Products, Flap Brush - continued

Scotch-Brite™ CPFB-R

Heavy duty brush, excellent for removing handling marks and surface imperfections. Available on Roloc+™ attachment system.



UPC Number	Grade	Size	Case Qty
00-048011-14588-4	AMED	3" x 1 x 3/8"	10

Scotch-Brite™ CPFB-S

Heavy duty brush, excellent for removing handling marks and surface imperfections. Available on 1/4" shaft.



UPC Number	Grade	Size	Case Qty
00-048011-16622-3	AMED	2" x 1" x 1/4"	25
00-048011-05974-7	AMED	3" x 1-3/4" x 1/4"	10

Scotch-Brite™ CSD2-S

Silicon carbide — extra coarse. Tough open web ideal for weld cleaning, paint and coating removal. Faster and safer than wire brushes. Use with Mandrel 933 or 934.



UPC Number	Grade	Size	Case Qty
00-048011-14780-2	SXCS	4" x 1"	10

Bench Area Products, Stars

Scotch-Brite™ Star

Perfect choice for polishing internal diameters of pipe and tubing. Conformable Scotch-Brite™ construction assures complete cleaning and polishing of all surfaces.



UPC Number	Grade	Size	Case Qty
00-048011-13370-6	ACRS	1-1/2" x NH	100
00-048011-13800-8	AVFN	1-1/2" x NH	100
00-048011-13371-3	ACRS	2" x NH	100
00-048011-13803-9	AVFN	2" x NH	100
00-048011-13372-0	ACRS	3" x NH	50
00-048011-13802-2	AVFN	3" x NH	50
00-048011-13373-7	ACRS	4" x NH	50
00-048011-13804-6	AVFN	4" x NH	50

Bench Area Products, Stars - Accessories

3M™ Mandrel 944

Use in conjunction with Scotch-Brite™ Stars for cleaning and polishing internal diameters of pipe and tubing. Shank with 1/4"-20 external thread.



UPC Number	Size	Case Qty
00-048011-13928-9	1/4"	1

Discs, Bristle Discs

3M™ Radial Bristle Disc Thin Bristle

Durable radial plastic disc for thin coating removal. Leaves a fine satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor.



UPC Number	Grade	Size	Case Qty
00-048011-30126-6	80	3" x 3/8"	80
00-048011-30127-3	120	3" x 3/8"	80
00-048011-30128-0	220	3" x 3/8"	80

Scotch-Brite™ Bristle Disc

Brush-like bristle disc removes coarse coatings from the large, open areas of a work piece. Works on right angle tools quickly and easily with little or no pressure. Max RPM: 12,000



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-24241-5	50	RPM: 12,000	4-1/2" x NH	10	Green
00-048011-24242-2	80	RPM: 12,000	4-1/2" x NH	10	Yellow
00-048011-24243-9	120	RPM: 12,000	4-1/2" x NH	10	White

Scotch-Brite™ Radial Bristle Brush 8"

An industrial brush made of 14 individual Radial Bristle Discs. High-tech plastic discs contain Cubitron™ material. Good for weld cleaning, heavy coatings removal while leaving a slightly less coarse satin finish. Perfect for irregular surfaces.

Also, a safer alternative to wire brushes. Includes adapters. MOS: 6,000 RPM



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-33081-5	50	With Adapter	8" x 1" x 1-1/4"	2	Green
00-048011-51504-5	80	With Adapter	8" x 1" x 1-1/4"	2	Yellow
00-048011-51473-4	120	With Adapter	8" x 1" x 1-1/4"	2	White

Discs, Bristle Discs - continued

**Scotch-Brite™
Bristle Brush 6"**

Durable radial brush replaces wire brush, doesn't throw wires, cleans better. Many MRO and production applications. Includes universal bench-motor adapters. Works on a variety of coatings leaving satin finish. MOS: 10,000 RPM



UPC Number	Grade	Size	Case Qty	Colour
00-048011-27605-2	50	6" x 1/2" x 1"	5	Green
00-048011-27603-8	36	6" x 1/2" x 1"	5	Dark Brown
00-048011-27606-9	80	6" x 1/2" x 1"	5	Yellow

Discs, Bristle Discs - Roloc™

**Scotch-Brite™ Roloc™
Bristle Disc Pack 982RS**

Evaluate the right product with Intro Packs. Includes a variety of size and grades. Try these discs for exceptional burr-free surfaces for painting and coating applications. Also use for removing rust, oxides, coatings and blending milling mismatches. Works best on flat surfaces. Save money and improve performance; choose the correct Scotch-Brite™ disc to gain consistent, higher quality finishes at lower costs.



UPC Number	Size	Case Qty
00-048011-18694-8	2"	5

**Scotch-Brite™ Roloc™
Bristle Disc**

Plastic brush-like bristle disc works with Roloc™ system. Use for cleaning or stripping a variety of coatings. Removes very little base material from workpiece. 50/Green; 80/Yellow; 120/White.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-048011-18698-6	50	Max RPM: 30,000	1" x 5/8"	80
00-048011-18733-4	120	Max RPM: 25,000	2" x 5/8"	40
00-048011-18730-3	50	Max RPM: 25,000	2" x 5/8"	40
00-048011-18732-7	80	Max RPM: 25,000	2" x 5/8"	40
00-048011-18734-1	50	Max RPM: 18,000	3" x 5/8"	40
00-048011-18736-5	80	Max RPM: 18,000	3" x 5/8"	40
00-048011-18737-2	120	Max RPM: 18,000	3" x 5/8"	40

Discs, Clean and Strip Discs

**Scotch-Brite™
Clean and Strip Disc**

Silicon carbide — extra coarse. Tough open web ideal for weld cleaning, as well as paint and coating removal. Faster and safer than wire brushes. Use with Mandrel 933 or 934.



UPC Number	Grade	Size	Case Qty
00-048011-07460-3	SXCS	4" x 1/4"	25
00-048011-00941-4	SXCS	4" x 1/2"	25
00-048011-00948-3	SXCS	6" x 1/2"	15
00-048011-00949-0	SXCS	6" x 5/8"	15
00-048011-00955-1	SXCS	7" x 7/8"	15
00-048011-00957-5	SXCS	8" x 1/2"	15

**3M™ NTN Maintenance
and Repair Kit**

The NTN (No Tools Needed) Kit contains four abrasive products & a backup pad for one of the most common tools: the 4.5" right angle grinder. The NTN platform allows operators to change out products as needed, without using tools, even if the product is not used up. Products can later be reattached as necessary, until the abrasive media has been fully used.



UPC Number	Part No	Size	Case Qty
00-048011-33013-6	3M NTN	Maintenance & Repair Kit	5/case

Discs, Coating Removal Discs

**Scotch-Brite™ Coating
Removal Disc**

Silicon carbide — extra coarse. Made for right angle tools. Aggressive Clean & Strip web. Non-loading design ideal for removing rust and coatings. Hook-and-Loop backing easily attaches to 3M™ disc pad holder.



UPC Number	Grade	Size	Case Qty
00-048011-18481-4	SXCS	4" x NH	40
00-048011-18424-1	SXCS	4-1/2" x NH	20
00-048011-18482-1	SXCS	4-1/2" x NH	40
00-048011-18355-8	SXCS	5" x NH	20
00-048011-18483-8	SXCS	5" x NH	40
00-048011-18485-2	SXCS	7" x NH	20
00-048011-18358-9	SXCS	7" x NH	10

Discs, Fibre Discs

3M™ Fibre Disc 281C

An aluminum oxide disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty
00-051144-85959-7	24	4-1/2" x 7/8"	25
00-051144-85960-3	36	4-1/2" x 7/8"	25
00-051144-85961-0	50	4-1/2" x 7/8"	25
00-051144-85962-7	60	4-1/2" x 7/8"	25
00-051144-85963-4	80	4-1/2" x 7/8"	25
00-051144-85966-5	24	5" x 7/8"	25
00-051144-85967-2	36	5" x 7/8"	25
00-051144-85968-9	50	5" x 7/8"	25
00-051144-85969-6	60	5" x 7/8"	25
00-051144-85970-2	80	5" x 7/8"	25
00-051144-85971-9	100	5" x 7/8"	25
00-051144-85972-6	120	5" x 7/8"	25
00-051144-85973-3	24	7" x 7/8"	25
00-051144-85974-0	36	7" x 7/8"	25
00-051144-85975-7	50	7" x 7/8"	25
00-051144-85976-4	60	7" x 7/8"	25
00-051144-85977-1	80	7" x 7/8"	25
00-051144-85978-8	100	7" x 7/8"	25
00-051144-85979-5	120	7" x 7/8"	25

3M™ Fibre Disc 381C

An aluminum oxide disc constructed on a fibre backing.

UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-77595-8	24	Boxed	4-1/2" x 7/8"	100
00-051144-77598-9	60	Boxed	4-1/2" x 7/8"	100
00-051144-77599-6	80	Boxed	4-1/2" x 7/8"	100
00-051144-81369-8	24	Boxed	5" x 7/8"	100
00-051144-20054-2	80	Boxed	5" x 7/8"	100
00-051144-20053-5	100	Boxed	5" x 7/8"	100
00-051144-01745-4	16	Boxed	7" x 7/8"	100
00-051144-81370-4	24	Boxed	7" x 7/8"	100
00-051144-81373-5	36	Boxed	7" x 7/8"	100
00-051144-81376-6	50	Boxed	7" x 7/8"	100
00-051144-01740-9	80	Boxed	7" x 7/8"	100
00-051144-01738-6	120	Boxed	7" x 7/8"	100
00-051144-21984-1	36	Bulk	7" x 7/8"	100

Discs, Fibre Discs - continued

3M™ Fibre Disc 501C

Alumina Zirconia. Premium mineral for fast, cool grinding on all metals.



UPC Number	Grade	Size	Case Qty
00-051111-50409-3	24	4-1/2" x 7/8"	100
00-051111-50413-0	36	4-1/2" x 7/8"	100
00-051111-50414-7	50	4-1/2" x 7/8"	100
00-051111-50415-4	60	4-1/2" x 7/8"	100
00-051111-50416-1	80	4-1/2" x 7/8"	100
00-051111-50417-8	100	4-1/2" x 7/8"	100
00-051111-50419-2	120	4-1/2" x 7/8"	100
00-051111-50410-9	24	5" x 7/8"	100
00-051111-50412-3	36	5" x 7/8"	100
00-051111-50420-8	50	5" x 7/8"	100
00-051111-50421-5	60	5" x 7/8"	100
00-051111-50422-2	80	5" x 7/8"	100
00-051111-50423-9	100	5" x 7/8"	100
00-051111-50424-6	120	5" x 7/8"	100
00-051111-50411-6	24	7" x 7/8"	100
00-051111-50426-0	36	7" x 7/8"	100
00-051111-50425-3	50	7" x 7/8"	100
00-051111-50427-7	60	7" x 7/8"	100
00-051111-50428-4	80	7" x 7/8"	100
00-051111-50429-1	100	7" x 7/8"	100
00-051111-50430-7	120	7" x 7/8"	100

Discs, Fibre Discs - continued

3M™ Fibre Disc 785C

A Cubitron™ abrasive grain disc constructed on a fibre backing. Features grinding aid for cooler grinding. Primary market: metalworking.



UPC Number	Grade	Size	Case Qty
00-051144-80660-7	36	4-1/2" x 7/8"	100
00-051144-80661-4	50	4-1/2" x 7/8"	100
00-051144-80662-1	60	4-1/2" x 7/8"	100
00-051144-80663-8	80	4-1/2" x 7/8"	100
00-051144-13931-6	24	5" x 7/8"	100
00-051144-13930-9	36	5" x 7/8"	100
00-051144-13928-6	50	5" x 7/8"	100
00-051144-13977-4	60	5" x 7/8"	100
00-051144-13926-2	80	5" x 7/8"	100
00-051144-80654-6	P100	5" x 7/8"	100
00-051144-13937-8	24	7" x 7/8"	100
00-051144-13936-1	36	7" x 7/8"	100
00-051144-13934-7	50	7" x 7/8"	100
00-051144-13933-0	60	7" x 7/8"	100
00-051144-13932-3	80	7" x 7/8"	100
00-051144-13942-2	36	9-1/8" x 7/8"	100

Discs, Fibre Discs - Accessories

3M™ Disc Holder Adaptor 9

These adaptors will convert a grinder with M10-1.25, M10-1.5 or 3/8"-24 external threaded shaft to a 5/8"-11 external threaded shaft.



UPC Number	Size	Case Qty
00-048011-22970-6	3/8" - 24" T	10
00-048011-22971-3	M10 - 1.25" T	10
00-048011-22972-0	M10 - 1.50" T	10

Discs, Fibre Discs, Accessories - continued

3M™ Disc Pad Face Plate - Ribbed


Backup plates for fibre discs. Colour coded by density. Ribbed plates result in cooler running discs. Use harder face plates for heavier stock removal applications. Packed 25/case.



UPC Number	Grade	Size	Case Qty
00-051144-81732-0	ExHard	5"	Red
00-051144-81733-7	Hard	5"	Black
00-051144-81734-4	Med	5"	Gray
00-051144-80514-3	Hard	7"	Red
00-051144-80515-0	Hard	7"	Black
00-051144-80516-7	Med	7"	Gray

3M™ Disc Pad Face Plate - Smooth

Backup plates for fibre discs. Colour coded by density. Ribbed plates result in cooler running discs. Use harder face plates for heavier stock removal applications. Packed 25/case.



UPC Number	Grade	Size	Colour
00-051144-14270-5	Hard	4-1/2"	Black
00-051144-13325-3	Med	4-1/2"	Gray
00-051144-45206-4	Hard	5"	Black

3M™ Disc Pad Hub

Plastic hubs with 5/8"-11 metal insert. Use with 3M disc pad face plates.



UPC Number	Size	Case Qty
00-051144-45205-7	2-1/2"	10
00-051144-45190-6	4-1/2"	10

Discs, Flap Discs

3M™ Abrasive Flap Disc 563D

Fast cutting disc with exceptionally long life. Now available with a quick change hub. Alumina zirconia.



Maximum RPM:
 4-1/2" = 13,300
 7" = 8,600

UPC Number	Grade	Size	Case Qty
00-051111-50467-3	P36	4-1/2" x 7/8"	10
00-051111-50468-0	P40	4-1/2" x 7/8"	10
00-051111-50469-7	P60	4-1/2" x 7/8"	10
00-051111-50470-3	P80	4-1/2" x 7/8"	10
00-051111-50471-0	P120	4-1/2" x 7/8"	10
00-051111-50472-7	P36	7" x 7/8"	5
00-051111-50473-4	P40	7" x 7/8"	5
00-051111-50474-1	P60	7" x 7/8"	5
00-051111-50475-8	P80	7" x 7/8"	5
00-051111-50476-5	P120	7" x 7/8"	5

3M™ Abrasive Flap Disc 747D

Premium ceramic mineral provides exceptional cut and life on the hardest metals. Features 3M™ Cubitron™ abrasive grain.



UPC Number	Grade	Size	Case Qty
00-051111-49613-8	36	4-1/2" x 7/8"	10
00-051111-49614-5	50	4-1/2" x 7/8"	10
00-051111-49615-2	60	4-1/2" x 7/8"	10
00-051111-49616-9	80	4-1/2" x 7/8"	10
00-051111-49617-6	P120	4-1/2" x 7/8"	10
00-051111-49608-4	36	7" x 7/8"	5
00-051111-49609-1	50	7" x 7/8"	5
00-051111-49610-7	60	7" x 7/8"	5
00-051111-49611-4	80	7" x 7/8"	5
00-051111-49612-1	P120	7" x 7/8"	5

Discs, Flap Discs - Accessories

3M™ Disc Pad Hub 88743

Designed with metal insert to fit right angle grinders with 5/8"-11 external short shafts (3/8" to 1/2" long). Use with 4-1/2" to 9" face plates. Thread: 5/8"-11 INT



UPC Number	Grade	Case Qty
00-051144-88743-9	2-1/2"	10

3M™ Disc Retainer Nut

Nuts have 5/8"-11 threaded arbor hole in three depths to accommodate grinder shaft lengths.



UPC Number	Size	Case Qty
00-051144-05621-7	1/2"	1
00-051144-05622-4	3/8"	1
00-051111-51047-6	5/16"	10
00-051144-05620-0	5/8"	1

3M™ Flap Disc Adaptor Nut 88765

Adaptor nut used for securing 4-1/2" diameter flap discs to right angle tool with a 5/8"-11 threaded shaft.



UPC Number	Size	Case Qty
00-051144-88765-1	5/8"-11	5

3M™ Flap Disc Holder T27 88769

Backup plate for 7", type-27 flap discs.



UPC Number	Size	Case Qty
00-051144-88769-9	4"	1

Discs, High Strength Discs

Scotch-Brite™ High Strength Disc

Aluminum oxide. Very conformable discs, ideal for light deburring, cleaning and finishing.



UPC Number	Grade	Size	Case Qty
00-048011-00666-6	AVFN	6" x 1/4"	100
00-048011-27748-6	AVFN	6" x 1/4"	40
00-048011-04188-9	AMED	6" x 1/2"	100
00-048011-27745-5	AMED	6" x 1/2"	40
00-048011-00665-9	AVFN	6" x 1/2"	100
00-048011-27747-9	AVFN	6" x 1/2"	40
00-048011-03992-3	AMED	8" x 1/2"	50
00-048011-27746-2	AMED	8" x 1/2"	20
00-048011-00672-7	AVFN	8" x 1/2"	50
00-048011-27749-3	AVFN	8" x 1/2"	20
00-048011-04002-8	AMED	12" x 1-1/4"	25

Discs, Hookit™ Clean and Finish Discs

Scotch-Brite™ Hookit™ Production Clean and Finish Disc

Delivers high cut, long life and better finish. Use on aluminum, stainless steel, plastics, wood and fiberglass to finish, paint prep, surface blending. Hookit™ reinforces discs. Max RPM: 12,000.



UPC Number	Grade	Size	Case Qty	Colour
00-048011-29292-2	AVFN	5" x NH	40	Maroon
00-048011-29293-9	AVFN	6" x NH	40	Maroon

Discs, Hookit™ Discs

3M™ Hookit™ Disc 359F

Aluminum Oxide — YF wt. Cloth. Water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary market: metalworking.

UPC Number	Grade	Size	Case Qty
00-051144-13954-5	80	5" x NH	250
00-051144-13790-9	P180	5" x NH	250

Discs, Hookit™ Discs - continued

3M™ Hookit™ Disc 750U

3M™ Cubitron™ — E wt. Paper. Heavy paper backing. Open coat resists loading. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.

UPC Number	Grade	Size	Case Qty
00-051131-00507-5	80	5" x NH	5

Discs, Hookit™ Discs - Accessories

3M™ Disc Pad Holder 945

Use with 5 inch Coating Removal and Hookit™ Discs. Pad is made with a medium density foam and has a 45 degree tapered edge for flexibility. For use with random orbital sander with 5/16-24 internal threads.



UPC Number	Size	Case Qty
00-051144-13625-4	5" x 3/4"	10

3M™ Disc Pad Holder 947

Use with 7" Hook-and-Loop Discs and Hookit™ discs. Pad has metal hub, medium density foam and a long tapered edge for flexibility. Use with sanders with 5/8"-11 external threaded shank.



UPC Number	Grade	Size	Case Qty
00-051144-13627-8	5/8"-11 INT	7" x 1"	1

3M™ Hookit™ Disc Pad 05775

For use with 5 inch diameter Hookit™ discs. Made with a resilient backing plate assembly and a medium density foam for durability. Fits random orbital sanders with 5/16-24 internal thread.



UPC Number	Size	Case Qty
00-051131-05775-3	5" x 3/4"	10

Discs, Hookit™ Discs - Accessories, *continued*

3M™ Hookit™ Disc Pad

Specially designed for use with 5 inch Hookit™ discs. Made with a medium density foam and a long tapered edge which provides flexibility for easy feather edging of repaired area.



UPC Number	Grade	Size	Case Qty
00-051144-85096-9	5/8"-11 INT	5" x 5/8"	10
00-051144-85105-8	5/8"-11 INT	5" x 3/4"	10

Discs, Hookit™ Discs - Accessories, *continued*

3M™ Hookit™ Low Profile Disc Pad 05755

Specially designed for use with 5 inch Hookit™ discs. Low profile design provides better leveling and faster removal rates when flat sanding. Pad is made with a medium density foam and has a blunt edge for edge durability.



UPC Number	Size	Case Qty
00-051131-05755-5	5" x 3/8"	10

3M™ Hookit™ Dust Free Low Profile Backup Pad 05855


Use with 5 inch diameter Hookit™ dust-free discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread.



UPC Number	Size	Case Qty
00-051131-05855-2	5" x 3/8"	10

3M™ Hookit™ Soft Interface Disc Pad 05773

For use with 5" Hookit™ discs. Constructed of a soft durable foam. When used with a standard Hookit™ Backup Pad it increases conformability allowing the technician to follow contours and get in closer to most edges. Contains five dust holes.



UPC Number	Size	Case Qty
00-051131-05773-9	5" x 1/2" x 1"	10

3M™ Hookit™ Dust Free Low Profile Finishing Disc Pad 84226

For use with 5 inch Hookit™ Dust-Free Discs. Soft foam construction. Use in applications using grade 220 and finer abrasives. Use with coarse grade abrasives may cause premature foam failure. 5/16-24 EXT thread.



UPC Number	Extra Desc	Size	Case Qty
00-051111-51042-1	Vacuum Groove	5" x 11/16"	10

Discs, Hookit™

3M™ Hookit™ Film Disc 255L

Aluminum Oxide. Film backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.



UPC Number	Grade	Size	Case Qty
00-051131-00967-7	P80	5" x NH	400
00-051131-00965-3	P120	5" x NH	400
00-051131-00964-6	P150	5" x NH	400
00-051131-00963-9	P180	5" x NH	400
00-051131-00962-2	P220	5" x NH	400
00-051131-00959-2	P320	5" x NH	400
00-051131-00957-8	P400	5" x NH	400
00-051111-69637-8	P80	6" x NH	400

3M™ Hookit™ Film Disc 255L - continued

UPC Number	Grade	Size	Case Qty
00-051111-69638-5	P100	6" x NH	400
00-051111-69639-2	P120	6" x NH	400
00-051111-69640-8	P150	6" x NH	400
00-051111-69641-5	P180	6" x NH	400
00-051111-69642-2	P220	6" x NH	400
00-051111-69643-9	P240	6" x NH	400
00-051111-69644-6	P280	6" x NH	400
00-051111-69645-3	P320	6" x NH	400
00-051111-69646-0	P360	6" x NH	400
00-051111-69647-7	P400	6" x NH	400
00-051111-69648-4	P500	6" x NH	400

3M™ Hookit™ Disc 216U

Aluminum oxide Hookit™ discs constructed on an A weight light paper backing for primer sanding, paint repair, automotive sanding of enamel and lacquer coatings.



UPC Number	Size	Grade	Case Qty
00-051111-60737-4	5" x NH	P80A	200
00-051111-60815-9	6" x NH	P80A	200
00-051111-60738-1	5" x NH	P120A	200
00-051111-60816-6	6" x NH	P120A	200
00-051111-60739-8	5" x NH	P150A	200
00-051111-60817-3	6" x NH	P150A	200
00-051111-60740-4	5" x NH	P180A	200
00-051111-60818-0	6" x NH	P180A	200
00-051111-60741-1	5" x NH	P220A	200
00-051111-60819-7	6" x NH	P220A	200
00-051111-60742-8	5" x NH	P280A	200
00-051111-60820-3	6" x NH	P280A	200
00-051144-86270-2	5" x NH	P320A	200
00-051111-60821-0	6" x NH	P320A	200
00-051144-86271-9	5" x NH	P400A	200
00-051111-60822-7	6" x NH	P400A	200
00-051144-86299-3	5" x NH	P600A	200
00-051111-60823-4	6" x NH	P600A	200
00-051111-60743-5	5" x NH	P800A	200
00-051111-60824-1	6" x NH	P800A	200

3M™ Clean Sanding Disc 360L

An aluminum oxide, open coat, load resistant Hookit™ disc with precise multiple hole design for improved dust extraction. Constructed on a film backing.



UPC	Prod ID	Grit	Size	Case Qty
051141-20821-3	AB20821	P220	3"	500
051141-20822-0	AB20822	P240	3"	500
051141-20823-7	AB20823	P280	3"	500
051141-20824-4	AB20824	P320	3"	500
051141-20825-1	AB20825	P400	3"	500
051141-20826-8	AB20826	P500	3"	500
051141-20827-5	AB20827	P600	3"	500
051141-20828-2	AB20828	P800	3"	500
051141-20829-9	AB20829	P1000	3"	500
051131-01704-7	AB01704	P220	5"	500
051131-01705-4	AB01705	P240	5"	500
051131-01706-1	AB01706	P280	5"	500
051131-01707-8	AB01707	P320	5"	500
051131-01708-5	AB01708	P400	5"	500
051131-01709-2	AB01709	P500	5"	500
051131-01710-8	AB01710	P600	5"	500
051131-01711-5	AB01711	P800	5"	500
051131-01712-2	AB01712	P1000	5"	500
051441-20798-8	AB20798	P220	6"	500
051441-20799-5	AB20799	P240	6"	500
051441-20800-8	AB20800	P280	6"	500
051441-20801-5	AB20801	P320	6"	500
051441-20802-2	AB20802	P400	6"	500
051441-20803-9	AB20803	P500	6"	500
051441-20804-6	AB20804	P600	6"	500
051441-20805-3	AB20805	P800	6"	500
051441-20806-0	AB20806	P1000	6"	500

Discs, Microfinishing

**3M™ Hookit™
Microfinishing Film
Disc 366L**

Precision, micron-graded, resin-bonded, polyester film backing. Aggressive cut with uniform finish. Anti-loading Fre-Cut™ coating provides greater efficiency and longer product life. Use on plastic, fiberglass, wood, metal, solid-surface composites.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-84162-2	15	Type: D	5" x NH	500
00-051111-61532-4	20	Type D	5" x NH	500
00-051144-84164-6	30	Type D	5" x NH	500
00-051144-84165-3	40	Type: D	5" x NH	500
00-051144-84166-0	50	Type: D	5" x NH	500
00-051144-84167-7	60	Type: UK	5" x NH	500
00-051144-84168-4	80	Type: UK	5" x NH	500
00-051144-84169-1	100	Type: UK	5" x NH	500
00-051144-84170-7	120	Type: UK	5" x NH	500
00-051144-84171-4	150	Type: UK	5" x NH	500
00-051144-84172-1	180	Type: UK	5" x NH	500

**3M™ Microfinishing Film
PSA Disc 366L**

Precision, micron-graded, resin-bonded, polyester film backing. Aggressive cut with uniform finish. Anti-loading Fre-Cut™ coating provides greater efficiency and longer product life. Use on plastic, fiberglass, wood, metal, solid-surface composites.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-84156-1	15	Type: D	5" x NH	500
00-051144-84157-8	20	Type: D	5" x NH	500
00-051144-84159-2	40	Type: D	5" x NH	500
00-051111-61523-2	50	Type: D	5" x NH	500
00-051144-84161-5	60	Type: UK	5" x NH	500
00-051111-61527-0	80	Type: UK	5" x NH	500
00-051111-54411-2	100	Type: UK	5" x NH	500
00-051111-61526-3	120	Type: UK	5" x NH	500
00-051111-61525-6	150	Type: UK	5" x NH	500
00-051111-61524-9	180	Type: UK	5" x NH	500

Discs, Microfinishing - continued

**3M™ Microfinishing Film
PSA Disc Roll 366L**

Precision, micron-graded, resin-bonded, polyester film backing. Aggressive cut with uniform finish. Anti-loading Fre-Cut™ coating provides greater efficiency and longer product life. Use on plastic, fiberglass, wood, metal, solid-surface composites.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051111-61522-5	15	Type: D	5" x NH	4
00-051111-61521-8	20	Type: D	5" x NH	4
00-051144-84177-6	30	Type: D	5" x NH	4
00-051144-84178-3	40	Type: D	5" x NH	4
00-051144-84181-3	80	Type: UK	5" x NH	4
00-051144-84182-0	100	Type: UK	5" x NH	4
00-051144-84183-7	120	Type: UK	5" x NH	4

Discs, PSA Discs

**3M™ PSA Disc
248D/348D**

An aluminum oxide PSA disc constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty
00-051144-20889-0	P50	5" x NH	250
00-051144-88903-7	P60	12" x NH	10
00-051144-88902-0	P80	12" x NH	10
00-051144-20913-2	P36	2" x NH	200
00-051144-88901-3	P100	12" x NH	10
00-051144-20912-5	P40	2" x NH	200
00-051144-88875-7	P60	20" x NH	10
00-051144-20911-8	P50	2" x NH	200
00-051144-20910-1	P60	2" x NH	200
00-051144-20909-5	P80	2" x NH	200
00-051144-20908-8	P100	2" x NH	200
00-051144-20907-1	P120	2" x NH	200
00-051144-01337-1	P36	3" x NH	200
00-051144-01335-7	P40	3" x NH	200
00-051144-01334-0	P50	3" x NH	200
00-051144-01333-3	P60	3" x NH	200

continued next page ➔

Discs, PSA Discs - continued

3M™ PSA Disc 248D/348D - continued

UPC Number	Grade	Size	Case Qty
00-051144-01332-6	P80	3" x NH	200
00-051144-01331-9	P100	3" x NH	200
00-051144-01330-2	P120	3" x NH	200
00-051144-20891-3	P36	5" x NH	250
00-051144-20890-6	P40	5" x NH	250
00-051144-20888-3	P60	5" x NH	250
00-051144-20887-6	P80	5" x NH	250
00-051144-20886-9	P100	5" x NH	250
00-051144-20885-2	P120	5" x NH	250
00-051144-20884-5	P150	5" x NH	250
00-051144-20883-8	P180	5" x NH	250
00-051144-20881-4	P240	5" x NH	250
00-051144-21639-0	P36	6" x NH	250
00-051144-21731-1	P40	6" x NH	250
00-051144-20879-1	P50	6" x NH	250
00-051144-20878-4	P60	6" x NH	250
00-051144-20877-7	P80	6" x NH	250
00-051144-20876-0	P100	6" x NH	250
00-051144-21497-6	P120	6" x NH	250
00-051144-20874-6	P36	8" x NH	250
00-051144-20873-9	P40	8" x NH	250
00-051144-20872-2	P50	8" x NH	250
00-051144-20871-5	P60	8" x NH	250
00-051144-20870-8	P80	8" x NH	250
00-051144-20869-2	P100	8" x NH	250
00-051144-20868-5	P120	8" x NH	250
00-051144-88906-8	P36	12" x NH	10
00-051144-88905-1	P40	12" x NH	10
00-051144-88904-4	P50	12" x NH	10
00-051144-88890-0	P36	16" x NH	10
00-051144-88889-4	P40	16" x NH	10
00-051144-88888-7	P50	16" x NH	10
00-051144-88887-0	P60	16" x NH	10
00-051144-88886-3	P80	16" x NH	10
00-051144-88882-5	P36	18" x NH	10
00-051144-88881-8	P40	18" x NH	10
00-051144-88880-1	P60	18" x NH	10
00-051144-88879-5	P80	18" x NH	10
00-051144-88878-8	P36	20" x NH	10
00-051144-88877-1	P40	20" x NH	10
00-051144-88876-4	P50	20" x NH	10
00-051144-88874-0	P80	20" x NH	10
00-051144-20802-9	P36	24" x NH	10
00-051144-20801-2	P40	24" x NH	10
00-051144-20799-2	P60	24" x NH	10
00-051144-20798-5	P80	24" x NH	10

Discs, PSA Discs - continued

3M™ PSA Disc 777F

3M™ Cubitron™ — YF wt. Cloth. Water resistant, polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary market: metalworking.



UPC Number	Grade	Size	Case Qty
00-051144-88869-6	36	12" x NH	10
00-051144-88873-3	40	12" x NH	10
00-051144-88872-6	50	12" x NH	10
00-051144-88871-9	60	12" x NH	10
00-051144-88870-2	80	12" x NH	10

Discs, PSA Discs - Accessories

3M™ PSA Disc Holder

Supports PSA disc. Used with any air or electric grinding tool that accommodates a 1/4" shank.



UPC Number	Size	Case Qty
00-051144-45070-1	2"	50
00-051144-05510-4	3"	10
00-051144-45068-8	5"	4

Discs, Roloc™ Discs

3M™ Roloc™ Disc 361F

An aluminum oxide Roloc™ disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary markets: metalworking, woodworking.



UPC Number	Grade	Size	Case Qty
00-051144-22398-5	36	2"	200
00-051144-22399-2	50	2"	200
00-051144-22400-5	60	2"	200
00-051144-22401-2	80	2"	200
00-051144-22402-9	P100	2"	200
00-051144-22403-6	P120	2"	200
00-051144-11419-1	P240	2"	200
00-051144-22392-3	24	3"	200
00-051144-22393-0	36	3"	200
00-051144-22394-7	50	3"	200
00-051144-22395-4	60	3"	200
00-051144-22404-3	80	3"	200
00-051144-22405-0	P100	3"	200
00-051144-22406-7	P120	3"	200
00-051144-11000-1	24 YF	2"	200
00-051144-14559-1	P150 XF	2"	200
00-051144-13873-9	P180 XF	2"	200
00-051144-82244-7	P150 XF	3"	200
00-051144-11418-4	P240 XF	3"	200

3M™ Roloc™ Disc 461F

Provide a fast, efficient method for deburring, blending, finishing, removing tool marks and die polishing on all types of metal. Lock securely in place with just a half twist... a half twist and they're off. Standard Roloc™ discs are colour coded by grade. Silicon carbide — YF wt. Cloth. Ideal for grinding glass, titanium and non-ferrous metals.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-12956-0	P60	TR	2"	200
00-051144-12954-6	P80	TR	2"	200
00-051144-12957-7	P60	TR	3"	200
00-051144-12955-3	P80	TR	3"	200

Discs, Roloc™ Discs - continued

3M™ Roloc™ Disc 777F

Provide a fast, efficient method for deburring, blending, finishing, removing tool marks and die polishing on all types of metal. Standard Roloc™ discs are colour coded by grade. A Cubitron™ abrasive grain Roloc™ disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. Can be run wet or dry. Primary market: metalworking.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-76627-7	50	TR	1-1/2"	500
00-051144-76628-4	60	TR	1-1/2"	500
00-051144-14660-4	80	TR	1-1/2"	500
00-051144-80511-2	P120	TR	1-1/2"	500
00-051144-76629-1	36	TR	2"	200
00-051144-76630-7	50	TR	2"	200
00-051144-76433-4	60	TR	2"	200
00-051144-76750-2	60	TS	2"	200
00-051144-14661-1	80	TR	2"	200
00-051144-80508-2	P100	TR	2"	200
00-051144-80512-9	P120	TR	2"	200
00-051144-76631-4	36	TR	3"	200
00-051144-76632-1	50	TR	3"	200
00-051144-76633-8	60	TR	3"	200
00-051144-76634-5	80	TR	3"	200
00-051144-80509-9	P100	TR	3"	200
00-051144-80513-6	P120	TR	3"	200

3M™ Roloc™ Disc 963G

Provide a fast, efficient method for deburring, blending, finishing, removing tool marks and die polishing on all types of metal. Lock securely in place with just a half twist; a half twist and they're off. Standard Roloc™ discs are colour coded by grade.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-11112-1	36	TR	2"	200
00-051144-76436-5	40	TR	2"	200
00-051144-11111-4	50	TR	2"	200
00-051144-11110-7	60	TR	2"	200
00-051144-11109-1	80	TR	2"	200
00-051144-11106-0	120	TR	2"	200
00-051144-11108-4	24	TR	3"	200
00-051144-11105-3	36	TR	3"	200
00-051144-11104-6	50	TR	3"	200
00-051144-82135-8	50	TP	3"	200
00-051144-11103-9	60	TR	3"	200
00-051144-11102-2	80	TR	3"	200

Discs, Roloc™ Discs - Accessories

3M™ Roloc™ Disc Pad


Rubber backup pads are available in different diameters and degrees of hardness for varying grinding applications. Pads are internally threaded to receive any standard 1/4"-20 thread shaft. Packed 5/case.

UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-45101-2	Med	1/4-20 INT	1"	5
00-051144-45099-2	Med	1/4-20 INT	1-1/2"	5
00-051144-45100-5	Hard	1/4-20 INT	1-1/2"	5
00-051144-45095-4	Med	1/4-20 INT	2"	5
00-051144-45096-1	Hard	1/4-20 INT	2"	5
00-051144-45092-3	Med	1/4-20 INT	3"	5
00-051144-45091-6	Hard	1/4-20 INT	3"	5
00-051144-45093-0	ExHard	1/4-20 INT	3"	5
00-051144-45179-1	Med	1/4-20 INT	4"	5

3M™ Roloc™ Disc Pad Shank 45102

Needed with all 1/4"-20 Roloc™ Disc Pads.

UPC Number	Size	Case Qty
00-051144-45102-9	1/4" Shank	100



Discs, Roloc™ Discs - Pack

3M™ Roloc™ Disc Pack 985S

Evaluate the right product with Intro Packs. Includes a variety of size and grades. Try these discs for exceptional burr-free surfaces for painting and coating applications. Also use for removing rust, oxides, coatings and blending milling mismatches. Works best on flat surfaces. Save money and improve performance; choose the correct Scotch-Brite™ disc to gain consistent, higher quality finished at lower costs.



UPC Number	Case Qty
00-048011-18254-4	5

Discs, Roloc™ Fibre Discs


3M™ Roloc™ Fibre Disc 501C

Provide a fast, efficient method for deburring, blending, finishing, removing tool marks and die polishing on all types of metal. Lock securely in place with just a half twist... a half twist and they're off. Standard Roloc™ discs are colour coded by grade. Premium mineral for fast grinding on mild and stainless steel.

UPC Number	Grade	Extra Desc	Size	Case Qty
00-051111-50748-3	50	TR	2"	200
00-051111-50749-0	60	TR	2"	200
00-051111-50750-6	80	TR	2"	200
00-051111-50743-8	36	TR	3"	200
00-051111-50744-5	50	TR	3"	200
00-051111-50745-2	60	TR	3"	200

3M™ Roloc™ Fibre Disc 785C

A Cubitron™ abrasive grain Roloc™ disc constructed on a fibre backing. Features grinding aid for cooler grinding. Primary market: metalworking.



UPC Number	Grade	Size	Case Qty
00-051144-83690-1	36	4"	100
00-051144-83691-8	50	4"	100
00-051144-83692-5	60	4"	100
00-051144-83693-2	80	4"	100
00-051144-83694-9	P100	4"	100
00-051144-83695-6	P120	4"	100

Discs, Scotch-Brite™ Roloc™ Discs— continued

Scotch-Brite™ Roloc™ Surface Conditioning Disc

Premium Scotch-Brite™ surface conditioning non-woven web provides a burr-free decorative finish. Removes grind marks, rust and coatings.



UPC Number	Grade	Size	Case Qty	Colour	Attachment
00-048011-25775-4	ACRS	1-1/2" x NH	200	Maroon	TSM
00-048011-08764-1	ACRS	1-1/2" x NH	200	Brown	TR
00-048011-08765-8	AMED	1-1/2" x NH	200	Maroon	TR
00-048011-25774-7	AMED	1-1/2" x NH	200	Maroon	TSM
00-048011-08766-5	AVFN	1-1/2" x NH	200	Blue	TR
00-048011-25773-0	AVFN	1-1/2" x NH	200	Blue	TSM
00-048011-25765-5	ACRS	2" x NH	200	Brown	TSM
00-048011-13237-2	ACRS	2" x NH	200	Brown	TP
00-048011-05528-2	ACRS	2" x NH	200	Brown	TR
00-048011-25764-8	AMED	2" x NH	200	Maroon	TSM
00-048011-05527-5	AMED	2" x NH	200	Maroon	TR
00-048011-13238-9	AMED	2" x NH	200	Maroon	TP
00-048011-25770-9	AVFN	2" x NH	200	Blue	TSM
00-048011-05523-7	AVFN	2" x NH	200	Blue	TR
00-048011-13239-6	AVFN	2" x NH	200	Blue	TP
00-048011-05522-0	S SFN	2" x NH	200	Gray	TR
00-048011-25767-9	ACRS	3" x NH	100	Brown	TSM
00-048011-13241-9	ACRS	3" x NH	100	Brown	TP
00-048011-05532-9	ACRS	3" x NH	100	Brown	TR
00-048011-05531-2	AMED	3" x NH	100	Maroon	TR
00-048011-25766-2	AMED	3" x NH	100	Maroon	TSM
00-048011-13242-6	AMED	3" x NH	100	Maroon	TP
00-048011-25780-8	AVFN	3" x NH	100	Blue	TSM
00-048011-05530-5	AVFN	3" x NH	100	Blue	TR
00-048011-13259-4	AVFN	3" x NH	100	Blue	TP
00-048011-05529-9	S SFN	3" x NH	100	Gray	TR
00-048011-12954-9	ACRS	4" x NH	100	Brown	TR
00-048011-12953-2	AMED	4" x NH	100	Maroon	TR
00-048011-12952-5	AVFN	4" x NH	100	Blue	TR

Discs, Stikit™ Discs

3M™ Stikit™ Disc 300D

Aluminum oxide — J wt. Cloth. Open coat resists loading. Excellent for all types of wood and metal sanding. Cloth backing provides excellent durability. Individual discs with liners.



UPC Number	Grade	Size	Case Qty
00-051111-50450-5	80	5" x NH	250
00-051111-50451-2	P100	5" x NH	250
00-051111-50452-9	P120	5" x NH	250
00-051111-50453-6	P150	5" x NH	250
00-051111-50454-3	P180	5" x NH	250
00-051111-50455-0	P220	5" x NH	250
00-051111-50459-8	80	6" x NH	250
00-051111-50460-4	P100	6" x NH	250
00-051111-50461-1	P120	6" x NH	250
00-051111-50462-8	P150	6" x NH	250
00-051111-50463-5	P180	6" x NH	250
00-051111-50464-2	P220	6" x NH	250

3M™ Stikit™ 240N Discs

Pressure sensitive for peel-on, peel-off convenience. Abrasive disc adheres securely to backup pad and won't slip, resulting in higher cut-rates and fewer interruptions. Non-loading disc reduces down-time and improves effectiveness on surfaces that tend to load, such as wood and fiberglass. Great for sanding and coatings removal on surfaces such as paint, primer and metal.

UPC Number	Grade	Size	Case Qty
00-051131-01515-9	36	5"	5
00-051131-01514-2	40	5"	5

Discs, Stikit™ Discs - Accessories

3M™ Stikit™ Disc Hand Pad 11063

Use with 5" diameter Stikit™ discs. Made with soft density foam for conformability. Has 1" wide strap for holding the pad to the operator's hand.



UPC Number	Size	Case Qty
00-051144-11063-6	5" x 1"	10

Discs, Stikit™ Discs, Accessories - *continued*

3M™ Stikit™ Disc Pad - Medium Density

Use with 5" diameter 3M™ Stikit™ discs. Has medium density foam and a 45° tapered edge for flexibility. Has easy release silver face. Packed 10/case.



UPC Number	Grade	Size	Colour
00-051144-45215-6	5/16"-24 EXT	5" x 3/4"	Silver

3M™ Stikit™ Disc Pad 05575B

Specially designed for use with 3M™ Stikit™ Discs. Face provides good adhesion of the discs and allows for easy removal. Edges are contoured to allow for sanding curves and close to moldings. Fits all standard slow speed polishers. Bulk quantity.



UPC Number	Size	Case Qty
00-051111-51170-1	5" x 3/4"	50

3M™ Stikit™ Disc Pad

Lightweight pads have vinyl face for excellent disc adhesion with quick, easy disc removal. Packed 10/case. Blue.



UPC Number	Size
00-051144-05575-3	5" x 3/4"
00-051144-05576-0	6" x 3/4"

3M™ Stikit™ Dust Free Low Profile Disc Pad 05655

Use with 5 inch diameter Stikit™ Dust-Free Discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread. Blue face.



UPC Number	Grade	Size	Colour
00-051131-05655-8	5" x 3/8"	10	Blue

Discs, Stikit™ Discs, Accessories - *continued*

3M™ Stikit™ Low Profile Disc Pad 05555

For use with 5 inch diameter Stikit™ discs. Has blue pad face which allows easy disc removal in low heat generating applications. Has a blunt 15 degree taper on the pad edge for durability and better leveling of sanded surface.



UPC Number	Size	Case Qty	Colour
00-051131-05555-1	5" x 3/8"	10	Blue

3M™ Stikit™ Low Profile Disc Pad 05556

For use with 6 inch diameter Stikit™ discs. Has blue pad face which allows easy disc removal in low heat generating applications. Has a blunt 15 degree taper on the pad edge for durability and better leveling of sanded surface.



UPC Number	Size	Case Qty	Colour
00-051131-05556-8	6" x 3/8"	10	Blue

3M™ Stikit™ Low Profile Finishing Disc Pad 05545

Specially designed for use with 5 inch Stikit™ discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 External thread.



UPC Number	Size	Case Qty	Colour
00-051131-05545-2	5" x 11/16"	10	Brown

3M™ Stikit™ Low Profile Finishing Disc Pad 05546

Specially designed for use with 6 inch Stikit™ discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 external thread.



UPC Number	Size	Case Qty	Colour
00-051131-05546-9	6" x 11/16"	10	Brown

Discs, Stikit™ Discs - Rolls

**3M™ Stikit™
Disc Roll 214U**

Aluminum Oxide — A wt.
Paper. Light paper backing.
Primary markets: metalworking,
woodworking.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-81802-0	80	125/RL	5" x NH	10
00-051144-81803-7	P100	175/RL	5" x NH	10
00-051144-81804-4	P120	125/RL	5" x NH	10
00-051144-81806-8	P150	175/RL	5" x NH	6
00-051144-81808-2	P180	175/RL	5" x NH	6
00-051144-81810-5	P220	175/RL	5" x NH	6
00-051144-81812-9	P240	175/RL	5" x NH	6
00-051144-81997-3	P320	175/RL	5" x NH	6
00-051144-81996-6	P400	175/RL	5" x NH	6
00-051144-86381-5	80	175/RL	6" x NH	10
00-051144-86389-1	P100	175/RL	6" x NH	10
00-051144-86382-2	P120	175/RL	6" x NH	10
00-051144-86383-9	P150	175/RL	6" x NH	6
00-051144-86384-6	P180	175/RL	6" x NH	6
00-051144-86385-3	P220	175/RL	6" x NH	6
00-051144-86386-0	P240	175/RL	6" x NH	6
00-051144-86387-7	P320	175/RL	6" x NH	6
00-051144-86388-4	P400	175/RL	6" x NH	6

**3M™ Stikit™
Disc Roll 216U**

An aluminum oxide disc roll
constructed on an A weight light
paper backing. Primary markets:
metalworking, woodworking.



UPC Number	Size	Grade	Extra Desc	Case Qty
00-051111-49909-2	5" X NH	P80A	125/RL	10
00-051111-49914-6	6" X NH	P80A	125/RL	10
00-051111-49910-8	5" X NH	P100A	125/RL	10
00-051111-49915-3	6" X NH	P100A	125/RL	10
00-051111-49911-5	5" X NH	P120A	125/RL	10
00-051111-49916-0	6" X NH	P120A	125/RL	10
00-051111-49912-2	5" X NH	P150A	175/RL	6
00-051111-49917-7	6" X NH	P150A	175/RL	6

Discs, Stikit™ Discs, Rolls - continued

3M™ Stikit™ Disc Roll 216U – continued

UPC Number	Size	Grade	Extra Desc	Case Qty
00-051111-49913-9	5" X NH	P180A	175/RL	6
00-051111-49918-4	6" X NH	P180A	175/RL	6
00-051144-01423-1	5" X NH	P220	175/RL	6
00-051144-01438-5	6" X NH	P220A	175/RL	6
00-051144-01422-4	5" X NH	P240	175/RL	6
00-051144-01437-8	6" X NH	P240A	175/RL	6
00-051144-01421-7	5" X NH	P280	175/RL	6
00-051144-01436-1	6" X NH	P280A	175/RL	6
00-051144-96433-8	5" X NH	P320	175/RL	6
00-051144-01420-0	5" X NH	P320A	175/RL	6
00-051144-96434-5	6" X NH	P320A	175/RL	6
00-051131-01418-3	5" X NH	P360A	175/RL	6
00-051144-01433-6	6" X NH	P360	175/RL	6
00-051144-96495-6	5" X NH	P400	175/RL	6
00-051131-01419-0	5" X NH	P400A	175/RL	6
00-051131-01434-3	6" X NH	P400A	175/RL	6
00-051131-01432-9	6" X NH	P500A	175/RL	6

**3M™ Stikit™
Disc Roll 363I**

An aluminum oxide Stikit™ disc roll
constructed on a F weight, extra
heavy paper backing. Resin bonded
for heat resistance.



UPC Number	Grade	Size	Case Qty
00-051144-21800-4	60	5" x NH	400
00-051144-21799-1	80	5" x NH	400
00-051144-21798-4	P100	5" x NH	400
00-051144-21797-7	P120	5" x NH	400
00-051144-21796-0	P150	5" x NH	400
00-051144-21794-6	60	6" x NH	400
00-051144-21793-9	80	6" x NH	400
00-051144-21791-5	P120	6" x NH	400
00-051144-21787-8	80	8" x NH	200

continued next column ➔

Discs, Stikit™ Discs, Rolls - *continued*

**3M™ Stikit™
Disc Roll 236U**

Discs for paint, primer, wood, metal, plastic, and fiberglass. Strong paper backing provides durability and increased cut rate. Invisible Fre-Cut™ coating minimizes loading. 100 discs/roll, 4 rolls/case.



UPC Number	Grade	Size
00-051144-86488-1	P80	5" x NH
00-051144-86489-8	P100	5" x NH
00-051144-86490-4	P120	5" x NH
00-051144-86491-1	P150	5" x NH
00-051144-86492-8	P180	5" x NH
00-051144-86493-5	P220	5" x NH
00-051144-86494-2	P240	5" x NH
00-051144-86495-9	P320	5" x NH
00-051144-86496-6	P400	5" x NH
00-051144-86497-3	P500	5" x NH
00-051144-86468-3	P80	6" x NH
00-051144-86469-0	P100	6" x NH
00-051144-86470-6	P120	6" x NH
00-051144-86471-3	P150	6" x NH
00-051144-86472-0	P180	6" x NH
00-051144-86473-7	P220	6" x NH
00-051144-86474-4	P240	6" x NH
00-051144-86475-1	P320	6" x NH
00-051144-86476-8	P400	6" x NH
00-051144-86477-5	P500	6" x NH

**3M™ Stikit™
Disc Roll 415N**

A silicon carbide Stikit™ disc roll constructed on a A weight, light paper backing. Features an anti-loading stearate coating. Primary markets: metalworking, woodworking.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-77244-5	240	250/RL	5" x NH	4
00-051144-77247-6	280	250/RL	5" x NH	4
00-051144-77249-0	320	250/RL	5" x NH	4
00-051144-77251-3	320	250/RL	6" x NH	4

Discs, Stikit™ Discs, Rolls - *continued*

**3M™ Stikit™
Disc Roll 415U**

Silicon carbide — A wt. Paper. General purpose discs for metal, wood and fiberglass sanding. Special coating resists loading. Unique construction provides excellent finish.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-77223-0	80	125/RL	5" x NH	8
00-051144-77227-8	100	125/RL	5" x NH	8
00-051144-77230-8	120	125/RL	5" x NH	8
00-051144-77234-6	150	250/RL	5" x NH	4
00-051144-77237-7	180	250/RL	5" x NH	4
00-051144-77241-4	220	250/RL	5" x NH	4
00-051144-77225-4	80	125/RL	6" x NH	8
00-051144-77229-2	100	125/RL	6" x NH	8
00-051144-77232-2	120	125/RL	6" x NH	8
00-051144-77236-0	150	250/RL	6" x NH	4
00-051144-77239-1	180	250/RL	6" x NH	4
00-051144-77243-8	220	250/RL	6" x NH	4

**3M™ Stikit™
Disc Roll 751I**

3M™ Cubitron™ — E wt. Paper. Heavy paper backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-85860-6	80	100/RL	5" x NH	4

**3M™ Stikit™
Disc Roll 763U**

3M™ Cubitron™ — F wt. Paper. Extra heavy paper backing. Primary markets: metalworking, woodworking.




UPC Number	Grade	Extra Desc	Size	Case Qty
00-051144-80944-8	P100	100/RL	5" x NH	4

Discs, Surface Conditioning Discs

Scotch-Brite™ Surface Conditioning Disc Pack

Save money and time by finding the right tool for your application. These high performance discs attach and remove easily and are efficient and economical. Best used for finishing, cleaning and light deburring of flat metal work surfaces. Pack includes a sample of discs ranging from superfine to coarse grades. An easy way to evaluate the right product, size and grade for your needs.



UPC Number	Prod ID	Size	Case Qty
00-048011-14105-3	9145S	4-1/2"	5
00-048011-04270-1	917S	7"	5

Scotch-Brite™ Surface Conditioning Disc

Best for finishing, cleaning and light deburring on flat metal surfaces. Attach and remove easily to 3M™ Hook-and-Loop backup pads.



UPC Number	Grade	Size	Case Qty	Colour
00-048011-04276-3	AVFN	2" x NH	200	Blue
00-048011-07458-0	ACRS	2" x NH	200	Brown
00-048011-07459-7	AMED	2" x NH	200	Maroon
00-048011-04277-0	AVFN	3" x NH	100	Blue
00-048011-04120-9	ACRS	3" x NH	100	Brown
00-048011-04124-7	AMED	3" x NH	100	Maroon
00-048011-04278-7	AVFN	4" x NH	100	Blue
00-048011-07450-4	ACRS	4" x NH	100	Brown
00-048011-04129-2	SSFN	4" x NH	100	Gray
00-048011-07451-1	AMED	4" x NH	100	Maroon
00-048011-27673-1	AVFN	4-1/2" x NH	10	Blue
00-048011-14099-5	AVFN	4-1/2" x NH	50	Blue
00-048011-27671-7	ACRS	4-1/2" x NH	10	Brown
00-048011-14101-5	ACRS	4-1/2" x NH	50	Brown
00-048011-14100-8	AMED	4-1/2" x NH	50	Maroon
00-048011-27672-4	AMED	4-1/2" x NH	10	Maroon
00-048011-00644-4	AMED	5" x 7/8"	50	Maroon
00-048011-04303-6	AVFN	5" x NH	50	Blue
00-048011-27676-2	AVFN	5" x NH	10	Blue
00-048011-00647-5	SSFN	5" x NH	50	Gray
00-048011-27674-8	ACRS	5" x NH	10	Brown
00-048011-00750-2	ACRS	5" x NH	50	Brown

Discs, Surface Conditioning Discs - continued

Scotch-Brite™ Surface Conditioning Disc – continued

UPC Number	Grade	Size	Case Qty	Colour
00-048011-00643-7	AMED	5" x NH	50	Maroon
00-048011-27675-5	AMED	5" x NH	10	Maroon
00-048011-04305-0	AVFN	7" x NH	25	Blue
00-048011-27679-3	AVFN	7" x NH	10	Blue
00-048011-00751-9	ACRS	7" x NH	25	Brown
00-048011-27677-9	ACRS	7" x NH	10	Brown
00-048011-00648-2	SSFN	7" x NH	25	Gray
00-048011-27678-6	AMED	7" x NH	10	Maroon
00-048011-00645-1	AMED	7" x NH	25	Maroon
00-048011-04306-7	AVFN	8" x NH	25	Blue
00-048011-00752-6	ACRS	8" x NH	25	Brown
00-048011-00670-3	AMED	8" x NH	25	Maroon

Discs, Surface Conditioning Discs - Accessories

3M™ Disc Pad Holder (Hook and Loop Discs)

Use with 4-1/2 inch diameter hook and loop discs. Use on right angle grinders. Has 1/8 inch thick foam and T Hooks.



UPC Number	Prod ID	Extra Desc	Size	Case Qty
00-048011-05674-6	914	5/8"-11 INT	4" x 1/8" x 3/8"	1

3M™ Disc Pad Holders

Use with 8 inch diameter hook and loop discs. Use on right angle grinders and sanders. Has 5/16 inch thick foam and T Hooks.



UPC Number	Prod ID	Extra Desc	Size	Case Qty
00-048011-09448-9	905	5/16"-24 EXT	5" x 1/4"	1
00-048011-05680-7	915	5/8"- 11 EXT	5" x 1/8" x 3/8"	1
00-048011-09450-2	917	5/8"-11 INT	7" x 5/16" x 3/8"	1
00-048011-07494-8	922	Shank	2" x 1/4"	10
00-048011-04132-2	923	Shank	3" x 1/4"	10
00-048011-14111-4	9145	5/8"-11 INT	4-1/2" x 1/8" x 3/8"	1

continued next column ➔

Discs, Surface Conditioning Discs, Accessories – continued

Scotch-Brite™ Surface Conditioning Disc Pad 924

Use with 4" diameter Hook-and-Loop discs. Has 1/16" thick foam and 3M™ Dual Lock™ Hooks.



UPC Number	Size	Case Qty
00-048011-07492-4	4"	5

Wheels, Clean and Strip Cup

Scotch-Brite™ Clean and Strip Cup Wheel

Remove coatings and prepare surfaces faster and safer than wire brushes. Discs handle tough metal cleaning, rust and oxide removal, paint stripping and coatings removal. Also great for preparing surfaces to be recited, inspecting welds, cleaning concrete molds and forms, and general maintenance. Use with either 1 or 2 discs mounted to a shaft for efficient performance.



UPC Number	Grade	Size	Case Qty
00-048011-04153-7	7SXCS	4" x 5/8-11	4

Wheels, Combi-S

3M™ Combi-S Wheel

Wheels are made of alternating flaps of coated abrasive and Scotch-Brite™ web. Provides aggressive cut and fine finishes.



UPC Number	Grade	Size	Case Qty
00-051144-80801-4	80	3" x 1-1/4" x 1/4"	10
00-051144-80678-2	P120	3" x 1-1/4" x 1/4"	10
00-051144-80799-4	P180	3" x 1-1/4" x 1/4"	10

Wheels, Cut and Polish

Scotch-Brite™ Cut and Polish Wheel

Long lasting, aggressive wheel for tough blending and finishing applications. Convolutely wound on a core. Medium 7 density. Abrasive mineral: Aluminum oxide. Colour: tan



UPC Number	Grade	Size	Case Qty
00-048011-03263-4	7ACRS	6" x 1" x 1"	3
00-048011-03270-2	7AFIN	6" x 1" x 1"	3
00-048011-03262-7	7AMED	6" x 1" x 1"	3
00-048011-03281-8	7AMED	8" x 2" x 3"	2

Wheels, Cut-Off Wheels

3M™ General Purpose Cut-Off Wheel

General purpose cut-off wheel designed for cutting sheet metal, rusted bolts and more. Ideal for use on a wide variety of utility type cut-off tools. Do not use on tools without guards.



UPC Number	Size	Case Qty
00-051131-01987-4	3" x 1/32" x 3/8"	50
00-051131-01988-1	3" x 1/16" x 3/8"	50

3M™ Green Corps™ Chop Saw Wheels

3M™ Green Corps™ large cut-off wheels are designed to provide high cut rates and long life on most materials including stainless steel, fiberglass, and aerospace alloys. They contain 3M's patented Cubitron™ abrasive grain, an advanced ceramic aluminum oxide mineral, which produces a product that offers outstanding cutting power and excellent durability.



Catalogue ID	Size	Case Qty
AB01937	12" x .125" x 1"	25
AB01938	14" x .125" x 1"	25
AB01939	16" x .138" x 1"	25

Wheels, Cut-Off Wheels - continued

3M™ Green Corps™ Cut-Off Wheel

3M's Cubitron™ ceramic abrasive technology outperforms aluminum oxide and other minerals to create an optimal performance cut-off wheel that endures. This premium Green Corps™ Cut-off Wheel will effectively cut fiberglass, stainless steel, mild metal and aerospace alloys. Durable design will resist cracking, chipping and will run cool.



UPC Number	Size	Case Qty
00-051144-83487-7	2" x 1/16" x 1/4"	50
00-051131-01985-0	3" x 1/32" x 3/8"	50
00-051131-01989-8	3" x 1/32" x 3/8"	10
00-051144-82238-6	3" x 1/32" x 1/4"	50
00-051131-01986-7	3" x 1/16" x 3/8"	50
00-051131-01990-4	3" x 1/16" x 3/8"	10
00-051144-88755-2	4" x 1/32" x 1/4"	50
00-051131-01994-2	4" x 1/32" x 3/8"	50
00-051144-83488-4	4" x 1/16" x 3/8"	50
00-051141-20275-4	4-1/2" x 3/64" x 7/8"	50
00-051141-20276-2	5" x 3/64" x 7/8"	50

3M™ Green Corps™ Depressed Center Wheel

These 1/4" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and produce very high cut rates on a wide variety of metals.



UPC Number	Grade	Size	Case Qty
00-051111-55960-4	24	4-1/2" x 1/4" x 7/8"	60
00-051111-55961-1	36	4-1/2" x 1/4" x 7/8"	60
00-051111-55991-8	24	4-1/2" x 1/4" x 7/8"	10
00-051111-55992-5	36	4-1/2" x 1/4" x 7/8"	10
00-051111-61051-0	24	5" x 1/4" x 7/8"	10
00-051111-61052-7	36	5" x 1/4" x 7/8"	10
00-051111-55958-1	24	7" x 1/4" x 7/8"	20
00-051111-55959-8	36	7" x 1/4" x 7/8"	20
00-051111-55989-5	24	7" x 1/4" x 7/8"	20
00-051111-55990-1	36	7" x 1/4" x 7/8"	20

Wheels, Cut-Off Wheels - continued

3M™ Depressed Center Wheel, Aluminum Oxide

These depressed center wheels are Type 27, 1/4" thick, grinding wheels containing grade 24, aluminum oxide mineral with a 7/8" center hole. This coarse grade product is good for general metalworking and relatively high stock removal.



UPC Number	Grade	RPM	Size	Case Qty
0-51111-61053-4	24	13,300	4-1/2" x 1/4" x 7/8"	60
0-51111-61054-1	24	12,200	5" x 1/4" x 7/8"	60
0-51111-61055-8	24	8,500	7" x 1/4" x 7/8"	20

Wheels, Deburring Wheels

Scotch-Brite™ Deburring Wheel

Designed for deburring and finishing. Convolutely wound on a core. Hard, long lasting density. Abrasive mineral: Fine grade silicon carbide. Colour: gray.



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-01662-7	7SFIN	Max RPM 6,000	6" x 1/2" x 1"	4	Gray
00-048011-01660-3	6SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-01661-0	7SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-01675-7	8SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-01666-5	7SFIN	Max RPM 4,500	8" x 1" x 3"	3	Gray
00-048011-01679-5	8SFIN	Max RPM 4,500	8" x 1" x 3"	3	Gray
00-048011-05181-9	7SFIN	Max RPM 3,000	12" x 1/2" x 5"	2	Gray
00-048011-01670-2	7SFIN	Max RPM 3,000	12" x 1" x 5"	1	Gray
00-048011-01689-4	8SFIN	Max RPM 3,000	12" x 2" x 5"	1	Gray

Wheels, Deburring Wheels - continued

Scotch-Brite™ EX2 Deburring Wheel

Firm and durable wheel for tough deburring and finishing applications. Convolutely wound on a core. Hard, long lasting. Colour: gray.



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-17216-3	8SFIN	Max RPM 6,000	6" x 1/2" x 1"	4	Gray
00-048011-17217-0	8AMED	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-17218-7	8SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-18040-3	9SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-17425-9	8SFIN	Max RPM 4,500	8" x 1/2" x 3"	4	Gray
00-048011-17219-4	8AMED	Max RPM 6,000	8" x 1" x 3"	3	Gray

Scotch-Brite™ EX3 Deburring Wheel

Highest durability wheel for aggressive edge deburring. Convolutely wound on a core. Hard and durable. Colour: gray.



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-18825-6	9SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray

Scotch-Brite™ EXL Deburring Wheel

High performance and durability for deburring and finishing applications. Convolutely wound on a core. Hard, long lasting 8 and 9 density.



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-13619-6	8AMED		8" x 1" x 3"	3	Gray
00-048011-09548-6	8SFIN	Max RPM 6,000	6" x 1/2" x 1"	4	Gray
00-048011-05790-3	9SFIN	Max RPM 6,000	6" x 1/2" x 1"	4	Gray
00-048011-13616-5	8AMED	Max RPM 6,000	6" x 1/2" x 1"	4	Gray
00-048011-09549-3	8SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-05132-1	9SFIN	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-13617-2	8AMED	Max RPM 6,000	6" x 1" x 1"	3	Gray
00-048011-18278-0	8SMED	Max RPM 6,000	6" x 1" x 1"	3	Gray

Wheels, Deburring Wheels - continued

Scotch-Brite™ EXL Deburring Wheel - continued

UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-14791-8	8SFIN	Max RPM 4,500	8" x 3/8" x 3"	4	Gray
00-048011-14629-4	8SFIN	Max RPM 4,500	8" x 1/2" x 3"	4	Gray
00-048011-05791-0	9SFIN	Max RPM 4,500	8" x 1/2" x 3"	4	Gray
00-048011-17459-4	8AMED	Max RPM 4,500	8" x 1/2" x 3"	4	Gray
00-048011-09551-6	8SFIN	Max RPM 4,500	8" x 1" x 3"	3	Gray
00-048011-05135-2	9SFIN	Max RPM 4,500	8" x 1" x 3"	3	Gray
00-048011-09552-3	8SFIN	Max RPM 4,500	8" x 2" x 3"	2	Gray
00-048011-05136-9	9SFIN	Max RPM 4,500	8" x 2" x 3"	2	Gray
00-048011-13620-2	8AMED	Max RPM 4,500	8" x 2" x 3"	2	Gray
00-048011-09554-7	8SFIN	Max RPM 3,000	12" x 1" x 5"	1	Gray
00-048011-05138-3	9SFIN	Max RPM 3,000	12" x 1" x 5"	1	Gray
00-048011-05139-0	9SFIN	Max RPM 3,000	12" x 2" x 5"	1	Gray

Scotch-Brite™ EXL Unitized Deburring Wheels

Excellent for deburring and polishing a wide range of metals, plastics and composites. Cool running allows more pressure to be applied. Cleaner than buffs and compounds. Eliminate danger of loose-flying wires. Maximum RPM: 12,100. Use Mandrel No. 990. Gray/Black.



UPC Number	Grade	Size	Case Qty
00-048011-16054-2	2AMED	3" x 1/4" x 3/8"	40

Wheels, Flap Wheels

3M™ Flap Wheel 241E

Aluminum oxide — XE wt. Cloth. General purpose flap wheel delivers consistent finish and uniform cut. Can be shaped to fit any desired contour.



UPC Number	Grade	Size	Case Qty
00-051144-35114-5	50	6" x 1" x 1"	5
00-051144-35111-4	100	6" x 1" x 1"	5
00-051144-35108-4	150	6" x 1" x 1"	5
00-051144-35105-3	220	6" x 1" x 1"	5
00-051144-35083-4	150	6" x 2" x 1"	5

continued next column ➞

Wheels, Flap Wheels - continued

3M™ Flap Wheel 244E

Aluminum oxide — XE wt. Cloth. General purpose flap wheel delivers consistent finish and uniform cut. Can be shaped to fit any desired contour.



UPC Number	Grade	Size	Case Qty
00-051144-35113-8	60	6" x 1" x 1"	5
00-051144-35112-1	80	6" x 1" x 1"	5
00-051144-35109-1	120	6" x 1" x 1"	5
00-051144-35098-8	80	6" x 1-1/2" x 1"	5
00-051144-35088-9	60	6" x 2" x 1"	5
00-051144-35086-5	80	6" x 2" x 1"	5
00-051144-35084-1	120	6" x 2" x 1"	5
00-051144-35049-0	60	8" x 2" x 1"	3
00-051144-35048-3	80	8" x 2" x 1"	3

3M™ Flap Wheel 244E Type 83

Aluminum oxide — XE wt. Cloth. General purpose flap wheel delivers consistent finish and uniform cut. Can be shaped to fit any desired contour. T83 Mounted — 1/4" straight. Maximum RPM 18,000.




UPC Number	Grade	Size	Case Qty
00-051144-35475-7	60	1" x 1" x 1/4"	10
00-051144-35476-4	80	1" x 1" x 1/4"	10
00-051144-35477-1	120	1" x 1" x 1/4"	10
00-051144-96808-4	60	1-1/2" x 1/2" x 1/4"	10
00-051144-96809-1	80	1-1/2" x 1/2" x 1/4"	10
00-051144-96810-7	120	1-1/2" x 1/2" x 1/4"	10
00-051144-14623-9	60	2" x 1" x 1/4"	10
00-051144-14624-6	80	2" x 1" x 1/4"	10
00-051144-14625-3	120	2" x 1" x 1/4"	10
00-051111-49626-8	60	2-1/2" x 1" x 1/4"	10
00-051144-14640-6	80	2-1/2" x 1" x 1/4"	10
00-051144-14641-3	120	2-1/2" x 1" x 1/4"	10
00-051144-14643-7	60	3" x 1/2" x 1/4"	10
00-051144-14644-4	80	3" x 1/2" x 1/4"	10
00-051144-14645-1	120	3" x 1/2" x 1/4"	10
00-051144-14655-0	60	8" x 1" x 1/4"	10
00-051144-14656-7	80	8" x 1" x 1/4"	10
00-051144-14657-4	120	8" x 1" x 1/4"	10

Wheels, Flap Wheels - continued

3M™ Flap Wheel 747D Type 83

Delivers a high quality and consistent finish with uniform rate of cut. Long lasting wheels resist loading, glazing, and dulling to save money and reduce down-time.


3M™ Flap Wheels are also designed to continuously provide new abrasive as flaps wear away, and can be shaped to fit any desired contour, even compound radius. Aluminum oxide mineral and high-strength XE wt. rayon cloth backing for desired performance.



UPC Number	Grade	Size	Case Qty
00-051144-80757-4	80	1" x 1" x 1/4"	10
00-051144-80763-5	60	2" x 1" x 1/4"	10
00-051144-80759-8	80	2" x 1" x 1/4"	10
00-051144-80760-4	80	2-1/2" x 1" x 1/4"	10
00-051144-80650-8	60	3" x 1" x 1/4"	1
00-051144-80651-5	80	3" x 1" x 1/4"	1

3M™ Flap Wheel 244E Type 84

Aluminum oxide — XE wt. Cloth. General purpose flap wheel delivers consistent finish and uniform cut. Can be shaped to fit any desired contour. T84 Mounted — 1/4" x 20 threaded. Packed 10/case.



UPC Number	Grade	Extra Desc	Size
00-051144-35467-2	60	Max RPM: 18,000	1" x 1" x 1/4-20 EXT
00-051144-35468-9	80	Max RPM: 18,000	1" x 1" x 1/4-20 EXT
00-051144-35469-6	120	Max RPM: 18,000	1" x 1" x 1/4-20 EXT
00-051111-49627-5	60	Max RPM: 22,000	1-1/2" x 1" x 1/4-20 EXT
00-051144-35465-8	80	Max RPM: 22,000	1-1/2" x 1" x 1/4-20 EXT
00-051111-49700-5	120	Max RPM: 22,000	1-1/2" x 1" x 1/4-20 EXT
00-051144-14575-1	60	Max RPM: 22,000	2" x 1" x 1/4-20 EXT
00-051144-14576-8	80	Max RPM: 22,000	2" x 1" x 1/4-20 EXT
00-051144-14577-5	120	Max RPM: 22,000	2" x 1" x 1/4-20 EXT
00-051144-14591-1	60	Max RPM: 18,000	2-1/2" x 1" x 1/4-20 EXT
00-051144-14592-8	80	Max RPM: 18,000	2-1/2" x 1" x 1/4-20 EXT
00-051144-14593-5	120	Max RPM: 18,000	2-1/2" x 1" x 1/4-20 EXT
00-051144-96882-4	60	Max RPM: 18,000	3" x 1/2" x 1/4"-20
00-051144-96883-1	80	Max RPM: 18,000	3" x 1/2" x 1/4"-20
00-051144-96884-8	120	Max RPM: 18,000	3" x 1/2" x 1/4"-20
00-051144-14607-9	60	Max RPM: 18,000	3" x 1" x 1/4"-20
00-051144-14608-6	80	Max RPM: 18,000	3" x 1" x 1/4"-20
00-051144-14609-3	120	Max RPM: 18,000	3" x 1" x 1/4"-20

Wheels, Flap Wheels - Accessories

3M™ Flange Adaptor #3

Two arbor hole (plug type) adapters for 6" and 8" diameter Flap wheels. 1" O.D. x various I.D.'s.



UPC Number	Size	Case Qty
00-051144-45035-0	1/2"	1
00-051144-45034-3	5/8"	1
00-051144-45033-6	3/4"	1
00-051144-45032-9	7/8"	1

3M™ Wheel Adaptor 81A

Adaptor has a 1/4" diameter shank and a 1/4" – 20 internal thread acceptor end. For use with T84 Mounted Flap Wheels.

UPC Number	Size	Case Qty
00-051144-45081-7	1/4"	1

Wheels, Grinding Wheels

3M™ Flexible Grinding Wheel Backup Pad

Backup pad allows for safe operation of Flexible Grinding Wheel. For use with: 7".



UPC Number	Size	Case Qty
00-051111-51046-9	3-3/8" x 7/8"	100
00-051111-51045-2	4-5/8" x 7/8"	100

Wheels, Grinding Wheels

3M™ Green Corps™ Flexible Grinding Wheel

These 1/8" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and can be used on a wide variety of metals. When grinding, these wheels produce less vibration and noise. There is a built-in spin-on hub for 5/8"–11 thread.



UPC Number	Grade	Size	Case Qty
00-051111-51164-0	36	4-1/2" x 1/8"	100
00-051111-51161-9	46	4-1/2" x 1/8"	100
00-051111-51160-2	60	4-1/2" x 1/8"	100
00-051111-50440-6	36	4-1/2" x 1/8" x 7/8"	200
00-051111-50442-0	46	4-1/2" x 1/8" x 7/8"	200
00-051111-50443-7	60	4-1/2" x 1/8" x 7/8"	200
00-051111-50444-4	80	4-1/2" x 1/8" x 7/8"	200
00-051111-51163-3	36	7" x 1/8"	40
00-051111-51162-6	46	7" x 1/8"	40
00-051111-51159-6	60	7" x 1/8"	40
00-051111-50445-1	36	7" x 1/8" x 7/8"	100
00-051111-50446-8	46	7" x 1/8" x 7/8"	100
00-051111-50447-5	60	7" x 1/8" x 7/8"	100
00-051111-50448-2	80	7" x 1/8" x 7/8"	100

3M™ Green Corps™ Reinforced Cut-Off Wheel

3M's Cubitron™ ceramic abrasive technology outperforms aluminum oxide and other minerals to create an optimal performance cut-off wheel that endures. This premium Green Corps™ Cut-off Wheel will effectively cut fiberglass, stainless steel, mild metal and aerospace alloys. Durable design will resist cracking, chipping and will run cool.



UPC Number	Size	Case Qty
00-051131-01991-1	3" x 3/16" x 3/8"	10

3M™ Green Corps™ Cutting and Grinding Wheel

Grind and cut with the same wheel using the new rigid 1/8" grinding wheel containing 3M™ Cubitron™ Abrasive Grain for extra long life.



UPC Number	Size	Case Qty
0-51141-20220-4	5" x 1/8" x 7/8"	40
0-51135-92316-0	4-1/2" x 1/8" x 7/8"	40
0-51135-92317-7	7" x 1/8" x 7/8"	40

Wheels, Metal Finishing

Scotch-Brite™ Metal Finishing Wheel

Metal finishing wheel for uniform satin finishing. Convolutely wound on a core. Medium 5 density. Abrasive mineral: Aluminum oxide. Colour: maroon.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-048011-01862-1	5AMED	Max RPM: 6,000	6" x 1" x 1"	3
00-048011-01863-8	5ACRS	Max RPM: 6,000	6" x 1" x 1"	3
00-048011-01869-0	5AMED	Max RPM: 6,000	6" x 2" x 1"	2
00-048011-01882-9	5AMED	Max RPM: 6,000	12" x 2" x 5"	1

Wheels, Multi Finishing

Scotch-Brite™ Multi-Finishing Wheel

Produces uniform grain finishes on stainless steel and other metals. Highly conformable. Tough enough to finish edges and welds.



UPC Number	Grade	Size	Case Qty
00-048011-13172-6	2SFIN	6" x 1" x 1"	3
00-048011-13171-9	2SMED	6" x 1" x 1"	3
00-048011-13170-2	2SCRS	6" x 1" x 1"	3
00-048011-13178-8	2SFIN	6" x 2" x 1"	2
00-048011-13177-1	2SMED	6" x 2" x 1"	2
00-048011-13176-4	2SCRS	6" x 2" x 1"	2
00-048011-13184-9	2SFIN	8" x 1" x 3"	3
00-048011-13183-2	2SMED	8" x 1" x 3"	3
00-048011-13182-5	2SCRS	8" x 1" x 3"	3
00-048011-13186-3	2SMED	8" x 2" x 3"	2
00-048011-13185-6	2SCRS	8" x 2" x 3"	2
00-048011-13329-4	2SMED	14" x 2" x 8"	1

Wheels, Unitized Wheels

Scotch-Brite™ Clean and Strip Unitized Wheel

Aggressive, open web wheel for cleaning welds, removing rust and paint. Layered, durable unitized wheel construction. Hard 7 density with low conformability. Abrasive mineral: Extra coarse grade silicon carbide. Grade: 7SXCS. Black



UPC Number	Extra Desc	Size	Case Qty
00-048011-01005-2	Max RPM: 20,100	2" x 1/2" x 1/4"	30
00-048011-01034-2	Max RPM: 10,000	6" x 1" x 1"	2
00-048011-01032-8	Max RPM: 7,000	6" x 1" x 5/8"	2

Scotch-Brite™ Cut and Polish Unitized Wheel

Long lasting, aggressive wheel for tough blending and finishing applications. Layered, durable unitized wheel construction.



UPC Number	Grade	Extra Desc	Size	Case Qty	Colour
00-048011-01560-6	5AFIN	Max RPM: 35,100	1" x 1" x 3/16"	50	Tan
00-048011-03700-4	7AMED	Max RPM: 35,100	1" x 1" x 3/16"	50	Tan
00-048011-15685-9	7SMED	Max RPM: 30,100	1-1/2" x 1/8" x 1/8"	80	Gray
00-048011-01563-7	5AFIN	Max RPM: 18,100	3" x 1/4" x 1/4"	40	Tan
00-048011-03728-8	7AMED	Max RPM: 18,100	3" x 1/4" x 1/4"	40	Tan

Wheels, Unitized Wheels - continued

**Scotch-Brite™
EXL Unitized Wheel**

High performance and durability for deburring and finishing applications. A layered, durable unitized wheel construction.



UPC Number	Grade	Size	Case Qty
00-048011-15527-2	2AMED	1" x 1" x 3/16"	50
00-048011-13713-1	2SFIN	1" x 1" x 3/16"	50
00-048011-14063-6	6AMED	1" x 1" x 3/16"	50
00-048011-15859-4	6SFIN	1" x 1" x 3/16"	50
00-048011-13752-0	8ACRS	1" x 1" x 3/16"	50
00-048011-13753-7	8AMED	1" x 1" x 3/16"	50
00-048011-15531-9	2AMED	3" x 1/4" x 1/4"	40
00-048011-13716-2	2SFIN	3" x 1/4" x 1/4"	40
00-048011-14750-5	2SFIN	3" x 1/4" x 3/8"	40
00-048011-14751-2	4AFIN	3" x 1/4" x 3/8"	40
00-048011-15118-2	6AMED	3" x 1/4" x 3/8"	40
00-048011-14752-9	6SFIN	3" x 1/4" x 3/8"	40
00-048011-13766-7	8ACRS	3" x 1/4" x 3/8"	40
00-048011-14753-6	8AMED	3" x 1/4" x 3/8"	40
00-048011-13717-9	2SFIN	3" x 1/2" x 1/4"	20
00-048011-13741-4	2SFIN	6" x 1/4" x 1/2"	8
00-048011-15534-0	2AMED	6" x 1/2" x 1/2"	4
00-048011-13719-3	2SFIN	6" x 1/2" x 1/2"	4
00-048011-14379-8	2SFIN	6" x 1/2" x 1"	4
00-048011-13743-8	2SFIN	6" x 1" x 1"	2
00-048011-15844-0	2SFIN	8" x 1/2" x 1/2"	4
00-048011-15823-5	2SFIN	8" x 1/2" x 1"	4
00-048011-15817-4	2SFIN	12" x 1/2" x 1-1/4"	2

**Scotch-Brite™
Metal Finishing
Unitized Wheel**

Metal Finishing wheel for uniform satin finishing. A layered, durable unitized wheel construction. Colour: Maroon. 5AMED.



UPC Number	Extra Desc	Size	Case Qty
00-048011-29234-2	Max RPM: 12,500	3" x 1/4" x 3/8"	40
00-048011-29257-1	Max RPM: 6,000	6" x 1/2" x 1"	4
00-048011-29259-5	Max RPM: 6,000	6" x 1" x 1"	2

Wheels, Unitized Wheels - continued

**Scotch-Brite™ Roloc™
TR EXL Unitized Wheel**

High performance and durability for deburring and finishing applications. Threaded attachment system secures the wheel to the holder. Abrasive mineral: Silicon Carbide or Aluminum Oxide.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-048011-17183-8	2SFIN	Max RPM: 22,100	2" x NH	60
00-048011-17185-2	2AMED	Max RPM: 22,100	2" x NH	60
00-048011-17190-6	6AMED	Max RPM: 22,100	2" x NH	60
00-048011-17184-5	2SFIN	Max RPM: 15,100	3" x NH	40
00-048011-17186-9	2AMED	Max RPM: 15,100	3" x NH	40
00-048011-17191-3	6AMED	Max RPM: 15,100	3" x NH	40
00-048011-17195-1	8ACRS	Max RPM: 15,100	3" x NH	40

Wheels, Unitized Wheels - Accessories

3M™ Mandrel 933


Use with Unitized Wheels 2, 2-1/2, or 3 inch diameter x 1/4, 1/2, 3/4 inch wide x 1/4 inch center hole. Maximum wheel width is 1 inch. Note: 5/16 inch center hole is recommended for wheels 6 density or harder.



UPC Number	Size	Case Qty
00-048011-13968-5	2" x 1/4" x 1"	5

3M™ Mandrel 934

Used with unitized wheels 3 inch – 6 inch diameter x 1/4, 1/2, 3/4, or 1 inch wide x 1/2 inch center hole.



UPC Number	Size	Case Qty
00-048011-04021-9	3/16" x 3/4" x 2-1/2"	1

Wheels, Unitized Wheels, Accessories - continued

3M™ Mandrel 936

Use with unitized wheels 1 inch diameter x 1 inch wide x 3/16 inch center hole. This plastic mandrel self taps into the wheel.



UPC Number	Size	Case Qty
00-048011-04018-9	2-1/16" x 1/4" x 3/4	5

3M™ Mandrel 946

Steel threaded mandrel used with Unitized Wheels 1 inch diameter x 1 inch wide x 3/16 inch center hole. Has 1/4 inch diameter shank. Washer diameter. 1/2 inch Hex.



UPC Number	Size	Case Qty
00-048011-05726-2	1-3/4" x 1/4" x 1/2	5

3M™ Mandrel 990

Use with Unitized Wheels 2 - 3 in diameter x 1/8 - 1/2 in wide x 3/8 in CH. Use where high speed or easy loading is required. This mandrel comes with one silver cap for 1/8 in and 1/4 in wide wheels and one black cap for 3/8 in and 1/2 in wide wheels.



UPC Number	Size	Case Qty
00-048011-15012-3	1-3/4" x 1/4"	5

3M™ Roloc™ + Holder 1

Rugged, plastic holder provides support for all Roloc™ products including discs and combi wheels. Holder has deeper internal thread to accept products with Roloc+ Buttons. Use with Roloc+ Buttons 6 and 7, Roloc Unitized Wheels 2 inch and 3 inch.



UPC Number	Size	Case Qty
00-048011-15408-4	1" x 1/4"	5

Wheels - Accessories

3M™ Flange 356

For use with 8" wheels. Used to reduce wheel cores and internal diameters to fit smaller shaft sizes. Manufactured of spun aluminum, has a taper locking feature to automatically center the flange inside the core of the wheel. Use with wheels that are 1" or 2" wide.



UPC Number	Size	Case Qty
00-048011-03896-4	3" x 1/2"	1
00-048011-03897-1	3" x 5/8"	1
00-048011-03900-8	3" x 1-1/4"	1

3M™ Flange Adaptor 3

For use with 6" wheels. Reduces 1" inside diameter cores, flanges or wheels to fit shafts smaller than 1".



UPC Number	Size	Case Qty
00-048011-09152-5	1" x 1/2"	1
00-048011-09153-2	1" x 5/8"	1
00-048011-09154-9	1" x 3/4"	1

3M™ Flange Adaptor 5

For use with 6" wheels. Telescoping wheel adapters 1" and 1/2" wide to reduce 1" wheel cores to fit 5/8". Must be used with side flanges.



UPC Number	Size	Case Qty
00-048011-16859-3	1" x 1/2" x 1/2"	1
00-048011-16860-9	1" x 1" x 1/2"	1

Hand Sanding, Drywall Cloth Abrasives

3M™ Drywall Cloth Backed Abrasives

3M™ Cloth Backed Abrasives feature long lasting mineral easy tear cloth backing, minimal fraying and wet/dry sanding capabilities. The flexible J weight cloth brings durability and flexibility for any drywall or repainting job... a must have.



UPC Number	Grit	Size	Unit	Case Qty
000-51131-10121-0	120J	3-5/16" x 50 yds	ROLL	5
000-51131-10122-7	150J	3-5/16" x 50 yds	ROLL	5
000-51131-10123-4	180J	3-5/16" x 50 yds	ROLL	5
000-51131-10124-1	240J	3-5/16" x 50 yds	ROLL	5
000-51131-10125-8	100J	3-5/16" x 11-1/4"	25 PACK - SHEETS	10
000-51131-10126-5	120J	3-5/16" x 11-1/4"	25 PACK - SHEETS	10
000-51131-10127-2	150J	3-5/16" x 11-1/4"	25 PACK - SHEETS	10
000-51131-10128-9	180J	3-5/16" x 11-1/4"	25 PACK - SHEETS	10
000-51131-10129-6	240J	3-5/16" x 11-1/4"	25 PACK - SHEETS	10

3M™ Drywall Foam Backed Cloth Abrasives

3M™ Foam Backed Cloth Abrasives bring together all the features and benefits from our cloth backed abrasives along with added flexibility, contour conforming for rounded surfaces and extra comfort when hand sanding. A great premium abrasive for professionals at a less than premium price.



UPC Number	Grit	Size	Unit	Case Qty
000-51131-10236-1	80	3-5/16" x 12 yds	ROLL	5
000-51131-10237-8	100	3-5/16" x 12 yds	ROLL	5
000-51131-10239-2	120	3-5/16" x 12 yds	ROLL	5
000-51131-10240-8	150	3-5/16" x 12 yds	ROLL	5
000-51131-10241-5	180	3-5/16" x 12 yds	ROLL	5
000-51131-10242-2	240	3-5/16" x 12 yds	ROLL	5

Hand Sanding, Drywall Cloth Abrasives - continued

Additional Drywall Products Available from 3M

Other great products from 3M include our paper drywall sheets and film backed abrasives. Fre-Cut™ is a non-loading coating for added durability.



UPC Number	Grit	Size	Unit	Case Qty
3M™ Tri-M-ite™ Diecut Drywall Sheets				
000-51115-00150-5	80	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000
000-51115-00151-2	100	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000
000-51115-00152-9	120	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000
000-51115-00153-6	150	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000

3M™ Tri-M-ite™ Fre-Cut™ Diecut Drywall Sheets				
000-51144-95476-6	100	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000
000-51144-95478-0	120	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000
000-51144-95578-7	150	3-5/16" x 11-1/4"	100 PACK - SHEETS	1000

3M™ Micron Film Backed Diecut Drywall Sheets				
000-51144-88531-2	60μ (~P220)	3-5/16" x 11-1/4"	25 PACK - SHEETS	250
000-51144-88530-5	80μ (~P150)	3-5/16" x 11-1/4"	25 PACK - SHEETS	250
000-51144-88529-9	100μ (~P120)	3-5/16" x 11-1/4"	25 PACK - SHEETS	250

Hand Sanding, Clean and Finish Rolls

Scotch-Brite™ Clean and Finish Roll

Flexible web for finishing, blending, and polishing. Conformable for access to hard-to-reach areas. Great for general use on a variety of materials. Use manually or on an in-line sander.



UPC Number	Grade	Size	Case Qty
00-048011-00260-6	AVFN	2" x 30'	6
00-048011-16066-5	AVFN	2-1/2" x 30'	4
00-048011-00261-3	AVFN	3" x 30'	4
00-048011-00270-5	SVFN	4" x 30'	3
00-048011-00263-7	FSFN	4" x 30'	3
00-048011-00267-5	SSFN	4" x 30'	3
00-048011-00268-2	SULF	4" x 30'	3
00-048011-00266-8	AVFN	4" x 30'	3
00-048011-00265-1	AFIN	4" x 30'	3
00-048011-00264-4	AMED	4" x 30'	3
00-048011-05198-7	SSFN	5" x 30'	2
00-048011-25749-5	SMED	5-1/2" x 30'	2
00-048011-00275-0	AFIN	6" x 30'	2
00-048011-00274-3	AMED	6" x 30'	2
00-048011-00276-7	AVFN	6" x 30'	2
00-048011-00281-1	AVFN	8" x 30'	2
00-048011-00254-5	T	12" x 30'	1

Hand Sanding, Cut and Polish Rolls

Scotch-Brite™ Cut and Polish Roll

Perfect for cleaning of and coating removal from metals, composites, plastics. Safer and cleans more effectively than wire wheels. Cool operation limits warping and discoloration of surfaces. Fits on a wide range of right angle grinders; 3" and 4" sizes feature a convenient spin-on.



UPC Number	Grade	Size	Case Qty	Colour
00-048011-04085-1	AMED	1" x 30'	12	Tan

Hand Sanding, Deburring Roll

Scotch-Brite™ Deburring Roll

Dense, tight web construction used to deburr and finish. Moderately conformable, long lasting. Use manually or on an in-line sander. Colour: maroon

UPC Number	Grade	Size	Case Qty	Colour
00-048011-00272-9	AVFN	4" x 30'	3	Maroon
00-048011-00280-4	AVFN	6" x 30'	2	Maroon

Hand Sanding, Hand Pads

Scotch-Brite™ Hand Pad

Designed to offer the user a flexible and conformable abrasive for general purpose cleaning, blending, prep work, and finishing without damaging the work piece. Available in a variety of webs, grades and sizes.



UPC Number	Prod ID	Size	Case Qty	Colour
00-048011-04050-9	7440	6" x 9"	40	Tan
00-048011-18451-7	7440B	6" x 9"	40	Tan
00-048011-16976-7	7445	6" x 9"	60	White
00-048011-04051-6	7446	6" x 9"	40	Gray
00-048011-04029-5	7447	6" x 9"	60	Maroon
00-048011-04229-9	7447B	6" x 9"	40	Maroon
00-048011-04028-8	7448	6" x 9"	60	Light Gray
00-048011-24037-4	8447	6" x 9"	60	Maroon

Hand Sanding, High Gloss

Scotch-Brite™ High Gloss Roll

Extra lofty and conformable, with non-abrasive, pliable web that can be used with compounds for final polish and high gloss finishes. Colour: peach

UPC Number	Size	Case Qty
00-048011-08748-1	4" x 30'	3

Hand Sanding, High Strength Rolls

Scotch-Brite™ High Strength Roll

Universal, durable, tough web is excellent to deburr, satin finish, denib, defuzz and clean. May be used manually or on an in-line sander.

UPC Number	Prod ID	Size	Case Qty	Colour
00-048011-05213-7	AVFN	4" x 30'	3	Maroon
00-048011-05359-2	AVFN	6" x 30'	2	Maroon
00-048011-04236-7	AMED	8" x 30'	2	Maroon

Hand Sanding, Metal Blending Roll

Scotch-Brite™ Metal Blending Roll

Tough, semi-open web resists loading and is excellent primarily to blend and finish. Also good for general cleaning applications. Colour: gray

UPC Number	Grade	Size	Case Qty
00-048011-09065-8	SMED	4" x 30'	3

Hand Sanding, Multi-Flex Rolls

Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

Excellent alternative to steel wool, wire brushes, sanding sponges and scrappers. Specially packaged for convenience with handy center pull roll. Use for wood working, metal working, cleanup and repair. This sheet is highly conformable, sharp cutting, non-woven and ideal for finishing flat and contoured surfaces by hand.



UPC Number	Prod ID	Size	Case Qty	Colour
00-051131-07521-4	AVFN	8" x 20'	4	Maroon
00-051131-07522-1	SULF	8" x 20'	4	Gray

Hand Sanding, Sheets & Rolls

3M™ Abrasive Product Roll 314D

Long lasting, aggressive cut – excellent mineral adhesion ... durable when rolled, twisted or folded. Red.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051115-19776-5	P400	Roll	1" x 20 YD	5
00-051115-19777-2	P320	Roll	1" x 20 YD	5
00-051115-19778-9	P240	Roll	1" x 20 YD	5
00-051115-19779-6	P180	Roll	1" x 20 YD	5
00-051115-19780-2	P150	Roll	1" x 20 YD	5
00-051115-19781-9	P120	Roll	1" x 20 YD	5
00-051115-19782-6	P80	Roll	1" x 20 YD	5
00-051115-19783-3	P400	Roll	1" x 50 YD	5
00-051115-19784-0	P320	Roll	1" x 50 YD	5
00-051115-19785-7	P280	Roll	1" x 50 YD	5
00-051115-19786-4	P240	Roll	1" x 50 YD	5
00-051115-19787-1	P220	Roll	1" x 50 YD	5
00-051115-19788-8	P180	Roll	1" x 50 YD	5
00-051115-19789-5	P150	Roll	1" x 50 YD	5
00-051115-19790-1	P120	Roll	1" x 50 YD	5
00-051115-19791-8	P100	Roll	1" x 50 YD	5
00-051115-19792-5	P80	Roll	1" x 50 YD	5
00-051115-19793-2	P60	Roll	1" x 50 YD	5
00-051115-19794-9	P50	Roll	1" x 50 YD	5
00-051115-19795-6	P400	Roll	1-1/2" x 20 YD	5
00-051115-19796-3	P320	Roll	1-1/2" x 20 YD	5
00-051115-19797-0	P240	Roll	1-1/2" x 20 YD	5
00-051115-19798-7	P180	Roll	1-1/2" x 20 YD	5
00-051115-19799-4	P150	Roll	1-1/2" x 20 YD	5
00-051115-19800-7	P120	Roll	1-1/2" x 20 YD	5
00-051115-19801-4	P80	Roll	1-1/2" x 20 YD	5
00-051115-19802-1	P400	Roll	1-1/2" x 50 YD	5
00-051115-19803-8	P320	Roll	1-1/2" x 50 YD	5
00-051115-19804-5	P280	Roll	1-1/2" x 50 YD	5
00-051115-19805-2	P240	Roll	1-1/2" x 50 YD	5
00-051115-19806-9	P220	Roll	1-1/2" x 50 YD	5
00-051115-19807-6	P180	Roll	1-1/2" x 50 YD	5
00-051115-19808-3	P150	Roll	1-1/2" x 50 YD	5
00-051115-19809-0	P120	Roll	1-1/2" x 50 YD	5
00-051115-19810-6	P100	Roll	1-1/2" x 50 YD	5
00-051115-19811-3	P80	Roll	1-1/2" x 50 YD	5
00-051115-19812-0	P60	Roll	1-1/2" x 50 YD	5

continued next page ➤

Hand Sanding, Sheets & Rolls - continued

3M™ Abrasive Product Roll 314D - continued

UPC Number	Grade	Extra Desc	Size	Case Qty
00-051115-19813-7	P50	Roll	1-1/2' x 50 YD	5
00-051115-19814-4	P400	Roll	2' x 50 YD	5
00-051115-19815-1	P320	Roll	2' x 50 YD	5
00-051115-19816-8	P280	Roll	2' x 50 YD	5
00-051115-19817-5	P240	Roll	2' x 50 YD	5
00-051115-19818-2	P220	Roll	2' x 50 YD	5
00-051115-19819-9	P180	Roll	2' x 50 YD	5
00-051115-19820-5	P150	Roll	2' x 50 YD	5
00-051115-19821-2	P120	Roll	2' x 50 YD	5
00-051115-19822-9	P100	Roll	2' x 50 YD	5
00-051115-19823-6	P80	Roll	2' x 50 YD	5
00-051115-19824-3	P60	Roll	2' x 50 YD	5
00-051115-19825-0	P50	Roll	2' x 50 YD	5
00-051115-19826-7	P40	Roll	2' x 50 YD	5

3M™ Abrasive Product Sheet 314D

An aluminum oxide abrasive product sheet constructed on a X weight, durable cloth backing. Primary market: metalworking.



UPC Number	Grade	Extra Desc	Size	Case Qty
00-051115-19763-5	P400	Sheet	9" x 11"	250
00-051115-19764-2	P320	Sheet	9" x 11"	250
00-051115-19765-9	P280	Sheet	9" x 11"	250
00-051115-19766-6	P240	Sheet	9" x 11"	250
00-051115-19767-3	P220	Sheet	9" x 11"	250
00-051115-19768-0	P180	Sheet	9" x 11"	250
00-051115-19769-7	P150	Sheet	9" x 11"	250
00-051115-19770-3	P120	Sheet	9" x 11"	250
00-051115-19771-0	P100	Sheet	9" x 11"	250
00-051115-19772-7	P80	Sheet	9" x 11"	250
00-051115-19773-4	P60	Sheet	9" x 11"	250
00-051115-19774-1	P50	Sheet	9" x 11"	250
00-051115-19775-8	P40	Sheet	9" x 11"	250

Hand Sanding, Sheets & Rolls - continued

3M™ Sheet 140N

A garnet open coat, non-loading sheet constructed on an A weight, light paper backing.



UPC Number	Grade	Size	Case Qty
00-051144-10034-7	60	9" x 11"	500
00-051144-10035-4	50	9" x 11"	500
00-051144-10033-0	80	9" x 11"	500

3M™ Sheet 210N

An aluminum oxide open coat, non-loading sheet constructed on an A weight, light paper backing.



UPC Number	Grade	Size	Case Qty
00-051144-02104-8	180	9" x 11"	1000
00-051144-02103-1	220	9" x 11"	1000

3M™ Sheet 211K

An aluminum oxide sheet constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.



UPC Number	Grade	Size	Case Qty
00-051144-02410-0	80	9" x 11"	250
00-051144-02409-4	100	9" x 11"	250
00-051144-02408-7	120	9" x 11"	250
00-051144-74956-0	150	9" x 11"	250
00-051144-02406-3	180	9" x 11"	250
00-051144-02405-6	220	9" x 11"	250
00-051144-02404-9	240	9" x 11"	250
00-051144-02402-5	320	9" x 11"	250
00-051144-12501-2	400	9" x 11"	250
00-051144-12500-5	500	9" x 11"	250

Hand Sanding, Sheets & Rolls - continued

3M™ Sheet 336U

C wt. Paper — open coat. Medium weight sheets for general purpose sanding. Open coat resists loading on soft materials.



UPC Number	Grade	Size	Case Qty
00-051144-02114-7	100	9" x 11"	1000
00-051144-02113-0	120	9" x 11"	1000
00-051144-02112-3	150	9" x 11"	1000

3M™ Sheet 346U

An aluminum oxide sheet constructed on a D weight, intermediate paper backing.



UPC Number	Grade	Size	Case Qty
00-051144-02119-2	36	9" x 11"	250
00-051144-02118-5	40	9" x 11"	250
00-051144-02117-8	50	9" x 11"	500
00-051144-02116-1	60	9" x 11"	500
00-051144-02115-4	80	9" x 11"	500

3M™ Sheet 405N

A silicon carbide sheet constructed on an A weight, light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty
00-051144-10328-7	320	4-1/2" x 5-1/2"	4,000
00-051144-10248-8	150	9" x 11"	1,000
00-051144-10247-1	180	9" x 11"	1,000
00-051144-10246-4	220	9" x 11"	1,000
00-051144-10245-7	240	9" x 11"	1,000
00-051144-10244-0	280	9" x 11"	1,000
00-051144-10243-3	320	9" x 11"	1,000
00-051144-10241-9	400	9" x 11"	1,000

Hand Sanding, Sheets & Rolls - continued

3M™ Utility Roll 211K

An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.



UPC Number	Grade	Size	Case Qty
00-051144-05010-9	80	1" x 50 yds	5
00-051144-05009-3	100	1" x 50 yds	5
00-051144-05008-6	120	1" x 50 yds	5
00-051144-05007-9	150	1" x 50 yds	5
00-051144-05006-2	180	1" x 50 yds	5
00-051144-05005-5	220	1" x 50 yds	5
00-051144-05004-8	240	1" x 50 yds	5
00-051144-05002-4	320	1" x 50 yds	5
00-051144-05001-7	400	1" x 50 yds	5
00-051144-05030-7	80	1-1/2" x 50 yds	5
00-051144-05028-4	120	1-1/2" x 50 yds	5
00-051144-05026-0	180	1-1/2" x 50 yds	5
00-051144-05024-6	240	1-1/2" x 50 yds	5
00-051144-05022-2	320	1-1/2" x 50 yds	5
00-051144-05050-5	80	2" x 50 yds	5
00-051144-05048-2	120	2" x 50 yds	5
00-051144-05042-0	320	2" x 50 yds	5

3M™ Wetordry™ Roll 281W

Wetordry construction reduces clogging, eliminates dust, extends abrasive life and improves finish. Aluminum Oxide. Fibre backing. Can be run wet or dry. Primary market: metalworking.



UPC Number	Grade	Size	Case Qty
00-051144-05071-0	180	1-1/2" x 25 yds	5

Hand Sanding, Sheets & Rolls - *continued*

3M™ Wetordry™ Sheet 413Q

A silicon carbide sheet constructed on an A weight light paper backing. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty
00-051144-02007-2	220	9" x 11"	500
00-051144-02006-5	240	9" x 11"	250
00-051144-02005-8	280	9" x 11"	250
00-051144-02004-1	320	9" x 11"	500
00-051144-02000-3	600	9" x 11"	500
00-051144-02003-4	360	9" x 11"	250
00-051144-02002-7	400	9" x 11"	500

3M™ Wetordry™ Sheet 431Q

Wetordry construction reduces clogging, eliminates dust, extends abrasive life and improves finish. Silicon carbide — C wt. Paper. Heavyweight paper backing for increased durability.



UPC Number	Grade	Size	Case Qty
00-051144-02019-5	60	9" x 11"	500
00-051144-02018-8	80	9" x 11"	250
00-051144-02017-1	100	9" x 11"	250
00-051144-02016-4	120	9" x 11"	250
00-051144-02015-7	150	9" x 11"	250
00-051144-02014-0	180	9" x 11"	250
00-051144-10699-8	240	9" x 11"	500
00-051144-10697-4	320	9" x 11"	500
00-051144-10695-0	400	9" x 11"	500

Crystal Bay™ Emery Cloth Sheet 011K

Emery cloth — closed coat. General purpose use.

UPC Number	Grade	Size	Case Qty
00-051144-02431-5	FIN	9" x 11"	250
00-051144-02432-2	MED	9" x 11"	250
00-051144-02433-9	CRS	9" x 11"	250

Hand Sanding, Sheets & Rolls, Accessories

3M™ Forked Spindle 45121

Forked spindle for attaching utility cloth strips.



UPC Number	Size	Case Qty
00-051144-45121-0	3" x 1/16" x 3/4" x 1/4"	1

3M™ Mini Mandrel 935

Makes a difficult chore easier as it cleans, finishes and blends hard-to-reach areas. Use with 1" x 1-1/2" abrasive sections for inside diameter work.



UPC Number	Size	Case Qty
00-048011-04020-2	2-7/8" x 1/4"	5

Hand Sanding, Sponges

3M™ Detail Area/Angled Sanding Sponge

3M™ Detail Area/Angled Sanding Sponge is ideal for either dry or wet sanding of wood, paint, metal, plastic and drywall. Rinse and reuse. Angled edge sands corners without affecting adjacent wall or "popcorn" textured ceilings.



UPC Number	Prod ID	Size	Grade	Case Qty
0-51115-07053-2	CP040	4.875" x 2.875" x 1"	Fine	24
0-51115-07054-9	CP041	4.875" x 2.875" x 1"	Med	24

3M™ Full Size Sanding Sponge

3M™ Full Size Sanding Sponge is ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. When finished, simply rinse and reuse. Conformable, comfortable, flexible and convenient.



UPC Number	Prod ID	Size	Grade	Case Qty
0-51115-00409-4	CP001-24	3-3/4" x 2-5/8" x 1"	Fine	24
0-51115-00408-7	CP002-24	3-3/4" x 2-5/8" x 1"	Med	24

Hand Sanding, Super Polish Roll

Scotch-Brite™ Super Polish Roll

Non-abrasive, fine, lofty roll which can be used with compound for final finishing. Colour: white

UPC Number	Size	Case Qty
00-048011-13637-0	4" x 30'	3

Rolls, Stikit™ Refill Rolls

3M™ Stikit™ Refill Roll 415N

A silicon carbide Stikit™ sheet roll constructed on a A weight, light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty
00-051144-16290-1	240	3-1/4" x 100"	50

3M™ Stikit™ Sheet Roll 216U

An aluminum oxide sheet roll constructed on an A weight light paper backing.



UPC Number	Grade	Size	Case Qty
00-051131-02590-5	P400	2-3/4" x 45 yds	10

Acrylic Adhesives

3M™ Scotch-Weld™ Acrylic Adhesive DP805

This high performance, toughened acrylic adhesive is great for bonding metal and plastic. It has good heat resistance and exceptional overlap shear and peel strength. A unique feature is its ability to adhere to many unprepared and oily metal surfaces. It has excellent environmental resistance with a 4 minute work life.



UPC Number	Size	Case Qty	Colour
00-021200-83758-6	1.6 fl oz	12	Cream

3M™ Scotch-Weld™ Acrylic Adhesive DP820

Two-part, high performance, toughened acrylic adhesive with a 1:1 mix ratio. It exhibits exceptional overlap shear and peel strength to both metallic and plastic surfaces. It also exhibits excellent environmental resistance with a 20 minute work life.



UPC Number	Size	Case Qty
00-021200-89347-6	1.6 fl oz	12

3M™ Scotch-Weld™ Low Odour Acrylic Adhesive 810NS

3M™ Scotch-Weld™ Low Odour Acrylic Adhesive 810 NS is a two-part structural acrylic-based adhesive that cures at room temperature (no heat required) avoiding mixing mess and waste because of its self contained Duo-Pack adhesive cartridge. It is a low odour acrylic adhesive with between 8 and 10 minutes work life, and its non-sag feature makes it ideal for vertical applications. It can structurally bond many plastics and metals without special surface preparation, as well as many powder coat painted surfaces and some slightly oily surfaces. It is a great alternative to mechanical or fusion fastening.



UPC Number	Size	Case Qty
00-021200-49082-8	1.7 fl oz	12

Acrylic Sealant

3M™ Weatherban™ Acrylic Sealant 606NF

Water-based paintable premium sealant. It spreads like whipped butter and will not sag on vertical seams or gaps. Can be smoothed to feather edge and dries to a flexible, rubber-like, weather resistant seal. Often used as a “weld-through” sealer when spot welding. Non-flammable in the wet state. Will not attract dust or dirt. Adheres to painted or primed, metal, wood and certain plastic surfaces.



UPC Number	Size	Case Qty	Colour
00-021200-21537-7	1/10 gal	12	Brilliant White

Aerosols

3M™ FoamFast 74 Spray Adhesive

Adhesive bonds flexible urethane or latex foam together or to wood, metal and plastic. Bonds on contact yet has a 15 minute bonding range. Controlled variable 1” to 3” misting and spray. Gives fast tack with foam tearing strength and a soft, non-dimpling glue line. General upholstery foam bonding, to bond small foam shapes by knife edge bonding, boxing, and edge turning.



FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.

UPC Number	Size	Case Qty
00-021200-77466-9	24 fl oz	12

3M™ High Tack 76 Spray Adhesive

Quick tacking adhesive is the strongest one surface aerosol adhesive in our line. Bonds many hard to hold materials such as polyethylene and polypropylene. Also bonds SBR rubber, fabric, felt, cardboard, cork, foil and plastic to themselves and to wood, metal and glass. A strong, one surface adhesive with high temperature resistance. Non-misting, precise spray control, does not cavitate expanded polystyrene foam. Used to bond carpet, door skins and fabric in van conversions; insulation in aircraft interiors and specialty cabinets; and to attach nameplates, pool table fabrics, swimming pool liners and pipe insulation.



FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.

UPC Number	Size	Case Qty
00-021200-77353-2	24 fl oz	12

3M™ Hi-Strength 90 Spray Adhesive

High strength, fast contact-type adhesive. Fast contact strength buildup for many decorative laminates. Only needs 1 minute of drying time.

FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.



UPC Number	Size	Case Qty
051135-31991-8	24 fl oz	12

3M™ Insulation 78 Spray Adhesive

Designed to bond foam board insulation to exterior walls, interior walls and roof applications. It will not attack expanded or extruded polystyrene making it the ideal choice for insulation applications. Effective up to 140°F, offers approximately 100 square feet of coverage per can and can be used in both one and two surface bonds. Utilizes a lace spray pattern which helps ensure clean precise application.



FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.

UPC Number	Size	Case Qty
00-021200-54277-0	24 oz	12

3M™ Rubber and Vinyl 80 Spray Adhesive

The first true neoprene contact adhesive. Very strong with a 400 psi shear strength. Sprays right where you want it — up to the edge, not over. Position parts 30 minutes after applying adhesive. Plasticizer and high temperature resistant to 93°C/200°F. Fast drying and fast bonding, a durable, high strength adhesive. Can be used for all types of rubber bonding except EPDM. Bonds most supported vinyl and leather. Adheres stainless steel panels, stiffeners, metal kick plates and most plastics, laminates and wood products.



FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.

UPC Number	Size	Case Qty
00-021200-77465-2	24 fl oz	12

3M™ Super 77 Multipurpose Adhesive

High coverage, fast, aggressive tack, and a long-bonding range. Versatile — securely bonds most lightweight materials, plus it has low soak-in for long-lasting bonds. Excellent for jobs in display and furniture — it bonds thin decorative film, foils and fabrics. Bonds gaskets in water pumps, and attaches insulation to sheet metal. Attaches wiring diagrams, very versatile adhesive.



FOR INDUSTRIAL USE ONLY, RETAIL SALES PROHIBITED.

UPC Number	Size	Case Qty
00-021200-21210-9	24 oz	6

Aerosols, Adhesive Remover

3M™ Citrus Base Adhesive Remover 6041

Citrus based adhesive remover and aerosol cleaner which can dissolve and flush away dirt, grease, tar, most non-curing type adhesive films, and similar substances. It is a citrus oil based cleaner that emulsifies when flushed with water.



UPC Number	Size	Case Qty
00-021200-49048-4	24 oz	6

Concrete Repair

3M™ Concrete Repair DP 600 Gray, Self-Leveling

Rapid Setting Two-Component polyurethane.



UPC Number	Size	Case Qty	Colour
00-021200-56599-1	12 oz	6	Gray

Concrete Repair - continued

3M™ Concrete Repair DP-600 Gray, Non-Sag

Rapid Setting Two-Component polyurethane.



UPC Number	Size	Case Qty	Colour
00-021200-56603-5	12 oz	6	Gray

3M™ DP-600 Self Leveling Concrete Repair Starter Kit

- Four 12 oz. Cartridges of DP-600 Self-Leveling
- Twelve mixing nozzles
- One manual applicator
- One plastic spreader/ smoothing tool



UPC Number	Case Qty	Colour
00-021200-96327-8	1	Gray

3M™ Concrete Repair Horizontal

Applications:

- Repairing cracks and spalls on concrete floors or horizontal surfaces
- Setting anchors in concrete floors or horizontal surfaces
- Light-duty custom threading and anchoring
- Use outdoors or in highly ventilated areas



UPC Number	Size	Case Qty	Colour
00-021200-96596-8	8.4 oz	6	Gray

Concrete Repair, Accessories

3M™ Blunt End Mix Tip for 12 oz Cartridge (356cc)

Produces heavy bead used for most repair and bonding situations.

12 tips/bag.



UPC Number	Size	Case Qty
00-051131-04907-9	12 oz	3

Concrete Repair, Accessories - continued

3M™ Manual Dispenser

Dispenser



UPC Number	Size	Case Qty
00-021200-96200-4	12 oz	1

3M™ Pneumatic Dispenser

Pneumatic dispenser, 12 oz.



UPC Number	Size	Case Qty
00-021200-96206-6	12 oz	1

3M™ Tapered Mixer Tip 04902

Enables technician to apply a fine bead for use in bonding impact strips and sealing small seams as well as many other applications where a fine bead is required. Tip can be cut for desired bead thickness. 12 tips per bag.



UPC Number	Size	Case Qty
00-051131-04902-4	12 oz	3

Construction Adhesive

3M™ Scotch-Weld™ General Purpose Construction Mastic 4323 Gray

High performance panel and construction adhesive for both interior and exterior use. This versatile adhesive bonds to many hardwoods, plywood, concrete, aluminum, steel, polystyrene foam, FRP, and some plastics

Resists water, heat, and dead load creep.

Not suitable for exposed outdoor applications.

GALLONS AND LARGER - NOT INTENDED FOR CONSUMER SALE OR USE.



UPC Number	Size	Case Qty	Colour
0-00-21200-87987-6	1/10 gal Cartridge	12	Gray

Contact Adhesive, Fastbond™

3M™ Fastbond™ Contact Adhesive 30

3M™ Fastbond™ Contact Adhesive 30 is polychloprene based, water-dispersed, sprayable contact adhesive with high immediate bond strength and a long bonding range. It is non-flammable in the wet state, post-formable and heat resistant. It bonds most foamed plastics, plastic laminate, wood, plywood, and canvas to themselves and each other. The Low Mist (LM) version is ideal for roll coating applications.



UPC Number	Size	Case Qty	Colour
00-021200-99331-2	1 litre	12	Green
00-021200-99329-9	1 gal	4	Green
00-021200-21187-4	5 gal	1	Green

3M™ Fastbond™ Insulation Adhesive 49

3M™ Fastbond™ Insulation Adhesive 49 is a water-based, high solids, fast tacking, pressure sensitive adhesive.



UPC Number	Size	Case Qty
00-021200-45163-8	5 gal	1

3M™ Contact Adhesive Solvent

Use as a solvent for thinning "TenBond" Contact Cement. Also can be used as a cleaner for removing dried adhesive from brushes, rollers and work surfaces.

UPC Number	Size	Case Qty
00-060327-50025-6	1 litre	12

Contact Adhesive, Scotch-Weld™

3M™ Scotch-Weld™ Contact Adhesive 10

A brushable, neutral-coloured contact adhesive for bonding many decorative laminates, aluminum, steel, plywood, panels, wood and wood veneer, masonry, rubber, canvas and other porous and non-porous materials to each other or to themselves.

UPC Number	Size	Case Qty	Colour
00-060327-50015-7	1 litre	12	Neutral
00-060327-50016-4	1 gal	4	Neutral

Contact Adhesive, Scotch-Weld™ - continued

3M™ Scotch-Weld™ High Performance Contact Adhesive 1357 - - Gray

A gray-olive coloured, high performance contact adhesive that provides a long bonding range and excellent initial strength.



UPC Number	Size	Case Qty
00-021200-19897-7	5 gal	1
00-021200-19887-8	5 oz	36
00-021200-19890-8	1 pt	12
00-021200-19892-2	1 qt	12
00-021200-19894-6	1 gal	4

3M™ Scotch-Weld™ High Performance Contact Adhesive 1357 - - Neutral

High performance contact adhesive. Provides a long bonding range. Excellent initial strength. Adheres well to many decorative plastic laminates, paper honeycomb, rubber, cloth, metal, wood and foamed glass. A neutral coloured version of 1357 Scotch-Weld™ High Performance Contact Adhesive.



UPC Number	Size	Case Qty
00-021200-22586-4	1 gal	4
00-021200-64963-9	5 gal	5

3M™ Scotch-Weld™ High Performance Contact Adhesive 1357L - Gray

High performance contact adhesive. Provides a long bonding range. Excellent initial strength. Adheres well to many decorative plastic laminates, paper honeycomb, rubber, cloth, metal, wood and foamed glass. Lower viscosity version of 1357 Scotch-Weld™ High Performance Contact Adhesive.



UPC Number	Size	Case Qty
00-021200-64506-8	1 gal	4
00-021200-22590-1	5 gal	5

Adhesive Cylinders

**3M™ Scotch-Weld™
Hi-Strength Postforming
94 CA Adhesive**

- Postformable high strength
- Low telegraphing spray pattern
- SCAQMD Rule 1168 Compliant Contact Adhesive
- Reduced open time
- MACT Compliant; HAPs free
- Greenguard™ Indoor Air Quality Certified Safe for Use in Schools



UPC Number	Size	Unit	Case Qty
0-51115-25016-3	Gallon	Pail	5
0-51115-25017-0	Gallon	Drum	54
0-48011-61704-6	128 lbs	Each	1

**3M™ Scotch-Weld™
HoldFast 70 Cylinder
Spray Adhesive**

- Very fast tacking
- Temporary and permanent bonds
- Heavy body web spray with low soak in on porous or irregular surfaces
- Bonds polystyrene without degrading the surface



UPC Number	Size	Unit	Case Qty
0-48011-61690-2	27.3 lbs	Each	1
0-48011-61691-9	139 lbs	Each	1

Epoxy Adhesives, Scotch-Weld™

**3M™ Scotch-Weld™
Epoxy Adhesive 1751 B/A
- Gray**

An aluminum filled two-part structural epoxy adhesive that cures at room temperature. Has outstanding adhesion to metal and good void filling properties.



UPC Number	Size	Case Qty	Colour
00-021200-20100-4	2 oz	6	Gray
00-021200-20101-1	1 pt	6	Gray
00-021200-20103-5	1 qt	6	Gray

Epoxy Adhesives, Scotch-Weld™ - continued

**3M™ Scotch-Weld™
Epoxy Adhesive 1838 B/A
- Green**

Two-part, high strength epoxy adhesive kit (4/5 full container of base, 1 full container of accelerator). Chemically cures at room temperature. Bonds metals, wood, reinforced plastics and masonry. Environmental resistance.



UPC Number	Size	Case Qty
00-021200-20148-6	2 oz kit	6
00-021200-20152-3	1 qt kit	6

**3M™ Scotch-Weld™
Epoxy Adhesive 2216 B/A
- Gray**

Highly flexible, two-part adhesive kit (2/3 full container of base, 1 full container of accelerator). Cures at room temperature. Provides high strength bonds in shear and peel. Bonds rubber, metal, wood, plastic and masonry.



UPC Number	Extra Desc	Size	Case Qty
00-021200-20351-0	Part B/A	2 oz kit	6
00-021200-20356-5	Part B/A	1 qt kit	6

**3M™ Scotch-Weld™
Epoxy Adhesive 3501 B/A
- Gray**

Two-Part Epoxy Adhesive Kit (One Full Container Base, One Full Container Accelerator) with Rapid Room Temperature Curing. Use in Bonding Metals, Wood, and Plastics. Produces Strong, Impact-Resistant Bonds.



UPC Number	Size	Case Qty
00-021200-20842-3	2 oz kit	6

3M™ Scotch-Weld™ Epoxy Adhesive DP420 - Off-White

High performance two-part adhesive for bonding a wide variety of substrates with outstanding levels of reliability and durability. Toughened to provide high peel and shear strength.



UPC Number	Size	Case Qty
00-021200-82236-0	1.25 fl oz	12
00-021200-87832-9	200 mL	12

3M™ Scotch-Weld™ Epoxy Potting Compound DP270

An electrical grade two-part epoxy for potting and bonding electronic components, and is electrolytically non-corrosive to copper. It has a 1:1 mix ratio and is a non-exotherming, high flow, opaque black product with a 70 minute worklife.



UPC Number	Size	Case Qty	Colour
00-021200-82262-9	1.7 fl oz	12	Black

3M™ Scotch-Weld™ Two-Part Epoxy Adhesive DP100 Clear

Has a 3 to 5 minute work life and develops handling strength in approximately 15 minutes. Low viscosity allows easy pouring and is ideal for filleting and potting. Overlap shear strength up to 1500 psi. Meets corrosion requirements of MIL-S-46163. Dries rigid.



UPC Number	Size	Case Qty
00-021200-22648-9	1.7 fl oz	12

3M™ Scotch-Weld™ Two-Part Epoxy Adhesive DP100 FR Off-White

A flame retardant (self-extinguishing) off-white epoxy adhesive. Work life of 6 minutes and reaches handling strength in 25 to 30 minutes. Shear strength up to 1400 psi. Ideal for many industries requiring a flame retardant adhesive meeting UL94V0 burn test requirements.



UPC Number	Size	Case Qty
00-021200-83533-9	1.7 fl oz	12

3M™ Scotch-Weld™ Two-Part Epoxy Adhesive DP100 NS Translucent

Great for vertical surface applications. Has a 6 minute work life and develops handling strength in approximately 15 minutes. Overlap shear strength up to 1500 psi. Meets corrosion requirements of MIL-S-46163.



UPC Number	Size	Case Qty
00-021200-82255-1	1.7 fl oz	12

3M™ Scotch-Weld™ Two-Part Epoxy Adhesive DP100 Plus Clear

Exhibits much higher shear and peel strengths compared to DP-100 Adhesive. It has a 1:1 mix ratio, a 4 minute worklife, and is slightly flexible when cured.



UPC Number	Size	Case Qty
00-021200-87195-5	1.7 oz	12

3M™ Scotch-Weld™ Two-Part Epoxy Adhesive DP105 Clear

This clear, fast setting, very flexible epoxy adhesive is ideal for bonding materials that expand and contract. Work life of 4 minutes. Bonds wood, metal, rubber, glass, nylon and plastic.



UPC Number	Size	Case Qty
00-021200-87203-7	1.7 fl oz	12

Epoxy Adhesives, Scotch-Weld™ - continued

**3M™ Scotch-Weld™
Two-Part Epoxy Adhesive
DP110**

Fast setting, flexible epoxy. Great for bonding metal, ceramic and many plastics. It has a 9 minute work life and has handling strength in 30 minutes. This adhesive has excellent peel strength and shock and impact resistance.



UPC Number	Size	Case Qty	Colour
00-021200-82470-8	1.7 fl oz	12	Gray
00-021200-82465-4	1.7 fl oz	12	Translucent

**3M™ Scotch-Weld™
Two-Part Epoxy Adhesive
DP125**

Two-part epoxy adhesive with a 1:1 mix ratio, 25 minute worklife and exhibits very high peel strength. Moderately flexible and the gray version has exceptional shear adhesion. Use to bond rubber, metal, wood, plastics, and masonry products.



UPC Number	Size	Case Qty	Colour
00-021200-87215-0	1.7 fl oz	12	Gray
00-021200-87211-2	1.7 fl oz	12	Translucent

**3M™ Scotch-Weld™
Two-Part Epoxy Adhesive
DP190**

Flexible epoxy adhesive generates bonds with 2500 psi shear strength and good peel strength. Great for bonding rubber, metal, wood, most plastics and masonry products. This adhesive has a 90 minute work life to make aligning parts easy and reaches handling strength in 8 to 12 hours. Has good impact and shock resistance.



UPC Number	Size	Case Qty	Colour
00-021200-22647-2	1.7 fl oz	12	Gray
00-021200-87219-8	1.7 fl oz	12	Translucent

Epoxy Adhesives, Scotch-Weld™ - continued

**3M™ Scotch-Weld™
Two-Part Epoxy Adhesive
DP460**

A very high performance epoxy adhesive. Great for bonding a wide variety of materials with outstanding reliability and durability. This product is toughened to provide extremely high peel strength and a shear strength of 4500 psi. Has a 60 to 80 minute work life. Handling strength in 8 to 12 hours. Meets requirements of MIL-A-23941A.



UPC Number	Size	Case Qty	Colour
00-021200-82225-4	1.25 fl oz	12	Off-White

Epoxy Adhesives, EPX™ - Applicators & Accessories

**3M™ Scotch-Weld™
EPX™ Applicators and
Accessories**

Mixing nozzle will perform to your requirements. With consistent air pressure for easy uniform application, the Duo-Pak cartridge will give you the flow rate needed. Fast, convenient way to simultaneously meter, mix and apply twopart adhesives and potting compounds. System features handy 3M™ Scotch-Weld™ Duo-Pak Adhesive Cartridges that snap quickly into the durable, lightweight EPX applicator. A slight squeeze on the trigger advances the plunger into the cartridge. Accurate measurement and the mixing nozzle provides thorough mixing and precise placement of material. Ideal system for assembly, maintenance and in-field service.



UPC Number	Extra Desc	Size	Case Qty
00-021200-21789-0	EPX Applicator w/Plunger	50 mL	10
00-021200-83528-5	EPX Pneumatic Applicator	50 mL	1
00-021200-85801-7	EPX Nozzle 9742 Bulk	50 mL	1200
00-021200-21791-3	EPX Mixing Nozzle 9742	50 mL	72
00-021200-21790-6	EPX 1:1 Plunger Assembly	50 mL	10

Hot-Melt Bonding, Applicators - Scotch-Weld™

3M™ Scotch-Weld™ Applicators

Portable, lightweight applicators used to dispense 3M™ Jet-Melt™ Adhesives. 3M™ Scotch-Weld™ Applicator can be used with 3M™ Hot-Melt™ Low-Melt Adhesives to effectively bond heat-sensitive substrates such as styrene foam.



UPC Number	Extra Desc	Case Qty
00-021200-82245-2	LT Applicator	1
00-021200-82271-1	TC Applicator	1
00-021200-89519-7	EC Applicator	1

Hot-Melt Bonding, Applicators - Scotch-Weld™ Accessories

3M™ Hot-Melt Applicators™ TC and LT Palm Trigger

Unique palm trigger attaches to 3M™ Hot-Melt Applicator™ TC and Hot-Melt Applicator™ LT. Use for continuous operation or to ease operation for smaller hands.



UPC Number	Case Qty
00-021200-82701-3	10

Hot-Melt Bonding, Applicators - Scotch-Weld™ Acc. - cont'd

3M™ Hot-Melt Applicator™ TC Quadtrack Converter

Use to increase capacity of 3M™ Hot-Melt Applicator™ TC and Hot-Melt Applicator™ LT. Simple feed mechanism eliminates linkage failure associated with trigger type hand applicators. Adhesive flow is continuous with smooth, even beads.



UPC Number	Case Qty
00-021200-83536-0	10

3M™ Hot-Melt™ Tips with Adaptor

For use on all 3M™ Hot-Melt™ Applicators. Engineered for optimum general-purpose use to help maximize productivity on specific jobs.



UPC Number	Prod ID	Extra Desc	Case Qty
00-021200-64543-3	9727	L Tip	3
00-021200-64542-6	9726	T Tip	3

Applicator Guide:

Scotch-Weld™ Hot Melt Applicator	Adhesive Description	Adhesive Type Dia. x Length (inches)	Adhesive Size	Capacity (sticks)	Power Source	Temperature
Scotch-Weld™ LT	Low melt Jet-Melt™ adhesive	LM TC	5/8" x 2"	1	Electric 120 Volts - 150 Watts	265°F (129°C)
Scotch-Weld™ TC	Standard melt Jet-Melt™ adhesive	TC	5/8" x 2"	1	Electric 120 Volts - 150 Watts	385°F (196°C)
Scotch-Weld™ EC	Both standard melt and low melt Jet-Melt™ adhesive (Five pre-set temperature modules)	TCQ LM TCQ	5/8" x 8"	1	Electric 120 Volts - 350 Watts	Five (5) pre-set temperature 260°F-450°F (127°C-232°C)
Scotch-Weld™ II LT	Low melt Jet-Melt™ adhesives	LM PG	1" x 3"	3	Pneumatic Air: 40-80 psi - 500 Watts	265°F (129°C)
Scotch-Weld™ II	Standard melt Jet-Melt™ adhesives	PG	1" x 3"	3	Pneumatic Air: 40-80 psi - 500 Watts	385°F (196 °C)

Hot-Melt Bonding, Scotch-Weld™ Hot-Melt™ Adhesives

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3738TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-65262-2	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3738TC**

This product can be used to manually seal corrugated cartons and cases. Applications: Corrugated carton closing; packaging.



UPC Number	Size	Case Qty	Colour
00-021200-82610-8	5/8" x 2"	11	Tan

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3747AE**

A general purpose hot melt adhesive for bonding most plastics, wood and light gauge metal. It offers good heat resistance, good impact resistance, flexibility and has a high delivery rate with a moderate bonding range.



UPC Number	Size	Case Qty	Colour
00-021200-82220-9	.45" x 12"	11	Tan

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3747TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-82561-3	5/8" x 8"	11

Hot-Melt Bonding, Scotch-Weld™ Hot-Melt™ Adhesives - cont'd

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3747TC**

A general purpose hot melt adhesive for bonding most plastics, wood and light gauge metal. It offers good heat resistance, good impact resistance, flexibility and has a high delivery rate with a moderate bonding range.



UPC Number	Size	Case Qty	Colour
00-021200-82560-6	5/8" x 2"	11	Tan

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3748TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-76374-8	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3748TC**


Great for bonding many plastics including polyethylene and polypropylene. Excellent for making printed wiring board components rigid and many other electronic applications. Resists heat, good non-conducting electrical properties, and it is non-corrosive.



UPC Number	Size	Case Qty
00-021200-82584-2	5/8" x 2"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3748VOTCQ**


100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-32064-4	5/8" x 8"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3748VOTC

Self-extinguishing 3M™ Hot-Melt™ that is great for bonding and rigidizing components on printed wiring boards requiring UL 94 V-O listing. Meets requirements of UL 1410 for insulating materials for TV sets. Passes requirements for corrosivity per ASTM D 3482 and MIL-S-46163. Made to order with a lead time of 30–45 days.



UPC Number	Size	Case Qty
00-021200-85816-1	5/8" x 2"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3762TCQ

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-65261-5	5/8" x 8"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3762TC

Rapid setting adhesive has excellent "hot tack" properties making it great for closing cartons and bonding corrugated paper products. Also works on lightly waxed cartons. FDA listed. Also used to put up signs and make point of purchase displays.



UPC Number	Size	Case Qty
00-021200-82615-3	5/8" x 2"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3762LMPG

A fast setting adhesive that reaches bonding strength in seconds, eliminating the need for clamps, fixturing and drying. It is ideal for bonding corrugated boxes, paper products, foam packaging corners, beadboard, chipboard and wood in repackaging areas, and for many other heat sensitive products. Solvent-free.



UPC Number	Size	Case Qty
00-021200-49128-3	1" x 3"	22

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3764TCQ

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicator. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-76054-9	5/8" x 8"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3764TC

This very strong adhesive is great for bonding many types of plastics, glass, wood, acrylic, polyolefins, polystyrene, polyester and polycarbonate. Resists damage from impacts at both high and low temperatures.



UPC Number	Size	Case Qty
00-021200-82599-6	5/8" x 2"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3766LMTQC

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-89499-2	5/8" x 8"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3750AE

- Low viscosity for high flow rate and increased production
- Up to 50-second open time to meet production line requirements
- Good hot tack for quick grab
- Versatility for other applications such as bonding cushioning foams and temporary bonding of sand cores



UPC Number	Size	Case Qty
00-021200-96269-1	.45" x 12"	11

**3M™ Scotch-Weld™
Hot-Melt™
Adhesive 3779TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-85799-7	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3779TC**

This adhesive has good electrical properties, resists heat and works great for electrical "potting and stacking" parts on PC boards.



UPC Number	Size	Case Qty
00-021200-82603-0	5/8" x 2"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3789TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-82369-5	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3792LMTCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-82454-8	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3792LMTC**

A clear hot melt adhesive for product assembly. Great for attaching upholstery to furniture, matting pictures and crafts. Features a long 40 second bonding range and has good heat resistance. Adheres well to fabric, many plastics, and wood. FDA listed. Low application temperature of 265°F. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-82456-2	5/8" x 2"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3792TCQ**

100% solid, solvent-free thermoplastic resins that become fluid when heated. Engineered for use in one of the portable, lightweight 3M Hot-Melt™ Applicators. Available in various formulations for numerous bonding applications. LM adhesives must be dispensed through Hot-Melt™ Applicator EC or Hot-Melt™ Applicator LT with QC and PT.



UPC Number	Size	Case Qty
00-021200-65263-9	5/8" x 8"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3792TC**


A clear hot melt adhesive used to assemble many products. Works great for wood cabinets, wood working, plastic parts and sporting goods. A 50 second bonding range allows extra time to fit parts together properly. Good adhesion to many plastics and wood. Impact resistant at low and high temperatures. FDA listed.



UPC Number	Size	Case Qty
00-021200-82589-7	5/8" x 2"	11

**3M™ Scotch-Weld™
Hot-Melt™ Adhesive
3796TC**

Can be used in a variety of ways to bond many metals, plastics, leather and other non-porous materials. Resists heat and oil and has a 40 second bonding range.



UPC Number	Size	Case Qty
00-021200-25353-9	5/8" x 2"	11

3M™ Scotch-Weld™ Hot-Melt™ Adhesive 3797TC


Works well for electrical potting applications. Has good heat resistance. Adheres to many acrylics and some polyolefins.



UPC Number	Size	Case Qty	Colour
00-021200-82593-4	5/8" x 2"	11	Off White

3M™ Scotch-Weld™ Hot-Melt™ Gummy Glue Low Melt Adhesive

3M™ Gummy Glue is a low temperature (265°F / 129 °C) hot melt adhesive. It is a heat applied, 100% solids, removable adhesive. It is fast, neat, has strength in seconds, removes easily, and can be used on a variety of substrates. Designed to be used in 3M™ Hot-Melt™ Applicator LT (low temperature) applicator only or bulk dispensing equipment.



UPC Number	Size	Case Qty
00-021200-41604-0	5/8" x 2"	11

Hot-Melt Bonding, Scotch-Weld™ Adhesives

3M™ Scotch-Weld™ Thermoset Adhesive TE-015

A rapid setting, one-component, 100% solids, moisture curing urethane adhesive that is applied warm. TE-015 is a low viscosity adhesive that has a fast set time, even at high ambient temperature, and is ideal for bonding wood. Yields thin glue lines.



UPC Number	Size	Case Qty
00-021200-39210-8	10 fl oz	6

3M™ Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-030

Applies easily like conventional hot-melt adhesives then cure to give tough, high-strength bonds. Can effectively bond to a wide variety of substrates including wood, fiber reinforced plastics (FRP), and most plastics to themselves and to metal. Extrudable grade with fast set time, especially suited for bonding wood. Bonds selected plastics.



UPC Number	Size	Case Qty
00-021200-82486-9	10 fl oz	6

3M™ Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-031

Applies easily like conventional hot-melt adhesives then cure to give tough, high-strength bonds. Can effectively bond to a wide variety of substrates including wood, fiber reinforced plastics (FRP), and most plastics to themselves and to metal. Extrudable grade with fast set time, especially suited for bonding a wide variety of plastics including polystyrene and polyacrylic.



UPC Number	Size	Case Qty	Colour
00-021200-83694-7	10 fl oz	6	Off White
00-021200-89571-5	10 fl oz	6	Black

3M™ Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-040

A one-component, moisture curing urethane adhesive that is applied warm. This low viscosity adhesive has a fast set time and is ideal for bonding most wood, plastics, metal and glass.



UPC Number	Size	Case Qty
00-021200-25340-9	10 fl oz	6

Hot-Melt Bonding, Scotch-Weld™ Adhesives - cont'd

**3M™ Scotch-Weld™
Hot-Melt™ Thermoset
Adhesive TE-100**

Applies easily like conventional hot-melt adhesives then cures to give tough, high-strength bonds. Can effectively bond to a wide variety of substrates including wood, fiber reinforced plastics (FRP), and most plastics to themselves and to metal. Extrudable grade with medium set time and low viscosity, especially suited for wood. Bonds selected plastics. Yields thin glue lines.



UPC Number	Size	Case Qty	Colour
00-021200-87243-3	10 fl oz	6	White
00-021200-89576-0	10 fl oz	6	Black

**3M™ Scotch-Weld™
Hot-Melt™ Thermoset
Adhesive TE-200**

A one-component, 100% solids, moisture curing urethane material. An extrudable grade with a fast set time and long open time. Bonds a variety of substrates, including wood and plastics to themselves, to metal and to glass.



UPC Number	Size	Case Qty
00-021200-89586-9	10 fl oz	6

**3M™ Scotch-Weld™
Hot-Melt™ Thermoset
Adhesive TS-115 HGS**

Applies easily like conventional hot-melt adhesives then cures to give tough, high-strength bonds. Effectively bonds to a wide variety of substrates including wood, fiber reinforced plastics (FRP), and most plastics to themselves and to metal. A sprayable/extrudable grade with medium set time and long open time (10 minutes in bead form) that has medium viscosity. It is especially suited for metals, wood, glass and a wide variety of plastics. It is commonly used for laminating applications due to its high green strength (HGS).



UPC Number	Size	Case Qty
00-021200-89449-7	10 fl oz	6

Hot-Melt Bonding, Scotch-Weld™ Adhesives - cont'd

**3M™ Scotch-Weld™
Hot-Melt™ Thermoset
Adhesive TS-230**

Applies easily like conventional hot-melt adhesives then cures to give tough, high-strength bonds. Effectively bonds to a wide variety of substrates including wood, fiber reinforced plastics (FRP), and most plastics to themselves and to metal. A sprayable/extrudable grade with long set time, suited especially for bonding a wide variety of plastics including polystyrene and polyacrylic.



UPC Number	Size	Case Qty	Colour
00-021200-83643-5	10 fl oz	6	Off White
00-021200-89580-7	10 fl oz	6	Black

Instant Adhesives

**3M™ Pronto™
Instant Adhesive CA-100**

One-part, high strength cyanoacrylate adhesive. High viscosity, gap-filling capability up to .020 inches. High T-Peel strength, thermal shock and impact resistance.



UPC Number	Size	Case Qty
00-021200-82334-3	1 oz	12

**3M™ Pronto™
Instant Adhesive CA-4**

One-part, high-strength, fast setting, multi-purpose cyanoacrylate adhesive cures at room temperature.



UPC Number	Size	Case Qty
00-021200-21055-6	1 oz	12
00-021200-21056-3	1 lb	1

3M™ Pronto™ Instant Adhesive CA40

One-part, high strength, fast-setting adhesive cures at room temperature. Adheres to difficult to bond substrates such as EPDM rubber, aluminum, and flexible vinyl.



UPC Number	Size	Case Qty
00-021200-21063-1	1 oz	12
00-021200-21064-8	1 lb	1

3M™ Pronto™ Instant Adhesive CA-40H

One-part, high strength, very fastsetting adhesive cures at room temperature. Adheres to difficult to bond substrates such as EPDM rubber, aluminum, and flexible vinyl.



UPC Number	Size	Case Qty
00-021200-21073-0	1 oz btl	12
00-021200-21074-7	1 lb btl	1

3M™ Pronto™ Instant Adhesive CA-5

This slower setting instant adhesive is great for gap filling while bonding rough and uneven surfaces. Works very well on metal, rubber, ceramic and plastic. A cyanoacrylate adhesive.



UPC Number	Size	Case Qty
00-021200-21059-4	1 oz btl	12
00-021200-21060-0	1 lb	1

3M™ Pronto™ Instant Adhesive CA-50 Gel

Non-sag gel consistency makes this instant adhesive ideal for vertical applications. Very slow setting time of 1 to 2 minutes allows time to reposition parts. Less sensitive to acid surfaces. A cyanoacrylate instant adhesive.



UPC Number	Size	Case Qty
00-021200-82332-9	20 Grams	12

3M™ Pronto™ Instant Adhesive CA-7

This instant adhesive has an extremely fast set time of 1 to 30 seconds. Flows into close fitting pre-assembled parts using a wicking action. It is super strong with a shear strength of over a ton. Great for metal, plastic and rubber. Bonds resist shock and impacts. A cyanoacrylate adhesive.



UPC Number	Size	Case Qty
00-021200-21061-7	1 oz btl	12
00-021200-21062-4	1 lb	1

3M™ Pronto™ Instant Adhesive CA-8

This instant adhesive has a fast set time of 5 to 40 seconds. Excellent adhesion on metal, plastic and rubber. Bonds resist shock and impacts. A cyanoacrylate adhesive.



UPC Number	Size	Case Qty
00-021200-21065-5	1 oz btl	12
00-021200-21067-9	1 lb	1

Instant Adhesives - *continued*

**3M™ Pronto™
Instant Adhesive CA-9**

Slow set time of 20 to 70 seconds allows parts to be perfectly aligned. Ideal for wire tacking and coil terminating. Great for metal, plastic and rubber. Bonds resist shock and impacts. A cyanoacrylate adhesive. Meets MIL-A-46050C Type II Class 3 requirements.



UPC Number	Size	Case Qty
00-021200-21068-6	1 oz btl	12
00-021200-21070-0	1 lb	1

**3M™ Scotch-Weld™
Super Fast
Cyanoacrylate
Adhesive SF100**

Fast cure, high strength with EPDM and other elastomers.



UPC Number	Size	Unit	Case Qty
0-51111-38967-6	3 g	Tube	100
0-51111-38965-2	20 g	Bottle	10
0-51111-38966-9	1 lb	Bottle	1

**3M™ Scotch-Weld™
Threadlocker TL22**

Screwlock - low removal torque for small fasteners less than 1/4". Purple.



UPC Number	Size	Unit	Case Qty
0-51111-19153-8	10 ml	Bottle	10
0-51111-19330-3	50 ml	Bottle	10

Instant Adhesives - *continued*

**3M™ Scotch-Weld™
Threadlocker
Anaerobic Adhesive
TL42**

General purpose, removable with hand tools, medium strength blue threadlocker. Ideal for machine tool access bolts, and hydraulic system bolts. It can also be used on gear box/driveshaft bolts, bearing cover cap screws, countersunk screws, and conveyor roller bolts.



UPC Number	Size	Unit	Case Qty
0-51111-38973-7	10 ml	Bottle	10
0-51111-38972-0	50 ml	Bottle	10
0-51111-38971-3	250 ml	Bottle	2

**3M™ Scotch-Weld™
Threadlocker
Anaerobic Adhesive
TL62**

Medium to high strength red threadlocker that is especially developed to secure assemblies with high strength retention. It allows disassembly with heat and will perform on lightly oily parts with only approximately 10% strength reduction.



UPC Number	Size	Unit	Case Qty
0-51111-19135-4	10 ml	Bottle	10
0-51111-38976-8	50 ml	Bottle	10
0-51111-38975-1	250 ml	Bottle	2

**3M™ Scotch-Weld™
Poly Primer AC77**

Cyanoacrylate polyolefin primer for very fast bonding of difficult-to-bond polyethylene and polypropylene.



UPC Number	Size	Unit	Case Qty
0-51111-19145-3	2 oz	Bottle	10

Plastic Adhesives

3M™ Scotch-Weld™ Plastic Adhesive 1099

A very strong plastic adhesive which is resistant to weather, fuel, oil, plasticizers and solvents. Bonds most plastic and vinyl, and is used to bond plastic and vinyl extrusions. Heat curing boosts overlap shear strength to 388 psi and increases heat resistance from 160° to 250°F. Parts to be bonded can be attracted up to 40 minutes after applying adhesive.



UPC Number	Size	Case Qty	Colour
00-021200-19808-3	5 oz tube	36	Light Tan
00-021200-19811-3	1 quart	12	Light Tan

3M™ Scotch-Weld™ Plastic Adhesive 2262

A clear, non-staining high strength adhesive with exceptional resistance to plasticizer migration. Develops tack very rapidly. Can be used to bond many flexible, rigid and extruded vinyls to metal and many other surfaces.



UPC Number	Size	Case Qty	Colour
00-021200-20392-3	1 qt	12	Clear

3M™ Scotch-Weld™ Plastic Adhesive 4475

A clear, general purpose adhesive that dries rapidly. Has excellent resistance to plasticizers, water, detergent, and soap solutions. Can be used to bond many ceramics, glass, leather, cloth and vinyls to themselves and a wide variety of substrates.



UPC Number	Size	Case Qty
00-021200-21220-8	5 oz tube	36
00-021200-21221-5	1 qt	12

Plastic Adhesives - continued

3M™ Scotch-Weld™ Plastic Adhesive 4693

Clear, solvent-based, synthetic rubber adhesive, adheres to metal and plastics including polypropylene and linear polyethylene.



UPC Number	Size	Case Qty	Colour
00-021200-83759-3	1 qt	12	Clear

3M™ Scotch-Weld™ Plastic Adhesive 4693H Clear

A clear, elastomeric adhesive with exceptional adhesion to metal and plastic. This adhesive is unique in its ability to bond hard-to-hold materials like polypropylene, polyethylene, and high-impact polystyrene.



UPC Number	Size	Case Qty	Colour
00-021200-30088-2	5 oz	36	Clear

3M™ Scotch-Weld™ Industrial Adhesive 4799

3M™ Scotch-Weld™ Industrial Adhesive is an SBR-based adhesive, water resistant with quick drying and fast strength build up that provides low soak-in in most porous substrates while maintaining the integrity of material characteristics. It can be used to bond rubber (including EPDM, canvas, linoleum and other non-load-bearing materials) to metal, wood, and concrete.



UPC Number	Size	Case Qty	Colour
00-021200-21354-0	5 oz	36	Black

Polyurethane

3M™ 540 Polyurethane Sealant

- Excellent cosmetic sealer
- Paintable
- Smoke and flame rated
- 90-minute skin time



UPC Number	Size	Format	Case Qty	Colour
0-21200-96278-3	400 mL	Sausage Pack	12	White
0-21200-96277-6	400 mL	Sausage Pack	12	Gray
0-21200-56562-5	600 mL	Sausage Pack	12	Gray
0-21200-41595-1	10.5 fl oz	Cartridge	12	Black
0-21200-41594-4	10.5 fl oz	Cartridge	12	Gray
0-21200-49054-5	10.5 fl oz	Cartridge	12	White

3M™ 560 Polyurethane Adhesive Sealant

- Panel-bonding adhesive
- Very high strength
- Smoke and flame rated
- 50-minute skin time



UPC Number	Size	Format	Case Qty	Colour
0-21200-56564-9	600 mL	Sausage Pack	12	Gray
0-21200-41597-5	10.5 fl oz	Cartridge	12	Black
0-21200-41596-8	10.3 fl oz	Cartridge	12	Gray

Rubber & Gasket Adhesive

3M™ Scotch-Weld™ Rubber and Gasket Adhesive 1300

A yellow, premium quality, versatile, brushable, heat resistant adhesive that develops strength rapidly.

Has excellent adhesion to metal, bake enamel, wood, most plastics, neoprene, reclaim, SBR, and butyl rubber. NOT for EPDM rubber.



UPC Number	Size	Case Qty	Colour
00-021200-19868-7	5 oz	36	Yellow
00-021200-19871-7	1 qt	12	Yellow
00-021200-36922-3	2 oz	72	Yellow

Rubber & Gasket Adhesive - continued

3M™ Scotch-Weld™ Rubber and Gasket Adhesive 1300L

Lower viscosity, sprayable version of 3M™ Scotch-Weld™ Rubber and Gasket Adhesive 1300. Has excellent adhesion to metal, bake enamel, wood, most plastics, and neoprene, reclaim, SBR, and butyl rubber. NOT for EPDM rubber.



UPC Number	Size	Case Qty
00-021200-19927-1	1 qt	12

3M™ Scotch-Weld™ Rubber and Gasket Adhesive 2141

A light coloured brushable adhesive with a medium bonding range and excellent water resistance. Can bond neoprene, nitrile and SBR rubber to themselves, metals and many other substrates.



UPC Number	Size	Case Qty	Colour
00-021200-20242-1	1 qt	12	Light Coloured

3M™ Scotch-Weld™ Rubber and Gasket Adhesive 847

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil.



UPC Number	Size	Case Qty
00-021200-19721-5	1 qt	12
00-021200-19718-5	5 oz	36
00-021200-22567-3	2 oz	72
00-021200-19725-3	5 gallon	5

Sealant

3M™ Scotch-Seal™ Industrial Sealant 800

Forms a flexible seal. Use where resistance against weather including ocean atmosphere, water, oils and fuel is needed. Has excellent adhesion to metal, glass, plastic and wood. Stays flexible from -65°F to 200°F. Tack-free in 5 to 10 minutes.



UPC Number	Size	Case Qty	Colour
00-021200-19674-4	5 oz	36	Reddish-brown

3M™ Scotch-Seal™ Metal Sealer 2084 Aluminum

This metal sealant bonds and seals aluminum to glass, other metals and wood. Excellent resistance to water, oils and fuel. Ideal for bedding glass in aluminum window channels. Aluminum colour. Seals after extended aging and meets requirements of AAMA Specification 801.1.



UPC Number	Size	Case Qty	Colour
00-021200-20227-8	5 oz	36	Aluminum

3M™ Scotch-Seal™ Tamper Proof Sealant 1252

Tamper proof sealant protects settings and calibrations for hydraulic, pneumatic and electronic equipment. It seals parts which are restricted and where adjustments are only authorized by qualified personnel. Bolts, screws or knobs which are tampered with or accidentally loosened are easily recognized by a break in the sealant.



UPC Number	Size	Case Qty	Colour
00-021200-20193-6	5 oz	36	White

3M™ Scotch-Weld™ Metal Primer 3901

A red, sprayable/brushable primer for metal surfaces which offers improved adhesion and resistance to environmental exposure.

UPC Number	Size	Case Qty
00-021200-21087-7	1/2 pt	12

Structural

3M™ Scotch-Weld™ Structural Plastic Adhesive DP-8005

Two-part structural acrylic-based adhesive (10:1 mix ratio by volume), that can structurally bond many grades of polyethylene, polypropylene, and thermoplastic elastomers (TPE's) without any surface preparation at room temperature.



UPC Number	Size	Case Qty	Colour
00-021200-41547-0	35 mL	12	White

Urethane

3M™ Scotch-Weld™ Urethane Adhesive DP-605NS

A fast setting, urethane adhesive. Its non-sag properties make application on many vertical surfaces easy. Has a 5 minute work life and is excellent for filling gaps. Great adhesion to wood, plastic and primed metal. Reaches handling strength in 15 to 20 minutes. Duo-Pak.



UPC Number	Size	Case Qty	Colour
00-021200-82252-0	1.7 fl oz	12	Off-White


3M™ Scotch-Weld™ Urethane Adhesive DP-640

This brown, two-part, urethane adhesive cures at room temperature or with heat. Its non-sag feature makes it ideal for vertical applications and dries to a tough, impact resistant bond. It has high peel strength with good adhesion to wood, plastic and primed or painted metal. 40 minute work life.



UPC Number	Size	Case Qty
00-021200-89543-2	1.7 fl oz	12

3M™ DI-NOC™ Architectural Finishes



3M™ DI-NOC™ Architectural Finishes

Create expression for architectural surfaces

3M™ DI-NOC™ Architectural Finishes offer the discriminating designer a new way to communicate and express your message within interior and exterior design for both new construction and refurbishment. Interpret your space and create a unique visual experience with more than 500 finishes. With DI-NOC architectural finishes, the colors, designs, textures and finishes give you almost limitless creative freedom: subtle/dramatic, rejuvenating/restful, stimulating/calming, neutral/colorful, formal/informal, bright/quiet, elegant/funky.

Within the 20 product families, DI-NOC architectural finishes faithfully reproduce common and exotic woods, metal, marble, leather, stone, stucco and many other traditional and unique construction or

decorating materials.

You can apply DI-NOC architectural finishes from walls to furniture, elevator interiors to false ceilings, floors to countertops, flat surfaces to compound curves, and more, giving you even more creative options with just one product type.

3M product quality

DI-NOC architectural finishes combine new material dimensions with a high-tech multi-layer film construction of superb aesthetic quality and visual realism. The product's 8 mil thickness enables installations that are lighter in weight than traditional architectural decorating materials. And this product includes 3M's Comply™ Adhesive for fast, easy professional-looking on-site installations that stand the test of time.

Let's talk value

DI-NOC architectural finishes do more than give you creative freedom. They do it at a cost that is lower than traditional construction materials and speed of installation further reduces costs. It's a durable product that resists water, dirt, impact, wear, abrasion and mold, making it easy to maintain for still more cost savings. These finishes are also flame retardant, making them an excellent choice for most interior applications. We even have a built-in anti-microbial feature in the PS Single Color Series and Floor Series that is ideal for hygienic environments.

DI-NOC architectural finishes are covered by a 12-year warranted durability for indoor applications and up to 4 years for outdoor applications. Please refer to the DI-NOC architectural finish Product Bulletin for full details.

Creativity, appearance, durability, cost effectiveness 3M™ DI-NOC™ Architectural Finishes

Typical uses	Application on panels, fittings, furniture, doors, floors, lifts, false ceilings, floors, countertops
Typical application surfaces and bases	Aluminum steel, varnished metal bases, plastic, laminates, walls, plasterboard, civil plaster. etc.
Expected Performance Life	12 years for interior applications Up to 4 years for exterior applications
Range	20 product families More than 500 different design patterns
Thickness	8 mil/215 ± 10 micron
Application temperature range	60-100°F /15-38°C
Adhesive type	Comply adhesive for quick and easy application. Unique channels in the adhesive allow air to be pushed out during application before it can be trapped.
Maintenance and cleaning	Easy cleaning using standard cleaning products

This product has been thoroughly tested, meets the stated specifications, and provides high quality, reliable and durable results when used as recommended in related 3M bulletins. The product is covered by the 3M Basic Product Warranty and is guaranteed to be free of physical and manufacturing defects. There is no warranty for printability, visual appearance, fitness for use or durability. See the 3M Graphics Market Center Warranty Brochure for the complete warranty and remedy details.



3M Canada Company
P.O. Box 5757
London, Ontario N6A 4T1
Canada
1 800-265-1840
Fax 519-452-6245
www.3mgraphics.ca

© 3M 2007. All rights reserved. 75-5100-2509-3

Protective Products

**3M™ Bumpon™
Protective Product**

Strong, 3M™ Bumpons™ stop noise and vibration on all types of cabinets. Self-sticking non-slip polyurethane with long lasting adhesive. Hemispheres can also be used as non-skid feet.



UPC Number	Prod ID	Size	Case Qty	Colour
00-021200-19217-3	SJ5312	.14" x .50"	3000	Clear
00-021200-24226-7	SJ5402	.063" x .433"	3000	True White
00-021200-24227-4	SJ5406	.150" x .375"	3000	True White

**3M™ Bumpon™
Protective Product
SJ5001**

Concave top provides good load bearing. Non-slip spacers for medical tabletops, electronic assemblies or lids. Protect delicate circuit boards from vibration and heat buildup.



UPC Number	Size	Case Qty	Colour
00-021200-67394-8	.14" x .50"	3000	Black

**3M™ Bumpon™
Protective Product
SJ5003**

Hemispheric shape great for absorbing impact. Non-slip feet or spacers useful for circuit boards, delicate electronics or equipment that might be exposed to bumps or vibration.



UPC Number	Size	Case Qty	Colour
00-021200-18425-3	.20" x .44"	3000	Black
00-021200-18426-0	.20" x .44"	3000	Brown
00-021200-18427-7	.20" x .44"	3000	Gray
00-021200-18428-4	.20" x .44"	3000	White

Protective Products - continued

**3M™ Bumpon™
Protective Product
SJ5007**


Protect moderately heavy items with feet or spacers that won't slip. Use to support items on medical tabletops and protect them from vibration or heat.



UPC Number	Size	Case Qty	Colour
00-021200-62728-6	.10" x .41"	3000	Black
00-021200-24274-8	.10" x .41"	3000	Gray

**3M™ Bumpon™
Protective Product
SJ5008**

Protect moderately heavy items with feet or spacers that won't slip. Use to support items on medical tabletops and protect them from vibration or heat.



UPC Number	Size	Case Qty	Colour
00-021200-67373-3	.12" x .50"	3000	Brown
00-021200-67376-4	.12" x .50"	3000	White
00-021200-67370-2	.12" x .50"	3000	Black
00-021200-67378-8	.12" x .50"	3000	Gray

**3M™ Bumpon™
Protective Product
SJ5017**


0.75 inches (19.0 mm) wide by 0.38 inches (9.6 mm) high. Adhesive backed polyurethane bumper.



UPC Number	Size	Case Qty	Colour
00-021200-18442-0	.38" x .75"	1000	Black
00-021200-18443-7	.38" x .75"	1000	Brown
00-021200-32512-0	.38" x .75"	1000	White
00-021200-18444-4	.38" x .75"	1000	Gray

**3M™ Bumpon™
Protective Product
SJ5303**

Strong, clear Bumpons stop noise and vibration on all types of cabinets. Self-sticking non-slip polyurethane with long lasting adhesive. Hemispheres can also be used as non-skid feet.



UPC Number	Size	Case Qty	Colour
00-021200-63463-5	.20" x .44"	3000	Clear

**3M™ Bumpon™
Protective Product
SJ5306**

Bumpon Protective Products stop noise and vibration on all types of cabinets. Self-sticking non-slip polyurethane with long lasting adhesive. Hemispheres can also be used as non-skid feet.



UPC Number	Size	Case Qty
00-021200-67560-7	.150" x .375"	4000

Industrial Cleaners

3M™ Citrus Base Cleaner

A liquid cleaner/degreaser that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.



UPC Number	Size	Case Qty
00-021200-76394-6	24 oz	12
00-021200-77709-7	4 litre	4

3M™ Quick Drying Contact Cleaner 16-102

This aerosol contact cleaner is great where a very rapidly drying solvent is needed. It is perfect for precision cleaning jobs such as sensors, relays, motor switches, generators, electromechanical assemblies and terminals. Removes soil and other contaminants, then evaporates very quickly without leaving residue. Petroleum distillate alcohol based. No CFC's.



UPC Number	Size	Case Qty
00-054007-42818-3	16 oz	12

Lubricants

3M™ 5-Way Penetrant

Inhibits rust and corrosion by spreading a thin, even film that actually penetrates the pores of the surface. It displaces moisture and "dries out" electrical parts and equipment to help prevent shorting and increase conductivity. Spray it on to free rusted, frozen bolts, nuts, and screws. Lubricate delicate machines and precision instruments. Penetrates and demoiseurizes. Ideal as a tapping lubricant for stainless steel and aluminum. Contains no methylene chloride, 1, 1, 1-trichloroethane or chlorofluorocarbons.



UPC Number	Size	Case Qty
00-021200-21305-2	24 fl oz	12
00-021200-77714-1	6 oz	24
00-021200-79102-4	16 oz	4
00-021200-79101-7	20 Litre	1

3M™ Silicone Lubricant

Dries fast to eliminate squeaks, prevents sticking, seals out moisture protecting against rust and corrosion, preserves plastic, rubber and leather. It prolongs machine and cutting tool life by helping to prevent glue, wax, ink and paint buildup. Does 101 tasks.

The silicone polymer is effective between -28° and 350°F. Adheres to parts exceptionally well, reducing reapplication. Ingredients FDA listed. Comes with a handy snorkel tube for small, hard-to-reach areas.



UPC Number	Size	Case Qty
00-021200-76925-2	24 oz	12

3M™ Duct Tape Classifications

Selection streamlined by adhesive strength and backing strength



Performance Plus Duct Tape 8979
Performance Plus
Duct Tape 8979N (Nuclear)



NEW

Outdoor Masking and
Stucco Tape 5959



Extra Heavy Duty Duct Tape 6969




Heavy Duty Duct Tape 3939



Multi Purpose Duct Tape 3900



Utility Duct Tape 2929



NEW

Value Duct Tape 1900



Vinyl Duct Tape 3903



Duct Tapes

3M is a trademark of 3M. Used under license in Canada.



Duct Tapes, Cloth

3M™ Multi-Purpose Duct Tape 2929

- Versatile and practical choice for conformable bundling, moisture resistance and general repairs
- Silver polyethylene backing over a cloth scrim conforms to most surfaces to resist moisture and prolong the tape bond in moist or humid environments
- Rubber pressure sensitive adhesive sticks well on contact to metal, plastic, concrete and other surfaces
- Tears easily straight across with tack-free edges



UPC Number	Size	Case Qty	Colour
00-051115-24883-2	48 mm x 55 m	24	Silver

3M™ Duct Tape 3900

Polyethylene coated cloth with rubber adhesive. Economy grade duct tape. A good choice for general maintenance, wrapping, sealing and protecting.



UPC Number	Size	Case Qty	Colour
00-021200-49828-2	48 mm x 54.8 m	24	Yellow
00-021200-49829-9	48 mm x 54.8 m	24	White
00-021200-49830-5	48 mm x 54.8 m	24	Red
00-021200-49831-2	48 mm x 54.8 m	24	Olive
00-021200-49832-9	48 mm x 54.8 m	24	Blue
00-021200-49833-6	48 mm x 54.8 m	24	Black
00-051131-06976-3	48 mm x 54.8 m	24	Silver

3M™ Duct Tape 3939

Economy grade duct tape. Polyethylene coated cloth backing with rubber adhesive. High tack, conformability, strength and easy tear make 3939 ideal for many duct and moisture sealing, holding, protecting and bundling applications.



UPC Number	Size	Case Qty	Colour
00-021200-85561-0	24 mm x 54.8 m	36	Silver
00-051131-06975-6	48 mm x 54.8 m	24	Silver
00-021200-85562-7	72 mm x 54.8 m	12	Silver
00-021200-85563-4	96 mm x 54.8 m	12	Silver

Duct Tapes, Cloth - continued

3M™ Outdoor Masking and Stucco Tape 5959

3M™ Outdoor Masking and Stucco Tape 5959 is designed for construction, marine and maintenance applications. With its 90 day UV resistant waterproof backing and high shear resistant adhesive, it is an excellent choice for outdoor holding and masking applications. The unique adhesive removes cleanly from most opaque surfaces up to 90 days after application.



UPC Number	Size	Case Qty	Colour
00-051115-25491-8	48 mm x 41.1 m	12	Red

3M™ Duct Tape 6969

A general-purpose cloth duct tape. Designed for applications such as sealing, bundling, holding and various miscellaneous applications. 10.7 mil thick.



UPC Number	Size	Case Qty	Colour
00-021200-22780-6	48 mm x 54.8 m	24	Olive Drab
00-021200-22773-8	48 mm x 54.8 m	24	Black
00-051131-06969-5	48 mm x 54.8 m	24	Silver
00-021200-85635-8	72 mm x 54.8 m	12	Silver

Duct Tapes, Vinyl

3M™ Vinyl Duct Tape 3903

Embossed vinyl film coated with rubber adhesive designed for general sealing, colour coding, masking, wrapping and bundling, protecting and other light duty applications where easy unwind, easy tear and less adhesive transfer are important.



UPC Number	Size	Case Qty	Colour
00-051131-06981-7	2" x 50 yds	24	White
00-051131-06995-4	2" x 50 yds	24	Black
00-051131-06978-7	2" x 50 yds	24	Blue
00-051131-06984-8	2" x 50 yds	24	Gray
00-051131-06986-2	2" x 50 yds	24	Green
00-051131-06992-3	2" x 50 yds	24	Red
00-051131-06982-4	2" x 50 yds	24	Yellow

Cable Ties, Assortment

3M™ Cable Tie Assortment Pack 06220

Secure wire bundles, harnesses and components quickly, without slipping. Self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Cable tie assortment pack contains 100 of the most commonly used ties. Contains three sizes, four lengths and two colours.



UPC Number	Case Qty
00-054007-06220-2	1000

Cable Ties, Heavy Duty

3M™ Cable Tie Heavy Duty

Secure wire bundles, harnesses and components quickly, without slipping. The self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C).



UPC Number	Prod ID	Size	Case Qty	Colour
00-054007-06229-5	6229	0.3" x 8" x 0.07"	500	Natural
00-054007-06206-6	6206	0.3" x 8" x 0.07"	500	Black

Cable Ties, Miniature

3M™ Cable Tie Miniature 6200

Secure wire bundles, harnesses and components quickly, without slipping. The self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C).



UPC Number	Prod ID	Size	Case Qty	Colour
00-054007-06200-4	06200	0.1" x 4" x 0.04"	1000	Black

Cable Ties, Mounting Base

3M™ Cable Tie Mounting Bases

Designed to be screw-mounted. Adhesive backing makes it an easy application. Nylon unless noted. Packed: 100/bag, 500/case. Ivory is made of ABS Plastic.



UPC Number	Size	Colour
00-054007-06298-1	0.6" x 0.385" x 0.28"	Natural
00-054007-06294-3	0.75" x 0.75"	Natural
00-054007-06295-0	0.75" x 0.75"	Black
00-054007-06299-8	0.875" x 0.625" x 0.39"	Natural
00-054007-06292-9	1" x 1" x 0.115"	Ivory
00-054007-06296-7	1" x 1" x 0.215"	Natural
00-054007-06297-4	1" x 1" x 0.215"	Black
00-054007-06290-5	2" x 1" x 0.315"	Ivory

Cable Ties, Weather Resistant

3M™ Weather Resistant Cable Ties

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" or 4".



UPC Number	Extra Desc	Size	Case Qty	Colour
00-051128-53168-6	Mini	6"	1000	Natural
00-051128-53169-3	Mini	6"	1000	Black
00-051128-53173-0	Mini	8"	1000	Black
00-051128-53172-3	Mini	8"	1000	Natural
00-054007-06224-0	Mini	3-3/4"	1000	Natural
00-054007-06248-6	Mini	3-3/4"	10000	Natural
00-054007-06270-7	Mini	3-3/4"	10000	Black
00-054007-06225-7	Intermediate	5-7/8"	1000	Natural
00-054007-06201-1	Intermediate	5-7/8"	1000	Black
00-054007-06249-3	Intermediate	5-7/8"	10000	Natural
00-054007-06271-4	Intermediate	5-7/8"	10000	Black
00-054007-06226-4	Std	7-15/16"	1000	Natural
00-054007-06202-8	Std	7-15/16"	1000	Black
00-054007-06250-9	Std	7-15/16"	10000	Natural

continued next page ➔

3M™ Weather Resistant Cable Ties - continued

UPC Number	Extra Desc	Size	Case Qty	Colour
00-054007-06272-1	Std	7-15/16"	10000	Black
00-054007-06232-5	Mount	8-5/16"	1000	Natural
00-054007-06205-9	Mount	8-5/16"	1000	Black
00-054007-06256-1	Mount	8-5/16"	10000	Natural
00-054007-06275-2	Mount	8-5/16"	10000	Black
00-054007-06227-1	Std	12"	1000	Natural
00-054007-06203-5	Std	12"	1000	Black
00-054007-06251-6	Std	12"	5000	Natural
00-054007-06273-8	Std	12"	5000	Black
00-054007-06228-8	Std	15"	500	Natural
00-054007-06204-2	Std	15"	500	Black
00-054007-06240-0	HvyDty	15"	500	Natural
00-054007-06207-3	HvyDty	15"	500	Black
00-054007-06252-3	Std Bulk	15"	2500	Natural
00-054007-06264-6	HvyDty Bulk	15"	2500	Natural
00-054007-06274-5	Std Bulk	15"	2500	Black
00-054007-06277-6	HvyDty Bulk	15"	2500	Black
00-054007-06234-9	Mount	15-7/16"	500	Natural
00-054007-06258-5	Mount	15-7/16"	2500	Black
00-054007-06243-1	HvyDty Mount	15-5/8"	500	Natural
00-054007-06267-7	HvyDty Mount Bulk	15-5/8"	2500	Natural

Connectors, IDC Connectors**3M™ Scotchlok™ IDC Connector**

To install, just squeeze, no stripping or twisting. Our unique "U" contact provides dependable electrical connections. Use to electrically connect a (tap) wire end to a through (run) wire and insulate the connection. Particularly useful in ballast installations; reliable and saves time, no stripping or twisting of wires, and reduces clean up. Flame retardant. Pigtail 2 and 3 wire. Maximum Insulation O.D.: 0.120 inches. Operating temperature: 105°C. Cable Range (AWG): 22-16 (0,5-1,5 mm²).



UPC Number	Prod ID	Case Qty
00-054007-14861-6	558	1000
00-054007-21494-6	557	1000
00-054007-11032-3	562	1000
00-054007-14887-6	567	1000
00-054007-06134-2	804	250
00-054007-06128-1	905	10

3M™ Scotchlok™ IDC Connector 314 and 314U

To install, just squeeze, no stripping or twisting. Our unique "U" contact provides dependable electrical connections. Use to electrically connect two or three wire ends and insulate the connection. The 314 provides a moisture-resistant seal. Particularly useful in ballast installations; reliable and saves time, no stripping or twisting of wires, and reduces clean up. Flame retardant. Pigtail 2 and 3 wire. Maximum Insulation O.D.: 0.150 inches. Operating temperature: 105°C. Cable Range (AWG): 22-14 (0,5-1,5 mm²).

UPC Number	Prod ID	Case Desc	Case Qty
00-054007-09232-2	314U	Boxed	500
00-054007-09230-8	314	Boxed	500
00-054007-09231-5	314	Bulk	1000

3M™ Scotchlok™ IDC Connector 560

Use to electrically connect a (tap) wire end to a through (run) wire and insulate the connection. Flame retardant. Tap and parallel. Maximum insulation O.D.:0.145". Operating temperature 105°C. Cable Range (AWG): 18-16 stranded and solid, 14 stranded only (0,75-1,5 mm²).

UPC Number	Case Qty
00-054007-00839-2	1000

Connectors, Spring**3M™ Spring Connector 312**

Electrical spring connectors are insulated with a colour-coded, pliable, vinyl skirt. They feature a "live-spring" which assures a tight grip, even on small wire combinations. These premiumgrade connections can be "backed-off" to allow maintenance or modification of electrical systems. Cable Range (AWG): 5-7 #22, 3-6 #20, 2-6 #18, 2-6 #16, 1-4 #14, 1-3 #12 (1,5-10,0 mm²).

UPC Number	Case Qty	Colour
00-054007-08159-3	1000	Yellow

3M™ Spring Connector 512

Electrical spring connectors are insulated with a colour-coded, pliable, vinyl skirt. They feature a "live-spring" which assures a tight grip, even on small wire combinations. These premiumgrade connections can be "backed-off" to allow maintenance or modification of electrical systems. Cable Range (AWG): 2- 10 #18, 2-7 #16, 1-6 #14, 1-5 #12, 1-3 #10, 1-2 #8, 1 #6 (2,0-16,0 mm²).

UPC Number	Case Qty	Colour
00-054007-08161-6	1000	Red

3M™ “Performance Plus” Wire Connectors

These wire connectors make wiring fast and easy in three ways: they are exceptionally easy to handle, they offer a broad wire capacity, and it takes fewer sizes to get the job done. The flexible skirt covers over-strips and protects conductors, yet conforms to whatever space is available in a box. The rounded wings on the rigid top make 3M™ Wire Connectors exceptionally easy to handle. Twisting the connector-on or off-is easier than ever. That means fast installation and less wear and tear on your fingers. Inside, the unique spring grips quickly, turns on fast and expands to accept a wide range of wire sizes. It also bites into conductors for solid, secure connections.



UPC Number	Description	Case Qty
00-051128-54455-6	3M™ “Performance Plus” Wire Connector T/R+ Accommodates: #18 AWG copper wires to five #12 AWG solid copper wire	750/jug
00-051128-54456-3	3M™ “Performance Plus” Wire Connector T/R+	25000/keg
00-051128-54454-9	3M™ “Performance Plus” Wire Connector T/R+	100/box
00-054007-43150-3	3M™ “Performance Plus” Wire Connector B/G+BOX Accommodates: 4 #14-2 #6-3 #8 AWG, Blue with Gray skirt	500
00-054007-43151-0	3M™ “Performance Plus” Wire Connector B/G+BULK	2000
00-054007-43152-7	3M™ “Performance Plus” Wire Connector O/B+BOX Accommodates: 2 #22 AWG up to 3 #12 AWG (solid) or 4 #14 AWG, Orange with Blue skirt	1000
00-054007-43153-4	3M™ “Performance Plus” Wire Connector O/B+BULK	10000
00-054007-43154-1	3M™ “Performance Plus” Wire Connector R/Y+BOX Accommodates: 2 #18-2 #8-5 #12 AWG, Red with Yellow skirt	10000
00-054007-43155-8	3M™ “Performance Plus” Wire Connector R/Y+BULK	4000
00-051128-55219-3	3M™ “Performance Plus” Wire Connector T/Y+ Accommodates: two #22 AWG copper wires to three #12 AWG solid copper wires	500/jug
00-051128-55218-6	3M™ “Performance Plus” Wire Connector T/Y+Box	100/box

3M™ Scotchlok™ Hand Driver for Wire Connectors

These are the application tools for 3M™ Scotchlok™ Y, R, G, B, and 3M™ Spring Connectors 212, 312, 512, + Performance Plus connectors. They quickly spin on the connector and position wire bundle in the box with ease. The WCD power driver uses a standard chuck.



UPC Number	Description	Case Qty
00-054007-49948-0	Hand Wire	10
00-054007-49919-0	Power Wire	10

Crimping Tools

3M™ Crimping Tool Ratchet TH-482

A compact, high quality tool designed to perform the six most common electrical wiring functions. Made of 1.125" heat-treated carbon steel for maximum durability. It handles a variety of terminal and connector styles, insulated and non-insulated, over a range of 22-10 AWG. Wire Range: 22-10.



UPC Number	Case Qty
00-054007-11902-9	1

3M™ Crimping Tool Ratchet TR-490

Crimps barrel and insulation grip independently on No. 22-10 AWG insulated and non-insulated terminals and connectors: nylon or vinyl insulated, butted or brazed seam. Wire Range: 22-10.



UPC Number	Case Qty
00-054007-70481-2	1

Crimping Tools - *continued*

3M™ Crimping Tool Scissors TH-450

Made of 1.40" high strength, heat-treated carbon steel. Lightweight without sacrificing strength. It handles a variety of terminal and conductor styles, including flags, closed end connectors, crimp sleeves and standard parts, insulated and non-insulated, over a broad range of 26-6 AWG. Wire Range: 26-6.



UPC Number	Case Qty
00-054007-13760-3	10

3M™ Scotchlok™ Crimping Tool TH-440

High carbon heat-treated steel and unique design provide a high strength/weight ratio, durability, reliability and wide range of applications. Crimps a broad range of terminals and connectors. Wire Range: 22-10.



UPC Number	Case Qty
00-054007-60825-7	10

Heat Shrink, Kits

3M™ Heat Shrink Tubing Kit — Colour Assortment FP-301

A versatile assortment of flexible polyolefin heat shrink tubing in a variety of sizes. This rugged, plastic compact kit contains over 66 feet of heat shrink tubing to meet virtually any requirement. It provides a complete selection of popular diameters for small projects and product development programs. Each diameter has a corresponding refill pack that allows you to repurchase a single package of a specific diameter to replenish the kit. A 2:1 shrink ratio polyolefin heat shrinkable tubing that is widely used in a variety of electronic and electrical applications.



Seven colours: Black, White, Clear, Red, Blue, Yellow, Green.

Kit contents:

3/32" (2.36 mm) – 5 each of 7 colours (35 pieces);
 1/8" (3.18 mm) – 4 each of 7 colours (28 pieces);
 3/16" (4.75 mm) – 3 each of 7 colours (21 pieces);
 1/4" (6.35 mm) – 3 each of 7 colours (21 pieces);
 3/8" (9.53 mm) – 2 each of 7 colours (14 pieces);
 1/2" (12.70 mm) – 2 each of 7 colours (14 pieces).

UPC Number	Size	Case Qty
00-051135-37677-5	6"	5

3M™ Heat Shrink Tubing Kit FP-301

A versatile assortment of flexible polyolefin heat shrink tubing in a variety of sizes. Kit contains over 66 feet of heat shrink tubing to meet virtually any requirement. It provides a complete selection of popular diameters for small projects and product development programs. Each diameter has a corresponding refill pack that allows you to repurchase a single package of a specific diameter to replenish the kit. A 2:1 shrink ratio polyolefin heat shrinkable tubing that is widely used in a variety of electronic and electrical applications. 6 diameters – Blk/K.



UPC Number	Size	Case Qty	Colour
00-051135-38139-7	6"	5	Black

Heat Shrink, Kits - *continued*

3M™ Heat Shrink Tubing Kit EPS-300

An assortment of adhesive-lined, flexible, polyolefin, heat shrink tubing. Each box is 7" x 11" x 2-1/2" rugged translucent plastic with product and installation information on the cover. The heat shrink kits allow an engineer, designer or technician to have a selection of red and black sizes for small projects and product development programs. The kit contains 42 pieces, all of 6" lengths. The contents of this kit, by expanded diameter, are listed in the chart. Each diameter has a corresponding refill pack that allows you to repurchase single packages of a specific diameter to replenish the kit. A 3:1 shrink ratio polyolefin heat shrinkable tubing that is widely used in a variety of electronic and electrical applications.



Kit includes:

- 12 EPS- 300 Red 1/2" (12.70 mm),
- 12 EPS- 300 Black 1/2" (12.70 mm),
- 6 EPS- 300 Red 3/4" (19.05 mm),
- 6 EPS- 300 Black 3/4" (19.05 mm),
- 3 EPS- 300 Red 1" (25.40 mm),
- 3 EPS- 300 Black 1" (25.40 mm).

UPC Number	Case Qty
00-051135-38444-2	5

Heat Shrink, Thin Wall Tubing - *continued*

3M™ Heat Shrink Thin Wall Tubing EPS-300

Thin-walled tubing offering the advantages of integral, dual wall construction. The tubing is made from flame retardant, flexible, polyolefin lined with an internal layer of special thermoplastic adhesive. The heat shrinkable outer wall is selectively radiation cross-linked, while the adhesive maintains high flow and excellent adhesion characteristics. This tubing is an environmental protection sleeve and insulation. It offers superb environmental protection for electronic components, twisted pigtail and inline wire splices, crimp splices, wire bundles and wire harness breakouts in automotive, truck, fleet, marine and industrial applications. Applications specifications: MIL-I-23053/4, Class 3. A 3:1 shrink ratio polyolefin heat shrinkable tubing that is widely used in a variety of electronic and electrical applications.



UPC Number	Size	Case Qty	Colour
00-051135-36875-6	3/16" x 48"	12	Black
00-051135-36876-3	1/4" x 48"	12	Black
00-051135-36877-0	3/8" x 48"	12	Black
00-051135-36878-7	1/2" x 48"	12	Black

Heat Shrink, Thin Wall Tubing

3M™ Heat Shrink Thin Wall Tubing Assort. FP-301

Refill pack that allows you to replenish your 3M™ Heat Shrink Tubing Kit FP- 301. Purchase single package of a specific diameter to fill all your heat shrink needs.



UPC Number	Extra Desc	Size	Case Qty
00-051135-36618-9	5 each of 7 colours	3/32" x 6"	10
00-051135-36619-6	4 each of 7 colours	1/8" x 6"	10
00-051135-36620-2	3 each of 7 colours	3/16" x 6"	10
00-051135-36621-9	3 each of 7 colours	1/4" x 6"	10
00-051135-36622-6	2 each of 7 colours	3/8" x 6"	10
00-051135-36623-3	2 each of 7 colours	1/2" x 6"	10

Heat Shrink, Tubing Spools

3M™ Heat Shrink Tubing Spools FP-301

Black Heat Shrink Tubing is a flexible polyolefin tubing which will shrink to 50% of its as-supplied internal diameter. Minimum shrink temperature is 212°F. Rated for 275°F continuous operation, the tubing is split resistant and mechanically tough.



UPC Number	Size	Case Qty	Colour
00-051135-35550-3	1/16" x 100'	3	Black
00-051135-35556-5	3/32" x 100'	3	Black
00-051135-35562-6	1/8" x 100'	3	Black
00-051135-35568-8	3/16" x 100'	3	Black
00-051135-35574-9	1/4" x 100'	3	Black
00-051135-35580-0	3/8" x 100'	3	Black
00-051135-35586-2	1/2" x 100'	3	Black
00-051135-35592-3	3/4" x 50'	3	Black
00-051135-35598-5	1" x 50'	3	Black

Highland Terminals

Highland Terminals

Highland terminals, disconnects, and connectors are for use in the assembly and maintenance of electrical systems. Highland terminals offer effective and reliable performance in a variety of types of general applications. Available in low quantity, reclosable bags. Highland terminals are the optimal choice for smaller jobs.



UPC Number	Colour	Product Description
00-054007-70250-4	None	Non-Insulated Block Fork 12-10 10 L-Q
00-054007-70449-2	None	Non-Insulated Block Fork 12-10 10 L-Q
00-054007-49890-2	None	Non-Insulated Block Fork 12-10 6 L
00-054007-70249-8	None	Non-Insulated Block Fork 12-10 8 L-Q
00-054007-70448-5	None	Non-Insulated Block Fork 12-10 8 L-Q
00-054007-70199-6	None	Non-Insulated Block Fork 16-14 10 C-L
00-054007-70253-5	None	Non-Insulated Block Fork 16-14 10 C-L
00-054007-70197-2	None	Non-Insulated Block Fork 16-14 6 C-L
00-054007-70251-1	None	Non-Insulated Block Fork 16-14 6 C-L
00-054007-70198-9	None	Non-Insulated Block Fork 16-14 8 C-L
00-054007-70252-8	None	Non-Insulated Block Fork 16-14 8 C-L
00-054007-49898-8	None	Non-Insulated Block Fork 22-18 10 C
00-054007-70200-9	None	Non-Insulated Block Fork 22-18 6 C-L
00-054007-70254-2	None	Non-Insulated Block Fork 22-18 6 C-L
00-054007-70201-6	None	Non-Insulated Block Fork 22-18 8 C-L
00-054007-70255-9	None	Non-Insulated Block Fork 22-18 8 C-L
50-054007-70257-8	Yellow	Vinyl Insulated Block Fork 12-10 10 L-Q
50-054007-70451-0	Yellow	Vinyl Insulated Block Fork 12-10 10 L-Q
50-054007-49891-4	Yellow	Vinyl Insulated Block Fork 12-10 6 L
50-054007-70256-1	Yellow	Vinyl Insulated Block Fork 12-10 8 L-Q
50-054007-70450-3	Yellow	Vinyl Insulated Block Fork 12-10 8 L-Q
50-054007-70204-2	Blue	Vinyl Insulated Block Fork 16-14 10 C-L
50-054007-70260-8	Blue	Vinyl Insulated Block Fork 16-14 10 C-L
50-054007-70202-8	Blue	Vinyl Insulated Block Fork 16-14 6 C-L
50-054007-70258-5	Blue	Vinyl Insulated Block Fork 16-14 6 C-L
50-054007-70203-5	Blue	Vinyl Insulated Block Fork 16-14 8 C-L
50-054007-70259-2	Blue	Vinyl Insulated Block Fork 16-14 8 C-L
50-054007-49899-0	Red	Vinyl Insulated Block Fork 22-18 10 C
50-054007-70205-9	Red	Vinyl Insulated Block Fork 22-18 6 C-L
50-054007-70261-5	Red	Vinyl Insulated Block Fork 22-18 6 C-L
50-054007-70206-6	Red	Vinyl Insulated Block Fork 22-18 8 C-L
50-054007-70262-2	Red	Vinyl Insulated Block Fork 22-18 8 C-L
50-054007-70263-9	None	Butt Splice 12-10 NA L-Q
00-054007-70452-2	None	Butt Splice 12-10 NA L-Q
00-054007-70207-8	None	Butt Splice 16-14 NA C-L
50-054007-70264-6	None	Butt Splice 16-14 NA C-L
00-054007-70208-5	None	Butt Splice 22-18 NA C-L
TBD	None	Butt Splice 22-18 NA C-L

Highland Terminals - continued

UPC Number	Colour	Product Description
50-054007-70266-0	Yellow	Vinyl Insulated Butt Splice 12-10 NA L-Q
50-054007-70453-4	Yellow	Vinyl Insulated Butt Splice 12-10 NA L-Q
50-054007-70209-7	Blue	Vinyl Insulated Butt Splice 16-14 NA C-L
50-054007-70267-7	Blue	Vinyl Insulated Butt Splice 16-14 NA C-L
50-054007-70210-3	Red	Vinyl Insulated Butt Splice 22-18 NA C-L
50-054007-70268-4	Red	Vinyl Insulated Butt Splice 22-18 NA C-L
00-054007-70270-2	None	Non-Insulated Fork 12-10 10 L-Q
00-054007-70455-3	None	Non-Insulated Fork 12-10 10 L-Q
00-054007-70269-6	None	Non-Insulated Fork 12-10 8 L-Q
00-054007-70454-6	None	Non-Insulated Fork 12-10 8 L-Q
00-054007-70213-9	None	Non-Insulated Fork 16-14 10 C-L
00-054007-70273-3	None	Non-Insulated Fork 16-14 10 C-L
00-054007-70211-5	None	Non-Insulated Fork 16-14 6 C-L
00-054007-70271-9	None	Non-Insulated Fork 16-14 6 C-L
00-054007-70212-2	None	Non-Insulated Fork 16-14 8 C-L
00-054007-70272-6	None	Non-Insulated Fork 16-14 8 C-L
00-054007-70274-0	None	Non-Insulated Female Disconnect 12-10 .250 L-Q
00-054007-70456-0	None	Non-Insulated Female Disconnect 12-10 .250 L-Q
00-054007-49894-0	None	Non-Insulated Female Disconnect 16-14 .187 C-L
00-054007-49895-7	None	Non-Insulated Female Disconnect 16-14 .187 C-L
00-054007-70214-6	None	Non-Insulated Female Disconnect 16-14 .250 C-L
50-054007-70275-2	None	Non-Insulated Female Disconnect 16-14 .250 C-L
00-054007-49900-8	None	Non-Insulated Female Disconnect 22-18 .187 C-L
00-054007-49901-5	None	Non-Insulated Female Disconnect 22-18 .187 C-L
00-054007-70215-3	None	Non-Insulated Female Disconnect 22-18 .250 C-L
00-054007-70276-4	None	Non-Insulated Female Disconnect 22-18 .250 C-L
50-054007-70277-6	Yellow	Fully Insulated Nylon Female Disconnect 12-10 .250 L-Q
50-054007-70457-2	Yellow	Fully Insulated Nylon Female Disconnect 12-10 .250 L-Q
00-054007-70216-0	Blue	Fully Insulated Nylon Female Disconnect 16-14 .187 C-L
TBD	Blue	Fully Insulated Nylon Female Disconnect 16-14 .187 C-L
50-054007-70217-2	Blue	Fully Insulated Nylon Female Disconnect 16-14 .250 C-L
50-054007-70279-0	Blue	Fully Insulated Nylon Female Disconnect 16-14 .250 C-L
00-054007-70218-4	Red	Fully Insulated Nylon Female Disconnect 22-18 .187 C-L
50-054007-70280-6	Red	Fully Insulated Nylon Female Disconnect 22-18 .187 C-L
00-054007-70219-1	Red	Fully Insulated Nylon Female Disconnect 22-18 .250 C-L
50-054007-70281-3	Red	Fully Insulated Nylon Female Disconnect 22-18 .250 C-L
50-054007-70282-0	Yellow	Vinyl Insulated Female Disconnect 12-10 .250 L-Q
50-054007-70458-9	Yellow	Vinyl Insulated Female Disconnect 12-10 .250 L-Q
50-054007-70220-2	Blue	Vinyl Insulated Female Disconnect 16-14 .187 C-L
TBD	Blue	Vinyl Insulated Female Disconnect 16-14 .187 C-L
50-054007-70221-9	Blue	Vinyl Insulated Female Disconnect 16-14 .250 C-L
50-054007-70284-4	Blue	Vinyl Insulated Female Disconnect 16-14 .250 C-L
00-054007-70222-1	Red	Vinyl Insulated Female Disconnect 22-18 .187 C-L
50-054007-70285-1	Red	Vinyl Insulated Female Disconnect 22-18 .187 C-L

continued next page ➔

Highland Terminals - *continued*

UPC Number	Colour	Product Description
00-054007-70223-8	Red	Vinyl Insulated Female Disconnect 22-18 .250 C-L
50-054007-70286-8	Red	Vinyl Insulated Female Disconnect 22-18 .250 C-L
50-054007-70289-9	Yellow	Vinyl Insulated Fork 12-10 10 L-Q
50-054007-70461-9	Yellow	Vinyl Insulated Fork 12-10 10 L-Q
50-054007-70287-5	Yellow	Vinyl Insulated Fork 12-10 6 L-Q
00-054007-70459-1	Yellow	Vinyl Insulated Fork 12-10 6 L-Q
50-054007-70288-2	Yellow	Vinyl Insulated Fork 12-10 8 L-Q
50-054007-70460-2	Yellow	Vinyl Insulated Fork 12-10 8 L-Q
50-054007-70226-4	Blue	Vinyl Insulated Fork 16-14 10 C-L
50-054007-70292-9	Blue	Vinyl Insulated Fork 16-14 10 C-L
50-054007-70224-0	Blue	Vinyl Insulated Fork 16-14 6 C
50-054007-70225-7	Blue	Vinyl Insulated Fork 16-14 8 C-L
50-054007-70291-2	Blue	Vinyl Insulated Fork 16-14 8 C-L
00-054007-70464-5	None	Non-Insulated Locking Fork 12-10 10 Q
50-054007-70465-7	None	Non-Insulated Locking Fork 12-10 1/4 Q
00-054007-70462-1	None	Non-Insulated Locking Fork 12-10 6 Q
00-054007-70463-8	None	Non-Insulated Locking Fork 12-10 8 Q
00-054007-70295-5	None	Non-Insulated Locking Fork 16-14 10 L
00-054007-70293-1	None	Non-Insulated Locking Fork 16-14 6 L
00-054007-70294-8	None	Non-Insulated Locking Fork 16-14 8 L
00-054007-70296-2	None	Non-Insulated Locking Fork 22-18 4 L
00-054007-70297-9	None	Non-Insulated Locking Fork 22-18 6 L
00-054007-70298-6	None	Non-Insulated Locking Fork 22-18 8 L
50-054007-70468-8	Yellow	Vinyl Insulated Locking Fork 12-10 10 Q
50-054007-70469-5	Yellow	Vinyl Insulated Locking Fork 12-10 1/4 Q
50-054007-70466-4	Yellow	Vinyl Insulated Locking Fork 12-10 6 Q
50-054007-70467-1	Yellow	Vinyl Insulated Locking Fork 12-10 8 Q
50-054007-70301-8	Blue	Vinyl Insulated Locking Fork 16-14 10 L
50-054007-70299-8	Blue	Vinyl Insulated Locking Fork 16-14 6 L
50-054007-70300-1	Blue	Vinyl Insulated Locking Fork 16-14 8 L
50-054007-70302-5	Red	Vinyl Insulated Locking Fork 22-18 4 L
50-054007-70303-2	Red	Vinyl Insulated Locking Fork 22-18 6 L
50-054007-70304-9	Red	Vinyl Insulated Locking Fork 22-18 8 L
00-054007-70470-6	None	Non-Insulated Male Tab 12-10 .250 Q
00-054007-70305-1	None	Non-Insulated Male Tab 16-14 .187 L
00-054007-70306-8	None	Non-Insulated Male Tab 16-14 .250 L
00-054007-70307-5	None	Non-Insulated Male Tab 22-18 .187 L
00-054007-70308-2	None	Non-Insulated Male Tab 22-18 .250 L
50-054007-70309-4	Yellow	Fully Insulated Nylon Male Tab 12-10 .250 L-Q
00-054007-70471-3	Yellow	Fully Insulated Nylon Male Tab 12-10 .250 L-Q
00-054007-70227-6	Blue	Fully Insulated Nylon Male Tab 16-14 .187 C-L
TBD	Blue	Fully Insulated Nylon Male Tab 16-14 .187 C-L
00-054007-70228-3	Blue	Fully Insulated Nylon Male Tab 16-14 .250 C-L
50-054007-70311-7	Blue	Fully Insulated Nylon Male Tab 16-14 .250 C-L
00-054007-70229-0	Red	Fully Insulated Nylon Male Tab 22-18 .187 C-L
00-054007-70312-9	Red	Fully Insulated Nylon Male Tab 22-18 .187 C-L

Highland Terminals - *continued*

UPC Number	Colour	Product Description
00-054007-70230-6	Red	Fully Insulated Nylon Male Tab 22-18 .250 C-L
50-054007-70313-1	Red	Fully Insulated Nylon Male Tab 22-18 .250 C-L
50-054007-70314-8	Yellow	Vinyl Insulated Male Tab 12-10 .250 L-Q
50-054007-70472-5	Yellow	Vinyl Insulated Male Tab 12-10 .250 L-Q
50-054007-70231-8	Blue	Vinyl Insulated Male Tab 16-14 .187 C-L
50-054007-70315-5	Blue	Vinyl Insulated Male Tab 16-14 .187 C-L
50-054007-70232-5	Blue	Vinyl Insulated Male Tab 16-14 .250 C-L
50-054007-70316-2	Blue	Vinyl Insulated Male Tab 16-14 .250 C-L
00-054007-70233-7	Red	Vinyl Insulated Male Tab 22-18 .187 C-L
50-054007-70317-9	Red	Vinyl Insulated Male Tab 22-18 .187 C-L
50-054007-70234-9	Red	Vinyl Insulated Male Tab 22-18 .250 C-L
50-054007-70318-6	Red	Vinyl Insulated Male Tab 22-18 .250 C-L
TBD	None	Non-Insulated Ring 12-10 10 L-Q
00-054007-70474-4	None	Non-Insulated Ring 12-10 10 L-Q
TBD	None	Non-Insulated Ring 12-10 1/4 L-Q
00-054007-70475-1	None	Non-Insulated Ring 12-10 1/4 L-Q
00-054007-49892-6	None	Non-Insulated Ring 12-10 6 L
00-054007-70319-8	None	Non-Insulated Ring 12-10 8 L-Q
00-054007-70473-7	None	Non-Insulated Ring 12-10 8 L-Q
00-054007-70237-5	None	Non-Insulated Ring 16-14 10 C-L
00-054007-70324-2	None	Non-Insulated Ring 16-14 10 C-L
00-054007-49896-4	None	Non-Insulated Ring 16-14 4 C
00-054007-70235-1	None	Non-Insulated Ring 16-14 6 C-L
00-054007-70322-8	None	Non-Insulated Ring 16-14 6 C-L
00-054007-70236-8	None	Non-Insulated Ring 16-14 8 C-L
50-054007-70323-0	None	Non-Insulated Ring 16-14 8 C-L
50-054007-70240-0	None	Non-Insulated Ring 22-18 10 C-L
00-054007-70327-3	None	Non-Insulated Ring 22-18 10 C-L
00-054007-49902-2	None	Non-Insulated Ring 22-18 4 C
00-054007-70238-2	None	Non-Insulated Ring 22-18 6 C-L
00-054007-70325-9	None	Non-Insulated Ring 22-18 6 C-L
00-054007-70239-9	None	Non-Insulated Ring 22-18 8 C-L
00-054007-70326-6	None	Non-Insulated Ring 22-18 8 C-L
50-054007-70329-2	Yellow	Vinyl Insulated Ring 12-10 10 L-Q
50-054007-70477-0	Yellow	Vinyl Insulated Ring 12-10 10 L-Q
50-054007-70330-8	Yellow	Vinyl Insulated Ring 12-10 1/4 L-Q
50-054007-70478-7	Yellow	Vinyl Insulated Ring 12-10 1/4 L-Q
50-054007-70331-5	Yellow	Vinyl Insulated Ring 12-10 3/8 L-Q
50-054007-70479-4	Yellow	Vinyl Insulated Ring 12-10 3/8 L-Q
50-054007-49562-3	Yellow	Vinyl Insulated Ring 12-10 5/16 Q
50-054007-49893-8	Yellow	Vinyl Insulated Ring 12-10 6 L
50-054007-70328-5	Yellow	Vinyl Insulated Ring 12-10 8 L-Q
50-054007-70476-3	Yellow	Vinyl Insulated Ring 12-10 8 L-Q
50-054007-70243-1	Blue	Vinyl Insulated Ring 16-14 10 C-L

continued next page ➞

Highland Terminals - *continued*

UPC Number	Colour	Product Description
50-054007-70334-6	Blue	Vinyl Insulated Ring 16-14 10 C-L
50-054007-70244-8	Blue	Vinyl Insulated Ring 16-14 1/4 C-L
50-054007-70335-3	Blue	Vinyl Insulated Ring 16-14 1/4 C-L
50-054007-49897-6	Blue	Vinyl Insulated Ring 16-14 4 C
50-054007-49560-9	Blue	Vinyl Insulated Ring 16-14 5/16 L
00-054007-70241-2	Blue	Vinyl Insulated Ring 16-14 6 C-L
50-054007-70332-2	Blue	Vinyl Insulated Ring 16-14 6 C-L
50-054007-70242-4	Blue	Vinyl Insulated Ring 16-14 8 C-L
50-054007-70333-9	Blue	Vinyl Insulated Ring 16-14 8 C-L
00-054007-70247-4	Red	Vinyl Insulated Ring 22-18 10 C-L
50-054007-70338-4	Red	Vinyl Insulated Ring 22-18 10 C-L
50-054007-70248-6	Red	Vinyl Insulated Ring 22-18 1/4 C-L
50-054007-70339-1	Red	Vinyl Insulated Ring 22-18 1/4 C-L
50-054007-49903-4	Red	Vinyl Insulated Ring 22-18 4 C
50-054007-49561-6	Red	Vinyl Insulated Ring 22-18 5/16 L
00-054007-70245-0	Red	Vinyl Insulated Ring 22-18 6 C-L
50-054007-70336-0	Red	Vinyl Insulated Ring 22-18 6 C-L
00-054007-70246-7	Red	Vinyl Insulated Ring 22-18 8 C-L
50-054007-70337-7	Red	Vinyl Insulated Ring 22-18 8 C-L
50-054007-70342-1	Blue	Vinyl Insulated Snap Plug 16-14 .156 L
50-054007-70343-8	Red	Vinyl Insulated Snap Plug 22-18 .156 L
50-054007-70340-7	Blue	Fully Insulated Nylon Snap Receptacle 16-14 .156 L
TBD	Red	Fully Insulated Nylon Snap Receptacle 22-18 .156 L
00-054007-43117-6	Orange	H-31, 18-14-AWG
00-054007-43122-0	Blue	H-30, 20-16-AWG
00-054007-43133-6	Gray	H-29, 22-16-AWG

Tapes

Scotch® Super 33+ Vinyl Plastic Electrical Tape

The first and only 7 mil "one tape for all jobs". It wraps and holds in all weather and will continue to perform in subzero temperatures or in continuous temperature environment up to 105°C (220°F). Conforms remarkably well. Resists to oil, water, wear, chemicals and solvents.



UPC Number	Size	Case Qty
00-054007-06130-4	3/4" x 20'	100
00-054007-06132-8	3/4" x 66'	100
00-054007-10216-8	3/4" x 66'	100

Tapes - *continued*

Scotch® Super 88 Vinyl Plastic Electrical Tape

Heavy duty 8.5 mil. Suited for cold weather applications. Remains flexible while offering extra insulation and abrasion resistance.



UPC Number	Size	Case Qty
00-054007-06143-4	3/4" x 66'	100
00-054007-10323-3	3/4" x 36 yds	48
00-054007-10356-1	2" x 36 yds	12

Temflex™ Vinyl Electrical Tape

Flexible vinyl conforms around wire bundles when harnessing or provides a protective jacket for connections. Meets UL150 requirements. 7 mil thick and useful up to 176°F. Flame retardant. Individually packaged.



UPC Number	Prod ID	Size	Case Qty
00-054007-69764-0	Temflex	3/4" x 60'	100

Tapes, Colour Coding

Scotch® 35 Vinyl Electric Tape

Identify leads, splices and terminations. Abrasion and weather resistant 7 mil tape. Excellent mechanical and electrical insulation properties. Wraps smoothly and holds tightly over a wide range of temperatures. Mark safety areas.



UPC Number	Size	Case Qty	Colour
00-054007-10232-8	1/2" x 20'	100	White
00-054007-10224-3	1/2" x 20'	100	Red
00-054007-10240-3	1/2" x 20'	100	Blue
00-054007-10299-1	1/2" x 20'	100	Brown
00-054007-10281-6	1/2" x 20'	100	Gray
00-054007-10265-6	1/2" x 20'	100	Green
00-054007-10273-1	1/2" x 20'	100	Orange
00-054007-10257-1	1/2" x 20'	100	Yellow
00-054007-10885-6	3/4" x 66'	100	Brown
00-054007-10844-3	3/4" x 66'	100	Yellow
00-054007-10836-8	3/4" x 66'	100	Blue
00-054007-00072-3	3/4" x 66'	100	Gray
00-054007-10851-1	3/4" x 66'	100	Green
00-054007-10869-6	3/4" x 66'	100	Orange
00-054007-10810-8	3/4" x 66'	100	Red
00-054007-11271-6	3/4" x 66'	100	Violet
00-054007-10828-3	3/4" x 66'	100	White

Colourflex General Purpose Colour Coding Tape



UPC Number	Product ID	Size	Case Qty	Colour
00-051141-04470-5	Colourflex-BRN	3/4" x 60 ft. roll	100	Brown
00-051141-04474-3	Colourflex-ORA	3/4" x 60 ft. roll	100	Orange
00-051141-04752-2	Colourflex-BLU	3/4" x 60 ft. roll	100	Blue
00-051141-04755-3	Colourflex-GRN	3/4" x 60 ft. roll	100	Green
00-051141-04758-4	Colourflex-RED	3/4" x 60 ft. roll	100	Red
00-051141-04759-1	Colourflex-WHT	3/4" x 60 ft. roll	100	White
00-051141-04760-7	Colourflex-YLW	3/4" x 60 ft. roll	100	Yellow

Tapes, Electrician's Duct Tape

Scotch® 2000 Electrician's Duct Tape

General purpose easy tear vinyl duct tape.



UPC Number	Size	Case Qty
00-054007-43403-0	1.9" x 50 yds	12

Tapes, Friction Tape

3M™ Temflex™ Friction Tape 1755

Buy this versatile friction tape when you need to protect connections or bundle cables and wires. Thicker than vinyl or glass cloth tape. Splice connections with abrasion resistant cotton tape that has insulating rubber adhesive.



UPC Number	Size	Case Qty
00-054007-50217-3	1-1/2" x 82.5'	30
00-054007-50218-0	3/4" x 60'	60
00-054007-50216-6	3/4" x 82.5'	60

Tapes, Glass Cloth

3M™ Glass Cloth Electrical Tape

Insulate hot spots. Provides heat-stable insulation for switches, oven and furnace controls and motor leads. 7 mil tape with pressure sensitive adhesive. Thermosetting and heat stable to 266°F. (Class B temperatures) CSA Certified for 130°F and UL Recognized Component listing for 150°F.



UPC Number	Prod ID	Size	Case Qty
00-054007-15066-4	27	1/2" x 66'	50
00-054007-15074-9	27	3/4" x 66'	50

Tapes, Insulation Putty

3M™ Scotchfil™ Electrical Insulation Putty

Wrap and stretch this electrical insulation putty around high-voltage connections (up to 600V). Moisture seal ground wires or smooth out irregularities. Electrical grade, rubber-based, elastic putty in a tape form is self-fusing. 125 mil thick for quick insulation build-up. Overwrap with Scotch® Super 33+ for best protection from oozing and UV. Use up to 176° F.



UPC Number	Size	Case Qty
00-054007-41750-7	1.5" x 60"	12

Tapes, Linerless Rubber Splicing Tapes

3M™ Linerless Electrical Rubber Splicing Tape

General, multi-purpose electrical rubber splicing tape. Securely splice all voltages or use for jacketing and general insulation. Terminate wires and cable ends or insulate connections. Highly conformable rubber tape provides quality moisture seal and lengthens cable life. Economical tape to create splices that last. Rated up to 194° F. 7 mil thick.



UPC Number	Prod ID	Size	Case Qty
00-054007-06165-6	2242	3/4" x 15'	24
00-054007-41323-3	2242	1.5" x 15'	12

Scotch® Linerless Rubber Splicing Tape 130C

Use on all solid dielectric cables through 69kV. Thermal conductivity provides excellent dissipation of heat at the splice. Conformable rubber that is self-bonding, moisture seals and has excellent physical and electrical properties. Use continuously up to 194 degrees. Meets industry specifications for flame retardant and HHI-553C Grade A and B as well as ASTM C-4388 type III. High Voltage insulation.



UPC Number	Size	Case Qty
00-054007-41717-0	3/4" x 30'	8
00-054007-41753-8	1" x 30'	24
00-054007-41718-7	1.5" x 30'	12
00-054007-41754-5	2" x 30'	12

Tapes, Mastic Products

Scotch® Vinyl Mastic

Mold these flexible vinyl pads around difficult electrical connections in cars and trucks. Durable self-fusing mastic pads are backed with rubber compound and provide an all-weather moisture seal or insulation to protect connections. Precut, 125 mil thick pads protect all connections up to 600V. Easy release liner.



UPC Number	Prod ID	Size	Case Qty
00-054007-11008-8	2200	3.25" x 4.5"	50
00-054007-11222-8	2210	4" x 10"	10
00-054007-21296-6	2200	4.5" x 6.5"	50

Tapes, Moisture Sealant

Scotch® Electrical Moisture Sealant 06147 and 06149

Seal out moisture with all-weather moisture sealant. Tough, conformable vinyl helps you wrap difficult shapes. Self-fusing, rubber based insulating compound is an excellent moisture sealant. Outstanding UV resistance for long term durability. Available in pads or rolls for various needs. 45 mil thick sealant for connections up to 600V.



UPC Number	Prod ID	Size	Case Qty
00-054007-06147-2	06147	2.5" x 10'	10
00-054007-06149-6	06149	2.5" x 2.5"	10

Terminals

3M™ Scotchlok™ Terminal Box (Empty)

A red metal 20 slot box to hold your 3M™ Scotchlok™ Terminals. BOX ONLY.



UPC Number	Prod ID	Size	Case Qty
00-054007-09966-6	20 Slot	13.5" x 9.5" x 2"	6

3M™ Scotchlok™ Terminal Kit STK-1

Filled with 3M's most frequently purchased low voltage termination products, including 14 of our most popular terminals. Kit is constructed of durable metal with individual product compartments. While the compartments keep you organized, the rugged metal frame protects the contents even in the harshest conditions.




Also includes crimping tool TH440, Scotchcode™ tape dispenser and cable ties.

UPC Number	Case Qty
00-051138-25348-6	1

3M™ ScotchCode™ Refills for Write-On Wire Marker Tape Dispensers SWD & SLW

Offer three marker sizes to fill your needs. Each of these durable, lightweight dispensers provides a flat, stable surface for writing on the marker. Dispenser is factory loaded and re-enterable, providing clean storage for the die-cut markers. The markers are transparent vinyl tape with acrylic, self-laminating, pressure sensitive adhesive that resists flapping, dirt, oil and heat. Write on tape markers are for use on 0.09" to 0.315" O.D. wire and cable and any other marking uses from control panels to golf clubs.



UPC Number	Prod ID	Size	Case Qty	Colour
00-054007-12201-2	SWD-R	3/4" x 1.4"	10	Transparent
00-054007-49651-9	SLW-R	1" x 5"	10	Transparent

Wire Marking

3M™ ScotchCode™ Preprinted Wire Marking Book

These handy books contain printed vinyl cloth wire and terminal markers with clearly printed letter, numbers and industry-standard legends. Including an alarm system book and a load center book. Packed 5/case.



UPC Number	Prod ID	Description	Case Qty
00-054007-49953-4	SPB-03	10 each 1-45	5
00-054007-49963-3	SPB-14	10 each 46-90	5
00-054007-49961-9	SPB-12	15 each A-Z, 8 each +, 6 each -, 21 each blank write on markers	5
00-054007-49960-2	SPB-11	15 each 1-30	5
00-054007-49958-9	SPB-08	6 each 1-15, 4 each 16-90, 2 each A-Z, +, -,	5
00-054007-49952-7	SPB-02	10 each A-Z, 0-15, +, -,	5
00-054007-49951-0	SPB-01	45 each 0-9, 15 each L1, L2, L3, T1, T2, T3	5

3M™ ScotchCode™ Wire Marking Tape Dispenser

Provides a fast, convenient system for marking wire, cable, or vacuum hoses and spark plug wires. Special end loop to hook on belt or tool pouch. Small size makes it easy to carry. Filled Dispenser.



UPC Number	Prod ID	Extra Desc	Case Qty
00-054007-09368-8	SDR-0-9	Refill, 0-9	5
00-054007-09404-3	SDR-MC	Refill, Colours	5
00-054007-49517-8	STD-CX	Dispenser	10
00-054007-49518-5	STD-0-9X	Dispenser	10
00-054007-12174-9	STD-0-9	Dispenser	25

Cleaners

3M™ TroubleShooter™ Cleaner

3M™ TROUBLESHOOTER™ is a heavy duty cleaner for quick and easy removal of soil, grease and floor finish buildup. Thick foam formulation clings to vertical surfaces--maximizes contact with soil and grime for faster, more thorough cleaning.



- New odour
- Does not contain 2-butoxyethanol
- Improved foaming ability allows for a visual spray pattern
- Formulated to improve vertical cling to maximize performance
- Upside-down spray feature for hard to reach places

Main Applications: baseboard stripping, floor edges, corners, stairways.

UPC Number	Size	Case Qty
048011-14001-8	21 oz	12

Sponges & Pads

3M™ O-Cel-O™ Sponges

Commercial-sized for big jobs when you need a long-lasting, industrial product. Yellow cellulose sponges are 10 times more absorbent than polyurethane sponges (water absorption by weight). Stronger, less likely to fall apart. A size for every clean up need.



UPC Number	Prod ID	Extra Desc	Size	Case Qty
50-053200-07449-9	C31	LG	6" x 4.25" x 1.625"	24
50-053200-07465-7	C41	XL	7.5" x 4.375" x 2.0625"	24

Sponges & Pads - continued

3M™ Doodlebug™ Cleaning Pads

Cleaning products team up to offer an efficient, durable and versatile way to handle your many cleaning jobs. Pads and brushes are designed for most cleaning tasks, from light-duty cleansing of delicate surfaces to heavy-duty cleaning of dirt and finish buildup. Long lasting bristles are an effective and efficient way to get those tough dirt areas clean.



UPC Number	Prod ID	Size	Case Qty	Colour
50-048011-09917-5	8550	4-5/8" x 10"	20	Black
50-048011-08004-3	8541	5/8" x 10"	20	Brown
50-048011-08003-6	8440	5/8" x 10"	20	White
50-048011-07270-3	8242	5/8" x 10"	20	Blue

3M™ Doodlebug™ Pad Holder 6472

Durable swivel lets holder twist and turn to reach hard-to-get at places. Holder features special grippers that hold pads firmly in place and provide for easy attachment and changing of pads.




Part Number

50-048011-08542-0

3M™ Twist-Lok™ Pad Holder No. 961

Use with hand pads or roll material cut to 4" by 6". Provides increased leverage and eliminates "finger" marks.



UPC Number	Size	Case Qty
50-048011-09493-4	3-1/2" x 4-3/4"	10

Sponges & Pads - *continued*

Scotch-Brite™ Light Duty Scouring Pad 98

Soft, non-woven fibers with varying levels of abrasive. Gently clean the most delicate surfaces like glass, non-stick cookware, stainless steel, porcelain and china.



UPC Number	Size	Case Qty
50-048011-07445-5	6" x 9"	60

Sponges & Pads - *continued*

Scotch-Brite™ Light Duty Cleansing Sponge No. 63

Light duty, two-sided cleaning tool that will not scratch or mar most surfaces. Applications include stainless steel, glass, ceramic, fine china, porcelain, countertops and non-stick surfaces.



UPC Number	Size	Case Qty
50-048011-08251-1	3.6" x 6.1" x 0.7"	20

Scotch-Brite™ General Purpose Scouring Pad No. 96


Ideal for most common cleaning jobs. Typical applications: kitchen and cooking equipment, walls, railings, floors, desks, stairways, counters, maintenance equipment.



UPC Number	Size	Case Qty
50-048011-08293-1	6" x 9"	60

Scotch-Brite™ Medium Duty Scrub Sponge No. 74

Dual-action cleaning tool. It's a No. 96 scouring pad on one side for scrubbing and cleaning. The cellulose sponge on the other side quickly wipes up spills and messes and can carry cleaning solutions to the work surface.



UPC Number	Size	Case Qty
50-048011-20688-7	3.6" x 6.1" x 0.7"	20

Scotch-Brite™ General Purpose Scrubbing Pad No. 9650

Thick, medium duty pad for everyday general purpose cleaning jobs. Convenient, hand-size eliminates the need to cut or fold the pad.



UPC Number	Size	Case Qty	Colour
00-048011-59166-7	3" x 4.5"	80	Green

Scotch-Brite™ Power Sponge No. 3000

Two cleaning tools in one— combines the scour ability of the Scotch-Brite™ Power Pad with the moisture pick-up of a sponge that resists the growth of odour-causing bacteria in the sponge. Use in the kitchen and other messy areas.



UPC Number	Size	Case Qty
50-048011-23163-6	4.5" x 2.8" x 6"	20

Scotch-Brite™ Heavy Duty Commercial Scouring Pad No. 86

Use to replace scrapers, steel wool and metal sponges. Make fast work of heavy duty cleaning jobs. Typical applications: remove scuff marks on floors.



UPC Number	Size	Case Qty
50-048011-05509-6	6" x 9"	36

Scotch-Brite™ Soft Scour!™ Scrub Sponge No. 9489

Combines no-scratch scrubbing and moisture pick-up.



UPC Number	Size	Case Qty
50-048011-09489-7	3.5" x 5"	40

Sponges & Pads - continued

Scotch-Brite™ Sponge No. A21

Cellulose sponge stays fresh longer. Resists the growth of odour-causing bacteria in the sponge.



UPC Number	Size	Case Qty	Colour
00-048011-25515-1	6-1/2" x 3-2/3" x 15/16"	48	Pink

Scotch-Brite™ Purple Scour Pad No. 2020

Cleans your dirtiest pots and pans twice as fast as conventional heavy-duty scouring—with less scratching. Food debris rinses out of the pad easily. Unique web construction stands up to your toughest jobs. Scratches less than other heavy duty pads. Use to replace steel wool pads.




UPC Number	Size	Case Qty	Colour
50-02120-57199-6	2.8" x 4.5"	24	Purple

Floor Care - continued

3M™ General Purpose Floor Brush 53

For medium duty scrubbing of most floor surfaces including tile, brick, vinyl, marble, stone or other uneven surfaces. Medium diameter nylon bristles filled with aggressive silicon carbide abrasive. For use on rotary 175-300 rpm or auto scrubber.



UPC Number	Size	Case Qty
50-048011-20035-9	13"	2
50-048011-20037-3	15"	1
50-048011-20039-7	17"	1
50-048011-10910-2	19"	1
50-048011-10911-9	20"	1

Wipes & Cloths

Scotch-Brite™ High Performance Cloth (Ref. 2010)

Ideal for cleaning of stainless steel, chrome, wood and enamel. Structured fiber. Perfect for delicate surfaces such as glass and plastic. Because of the innovative construction more of the fibers come into contact with the surface being cleaned. Reuse again and again, excellent value for money. Remove dirt, dust and grease quickly and efficiently.




UPC Number	Product No.	Description	Size	Case Qty	Colour
00-051141-07951-6	SB2010G	5/PACK 10 PACKS/CASE	36 cm x 36 cm	50	Green
00-051141-07952-3	SB2010R	5/PACK 10 PACKS/CASE	36 cm x 36 cm	50	Red
00-051141-07953-0	SB2010B	5/PACK 10 PACKS/CASE	36 cm x 36 cm	50	Blue
00-051141-0754-7	SB2010W	5/PACK 10 PACKS/CASE	36 cm x 36 cm	50	White
00-051141-07947-9	SB2010-BG	50/PACK 5 PACKS/CASE	36 cm x 36 cm	250	Green
00-051141-07948-6	SB2010-BR	50/PACK 5 PACKS. CASE	36 cm x 36 cm	250	Red
00-051141-07949-3	SB2010-BB	50/PACK 5 PACKS/CASE	36 cm x 36 cm	250	Blue
00-051141-07950-9	SB2010-BW	50/PACK 5 PACKS/CASE	36 cm x 36 cm	250	White

Floor Care

3M™ Extra Duty Floor Brush 73

For heavy duty scrubbing or stripping of most floor surfaces, from tile, brick to stone, and smooth concrete. Aggressive bristle action and ultimate conformability ensure maximum cleaning action. Medium diameter nylon bristles filled with aggressive silicon carbide abrasive. For use on rotary 175-300 rpm auto scrubber.



UPC Number	Size	Case Qty
50-048011-20013-7	13"	2
50-048011-20015-1	15"	1
50-048011-20016-8	16"	1
50-048011-20017-5	17"	1
50-048011-20018-2	18"	1
50-048011-10907-2	19"	1
50-048011-10908-9	20"	1

**3M™ Dual Lock™
Reclosable Fastener**


Dual Lock™ Industrial Fasteners consist of continuous strips of plastic backing, with plastic mushroom shaped stems protruding up from the backing strip. When two pieces of Dual Lock™ Fasteners are pressed together, the mushroom heads interlock with one another, with an audible snap. To open, simply pull apart. This provides fast, secure reclosable fastening performance for a wide range of applications: been used extensively in transportation, electronics, business equipment, machinery, medical, and sign and display markets as well as other markets. Cycle life exceeds 1000 reclosures.



UPC Number	Prod ID	Extra Desc	Size	Case Qty	Colour
00-021200-86347-9	SJ-3542	Type 170	1/2" x 50 yds	4	Black
00-021200-24992-1	SJ-3465	Type 400	9/16"	1,000	Black
00-021200-24993-8	SJ-3463	Type 400	13/16"	1,000	Black
00-021200-86360-8	SJ-3552	Type 170	1/2" x 50 yds	4	Black
00-021200-86356-1	SJ-3551	Type 400	1/2" x 50 yds	4	Black
00-021200-86280-9	SJ-3560	Type 250	1/2" x 50 yds	4	Clear
00-021200-86364-6	SJ-3541	Type 400	3/4" x 50 yds	2	Black
00-021200-26651-5	SJ-3560	Type 250	1" x 1"	1,000	Clear
00-021200-26652-2	SJ-3560	Type 250	1" x 2"	1,000	Clear
00-021200-86309-7	SJ-3542	Type 170	1" x 50 yds	2	Black
00-021200-86277-9	SJ-3541	Type 400	1" x 50 yds	2	Black
00-021200-86278-6	SJ-3551	Type 400	1" x 50 yds	2	Black
00-021200-86279-3	SJ-3552	Type 170	1" x 50 yds	2	Black
00-021200-86282-3	SJ-3560	Type 250	1" x 50 yds	2	Clear
00-021200-86283-0	SJ-3560	Type 250	2" x 50 yds	1	Clear
00-021200-36864-6	SJ-3560	Type 250	4" x 50 yds	1	Clear

**3M™ Scotchmate™
Reclosable Fastener**

Consist of two strips of fabric which mate together with light finger pressure. The hood strip is covered with tiny, stiff hooks, about 300 hooks per square inch. The loop strip is covered with thousands of soft, pliable loops. When pressed together by hand, the hooks and loops mate to form a secure fastening attachment. Simply pull the strings apart by hand to unfasten. Application on equipment that can range from a simple household laundry iron to commercial press units. Performance will depend on the nature of the fabric or foam and other conditions within any specific applications.



UPC Number	Prod ID	Size	Case Qty	Colour
00-021200-62529-9	Loop	5/8" x 50 yds	18	Beige
00-021200-62530-5	Loop	5/8" x 50 yds	18	Black
00-021200-62546-6	Hook	5/8" x 50 yds	18	Beige
00-021200-62547-3	Hook	5/8" x 50 yds	18	Black
00-021200-62536-7	Loop	3/4" x 50 yds	16	Black
00-021200-62549-7	Hook	3/4" x 50 yds	16	Beige
00-021200-62550-3	Hook	3/4" x 50 yds	16	Black
00-021200-62551-0	Hook	3/4" x 50 yds	16	White
00-021200-62640-1	Loop	3/4" x 50 yds	16	White
00-021200-62537-4	Loop	1" x 50 yds	12	Beige
00-021200-62538-1	Loop	1" x 50 yds	12	Black
00-021200-62539-8	Loop	1" x 50 yds	12	White
00-021200-62552-7	Hook	1" x 50 yds	12	Beige
00-021200-62553-4	Hook	1" x 50 yds	12	Black
00-021200-62554-1	Hook	1" x 50 yds	12	White
00-021200-62541-1	Loop	1-1/2" x 50 yds	8	Black
00-021200-62542-8	Loop	1-1/2" x 50 yds	8	White
00-021200-62556-5	Hook	1-1/2" x 50 yds	8	Black
00-021200-62557-2	Hook	1-1/2" x 50 yds	8	White
00-021200-62540-4	Loop	2" x 50 yds	6	Beige
00-021200-62544-2	Loop	2" x 50 yds	6	Black
00-021200-62545-9	Loop	2" x 50 yds	6	White
00-021200-62558-9	Hook	2" x 50 yds	6	Beige
00-021200-62559-6	Hook	2" x 50 yds	6	Black
00-021200-62560-2	Hook	2" x 50 yds	6	White

**3M™ Scotchmate™
Reclosable Fastener
SJ-3526/SJ-3527**

Replace screws, bolts, and mechanical fasteners on panels, doors, flaps, or any place where easy access will save time and money. Soft loops instantly attach to stiff hooks for a very secure fit. The adhesive on the hook strip attaches to metal, plastic, and most other rigid or flexible surfaces. It can also be sewn on cloth or canvas. Resists solvents, moisture, and plasticizers. Recloses 5,000 times.



UPC Number	Extra Desc	Size	Case Qty	Colour	Price
00-021200-86239-7	Hook	5/8" x 50 yds	4	Beige	Bulk
00-021200-86248-9	Loop	5/8" x 50 yds	4	Beige	Bulk
00-021200-86246-5	Hook	2" x 50 yds	2	Beige	Bulk
00-021200-86254-0	Loop	2" x 50 yds	2	Beige	Bulk

**3M™ Scotchmate™
Reclosable Fastener
SJ-3571/SJ-3572**

Consist of two strips of fabric which fasten together with light finger pressure. The hood strip is covered with tiny, stiff hooks, about 300 hooks per square inch. The loop strip is covered with thousands of soft, pliable loops. When pressed together by hand, the hooks and loops work together to form a secure fastening attachment. Simply pull the strips apart by hand to unfasten. Application on equipment that can range from a simple household laundry iron to commercial press units. Performance will depend on the nature of the fabric or foam and other conditions within any specific applications.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-86290-8	Hook	5/8" x 50 yds	4	Black
00-021200-86289-2	Loop	5/8" x 50 yds	4	Black
00-021200-87385-0	Loop	3/4" x 50 yds	4	Black
00-021200-86285-4	Loop	1" x 50 yds	3	Black
00-021200-87277-8	Loop	1" x 50 yds	3	White
00-021200-86377-6	Hook	2" x 50 yds	2	Black
00-021200-86467-4	Loop	2" x 50 yds	2	White

**3M™ Dual Lock™
Low Profile Reclosable
Fastener SJ4570**

Specially engineered for reclosable applications such as attaching sound damping panels to robotic enclosures; securing a document holder to a monitor; and mounting booth and P.O.P. graphics.



UPC Number	Size	Case Qty	Colour
00-021200-36845-5	5/8" x 25 yds	3	Clear
00-021200-44964-2	1" x 25 yds	2	Clear
00-021200-36256-9	1" x 50 yds	2	Clear
00-021200-36906-3	2" x 50 yds	1	Clear

Fire Barrier, Caulks

3M™ Fire Barrier CP 25WB+ Caulk

Premium firestop sealant. Most extensive cUL testing. Intumescent — expands when exposed to heat.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-11638-4	Cartridge (10.1 fl.oz.)	12.8 lbs	Tube	12
00-048011-39360-5	Sausage (20 fl.oz.)	20.5 lbs	Sleeve	10
00-051115-11641-4	Cartridge (27 fl.oz.)	17 lbs	Tube	6
00-048011-38851-9	2 Gallon Pail (256 fl.oz.)	25.3 lbs	Can	1
00-048011-39192-2	5 Gallon Pail (640 fl.oz.)	63 lbs	Pail	1

3M™ Fire Barrier IC 15WB+ Caulk

Economical firestop sealant. Good cUL testing. Intumescent — expands when exposed to heat.

UPC Number	Description	Case Weight	Units	Case Qty
00-051115-16557-3	Cartridge (10.1 fl.oz.)	12.8 lbs	Tube	12
00-051115-02903-5	Sausage (20 fl.oz.)	20.5 lbs	Sleeve	10
00-051115-02904-2	Cartridge (27 fl.oz.)	17 lbs	Tube	6
00-051115-02905-9	4.5 Gallon Pail (576 fl. oz.)	61 lbs	Pail	1

3M™ FireDam™ 150+ CAULKING (blue)

Acrylic Latex caulk used to firestop metal pipes and cables through concrete or gypsum and for use in dynamic head-of-wall systems.



UPC Number	Description	Case Weight	Units	Case Qty
00-051131-78073-6	Cartridge (10.1 fl.oz.)	13.2 lbs	Tube	12
00-051131-81368-7	Sausage (20 fl.oz.)	24.43 lbs	Sleeve	12
00-051131-78075-0	Cartridge (28 fl.oz.)	18.1 lbs	Tube	6
00-051131-78076-7	4.5 Gallon Pail (576 fl.oz.)	59 lbs	Pail	1

Fire Barrier, Caulks - continued

3M™ FireDam™ 150+ CAULKING (limestone)

Designed primarily for sealing penetrations for non-combustible penetrants. 3M FireDam 150+ has been tested and approved for single metallic pipe penetrations, common electrical and communications cable penetrations, as well as multiple penetrants through both masonry and gypsum wallboard constructions. 3M FireDam 150+ has also been tested for use in fire rated construction joints.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-02910-3	Cartridge (10.1 fl.oz.)	13.2 lbs	Tube	12
00-051131-81679-4	Sausage (20 fl.oz.)	24.43 lbs	Sleeve	12
00-051131-81678-7	Cartridge (28 fl.oz.)	18.1 lbs	Tube	6
00-051115-02911-0	4.5 Gallon Pail (576 fl.oz.)	59 lbs	Pail	1

Fire Barrier, Sealant

3M™ Fire Block FB 136 Sealant

3M™ Fire Block Sealant FB 136, a one component, water-based, non-combustible draft, smoke and fireblocking sealant, designed to resist high temperatures and smoke passage in non-rated construction.

UPC Number	Description	Case Weight	Units	Case Qty
00-051115-16591-7	Cartridge (10.1 fl.oz.)	13.3 lbs	Tube	12

Fire Barrier, Spray

3M™ FireDam™ Spray 200

3M™ FireDam Spray 200 is a sprayable water-based material, that dries to form a tough, elastomeric coating. This material when used as part of an assembly will firestop building joints, perimeter joints (curtain wall), and through penetration seals.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-18755-1	5 Gallon Pail (640 fl. oz.)	46.6 lbs	Pail	1

Fire Barrier, Silicone Sealants

3M™ Fire Barrier 1000 Silicone Sealants – No Sag

Economical silicone firestop sealant. Good for joints and penetrations. Easy to tool and finish.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-11535-6	Cartridge (10.1 fl.oz.)	12.8 lbs	Tube	12
00-051115-02922-6	Sausage (20 fl.oz.)	20.5 lbs	Sleeve	12
00-051115-11610-0	Cartridge (29 fl.oz.)	17 lbs	Tube	6
00-048011-25326-8	5 Gallon Pail (640 fl.oz.)	50 lbs	Pail	1

3M™ Fire Barrier 1003 Silicone Sealants – Self-leveling

Economical silicone firestop sealant. Good for joints and penetrations. Easy to tool and finish.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-11538-7	Cartridge (10.1 fl.oz.)	12.8 lbs	Tube	12
00-051115-02923-3	Sausage (20 fl.oz.)	20.5 lbs	Sleeve	12
00-051115-02880-9	Cartridge (29 fl.oz.)	17 lbs	Tube	6
00-048011-25329-9	5 Gallon Pail (640 fl. Oz.)	50 lbs	Pail	1

Fire Barrier, Silicone Sealants - continued

3M™ Fire Barrier 2000 Silicone Sealants

Premium silicone firestop sealant. Superior adhesion and movement capabilities. Weather-resistant.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-02872-4	Cartridge (10.3 fl.oz.)	14 lbs	Tube	12
00-051115-02873-1	4.5 Gallon Pail (576 fl.oz.)	58.9 lbs	Pail	1

3M™ Fire Barrier 2000+ Silicone Sealants

UPC Number	Description	Case Weight	Units	Case Qty
00-051115-02874-8	Cartridge (10.3 fl.oz.)	14 lbs	Tube	12
00-051115-02875-5	4.5 Gallon Pail (576 fl.oz.)	55.6 lbs	Pail	1

Fire Barrier, Foams

3M™ Fire Barrier 2001 Silicone RTV Foam

Two-part silicone foam. No ampacity derating of cables. Ideal for large openings.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-07502-5	Cartridge Tube (7 fl. oz.)	8.8 lbs	Kit	12
00-051115-07503-2	Part A & B (2 lb. Kit)	32.2 lbs	Kit	12
00-051115-02900-4	Part A (8 lb. Pail)	9.3 lbs	Pail	1
00-051115-02901-1	Part B (8 lb. Pail)	9.3 lbs	Pail	1
00-051115-07505-6	Part A (40 lb. Pail)	42.5 lbs	Pail	1
00-051115-07551-3	Part B (40 lb. Pail)	42.5 lbs	Pail	1

Fire Barrier, Silicone Sealants

3M™ Fire Barrier Water Tight Silicone Sealant 3000 WT

3M Fire Barrier Water Tight Sealant 3000 WT is a premium, ready-to-use, single component, neutral cure, non-slumping, intumescent silicone sealant. The sealant cures upon exposure to atmospheric humidity to form a flexible seal.

UPC Number	Description	Case Weight	Units	Case Qty
00-051111-516593-1	Cartridge (10.1 fl.oz.)	13.3 lbs	Tube	12
00-051111-516594-8	4.5 Gallon Pail (576 fl. Oz.)	49 lbs	Pail	1

Fire Barrier, FireStrap

3M™ FireStrap Plastic Pipe Firestop

An in-hole plastic pipe firestop product which is foil encapsulated & adhesive attached for speedy installation without tools or metal anchors.

UPC Number	Description	Case Qty
00-051115-02881-6	1-1/2" Firestrap	10
00-051115-02882-3	2" Firestrap	10
00-051115-02883-0	3" Firestrap	10

Fire Barrier, Plastic Pipe Device

3M™ Fire Barrier Plastic Pipe Device

Premium firestop device. Up to 4 hour cUL tests. Ultra-fast anchoring system.




UPC Number	Description	Case Weight	Case Qty
00-048011-25250-6	Ultra PPD - 150 (1½")	3.9 lbs	10
00-048011-25251-3	Ultra PPD - 200 (2")	4.5 lbs	10
00-048011-25249-0	Ultra PPD - 300 (3")	8.1 lbs	10
00-048011-25252-0	Ultra PPD - 400 (4")	11.9 lbs	10
00-051115-08253-5	PPD - 600 (6")	20.2 lbs	5
00-048011-25253-7	Ultra Fast Anchors (10')	10 lbs	40
00-048011-25463-0	Ultra Fast Anchors (16')	14.9 lbs	40

Fire Barrier, Wrap Strip

3M™ Fire Barrier Ultra RC Pack

Economical firestop device. Up to 2 hour cUL tests. Good with most types of plastic pipe.



UPC Number	Description	Case Weight	Case Qty
00-051115-16504-7	Ultra RC Pack 2 (2')	3.25 lbs	10
00-051115-16505-4	Ultra RC Pack 3 (3')	5.99 lbs	10
00-051115-16506-1	Ultra RC Pack 4 (4')	9.97 lbs	10

3M™ Fire Barrier Wrap Strip

One-part intumescent strip. Can be cut to fit irregular shapes. Re-enterable, no special tools required.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-07115-7	FS-195+ (2' x 24')	7.73 lbs	Strip	10
00-048011-39846-4	Interam Ultra GS (2' x 40')	29 lbs	Roll	1

3M™ Fire Barrier Restricting Collars

Intumescent wraps/strips used to firestop pipe and cable penetrations through fire-rated construction.

UPC Number	Description	Case Weight	Units	Case Qty
00-054007-08324-5	RC-1 Collar (2" x 25')	5.3 lbs	Roll	1

Fire Barrier, Cast-in Device Products

3M™ Fire Barrier Cast-in Device Products

Our cast-in devices are line of intumescent devices that are installed to firestop combustible and non-combustible pipe penetrations through concrete floor assemblies.



UPC Number	Description	Case Weight	Case Qty
00-051131-81663-3	2PCID (2" plastic)	11.44 lbs	12
00-051131-81664-0	3PCID (3" plastic)	17 lbs	12
00-051131-81665-7	4PCID (4" plastic)	12.43 lbs	6
00-051131-81666-4	6PCID (6" plastic)	8.73 lbs	2
00-051115-16540-5	2MCID (2" metal)	12.5 lbs	12
00-051115-16541-2	3MCID (3" metal)	16.1 lbs	12
00-051115-16542-9	4MCID (4" metal)	19.82 lbs	6
00-051115-16543-6	6MCID (6" metal)	6.4 lbs	2
00-051131-81667-1	2MDA (2"Q Deck Adaptor)	5.2 lbs	12
00-051131-81668-8	3MDA (3"Q Deck Adaptor)	6.57 lbs	12
00-051131-81669-5	4MDA (4"Q Deck Adaptor)	6.98 lbs	12
00-051131-81671-8	2HA (2" Height Adaptors)	4.06 lbs	12
00-051131-81672-5	3HA (3" Height Adaptors)	5.2 lbs	12
00-051131-81673-2	4HA (4" Height Adaptors)	6.3 lbs	12
00-051131-81675-6	2TB (2" Tub Box)	7.9 lbs	6

Fire Barrier, Wraps, Tapes

3M™ Marine Fire Wrap

Used in conjunction with caulks and sealants to fill in the voids around and between cables, forming a tight seal to help prevent the spread of fire, deadly smoke and other by-products of combustion.



UPC Number	Description	Case Weight	Units	Case Qty
48011-37653-0	Dbl Layer w adh. 1/4" x 4" x 10'	30.5 lbs	Roll	5

Fire Barrier, Wraps, Tapes - continued

3M™ Interam™ Endothermic Mat

An endothermic protective wrap when exposed to high temperatures keeps heat out by releasing chemically bound water to cool the outer surface used to protect structural steel, cable trays and circuits in conduits.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-16571-9	E-5A-4 Mat (Aluminium)	86.1 lbs	Roll	1
00-051115-16581-8	E-54C (Stainless)	90 lbs	Roll	1

3M™ Interam™ Aluminum Tape T-49

Designed to seal the cut edges of 3M™ Interam Mats and 3M™ Duct Wrap to complete the total encapsulation. 3-mil aluminum foil. Acrylic adhesive performs in high temperatures.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-02240-1	Aluminum Tape (4" x 180')	6.48 lbs	Roll	2

3M™ Expanrol™ Flexible Intumescent Strip (E-FIS)

An intumescent tape that expands in a fire to seal doors, frames and glazing application preventing the passage of flame and smoke.

UPC Number	Description	Case Weight	Units	Case Qty
00-051131-81702-9	E - FIS (1/2" x 50' x 1/16")	12.6 lbs	Roll	10

Fire Barrier, Putty

3M™ Fire Barrier Moldable Putty+

Re-enterable and re-useable. Good for penetrations and electrical boxes. Excellent adhesion and won't stick to your hands.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-02894-6	Moldable P. (4" x 8" x 1/8")	21.54 lbs	Pad	100
00-051131-81358-8	Moldable P. (7" x 7" x 1/8")	6.81 lbs	Pad	20
00-051131-81461-5	Moldable P. (9.5" x 9.5" x 1/8")	13.34 lbs	Pad	20
00-051131-81680-0	MP+ Sticks (1 1/2" x 12")	10.66 lbs	Sticks	10

Fire Barrier, Sheets

3M™ Fire Barrier CS-195+ Composite Sheet

No mixing or damming required. cUL testing up to 36 sq. ft. openings. Easy to install using common trade tools.



UPC Number	Description	Case Weight	Units	Case Qty
00-051111-507437-0	16" x 28"	10.6 lbs	Sheet	1
00-051111-507220-8	36" x 24"	18.55 lbs	Sheet	1
00-051111-507222-2	36" x 36"	30.21 lbs	Sheet	1
00-051111-507224-6	36" x 41"	34.9 lbs	Sheet	1
00-051111-508260-3	*28" x 52"	32.6 lbs	Sheet	1

* Bulk - 28 in x 52 in - MINIMUM ORDER is 10 Units

Fire Barrier, Mortar

3M™ Fire Barrier Mortar

Superior chemical resistance. Bonds to itself. Ideal for large floor openings.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-07559-9	Mortar	20 kg (44 lbs.)	Bag	1

Fire Barrier, Pillows

3M™ Fire Barrier Pillows

Highly intumescent. Slides easily into and out of the opening. Just stack into place, no tools required.



UPC Number	Description	Case Weight	Units	Case Qty
00-051115-16530-6	FB249 Pillow (2" x 4" x 9")	11.16 lbs	Pillow	24
00-051131-16531-1	FB269 Pillow (2" x 6" x 9")	11.1 lbs	Pillow	16
00-051131-81348-9	FB369 Pillow (3" x 6" x 9")	17.03 lbs	Pillow	20


3M™ Fire Barrier Self-Locking Pillows

3M™ Fire Barrier Self Locking Pillows are based on the design of our 3M™ Fire Barrier Pillows they provide all of the system coverage you have gotten use to plus they provide the added benefits of interlocking strips which allow them to easily be installed in floors and walls and removed quickly when new services are added.

UPC Number	Description	Case Weight	Units	Case Qty
00-051115-16578-8	Self Locking Pil. (2" x 4" x 9")	12 lbs	Pillow	24
00-051115-16579-5	Self Locking Pil. (2" x 6" x 9")	11.5 lbs	Pillow	16
00-051115-16580-1	Self Locking Pil. (3" x 6" x 9")	17.5 lbs	Pillow	20

Fire Barrier, Pass-through Devices and Brackets

3M™ Fire Barrier Pass-Through Devices and Brackets - Round



3M Fire Barrier Pass-Through Devices are a complete solution for preventing the spread of fire and smoke where electrical, data, communications cable or pipes penetrates floor or wall. The devices are designed for the high traffic areas where cable are constantly being added and removed.

UPC Number	Description	Case Weight	Units	Case Qty
51115-18773-0	2" Round Device	4.9	Device	6
51115-18774-7	2" Round single mounting bracket (pair)	6.3	Brackets	12
51115-18775-4	2" Round stud bracket	3.3	Stud Bracket	12
51115-16598-6	4" Round Device	12.39	Device	6
51115-18754-4	4" Round single mounting bracket (pair)	5.16	Brackets	12
51115-18776-1	4" Round stud bracket	5.9	Stud Bracket	12

3M™ Fire Barrier Pass-Through Devices and Brackets - Square

UPC Number	Description	Case Weight	Units	Case Qty
51115-16596-2	2.5" Square device	7.72	Device	6
51115-18750-6	2.5" Square single mounting bracket (pair)	5.8	Brackets	12
51115-18779-2	2.5" Square stud bracket	4.2	Stud Bracket	12
51115-18751-3	2.5" Square triplex mounting bracket (pair)	9.59	Brackets	12
51115-18778-5	2.5" Square Sixplex mounting bracket (pair)	6.3	Brackets	12
51115-16597-9	4" Square device	13.62	Device	6
51115-18752-0	4" Square single mounting bracket (pair)	8.2	Brackets	12
51115-18780-8	4" Square stud bracket	6.2	Stud Bracket	12
51115-18753-7	4" Square triplex mounting bracket (pair)	14.55	Brackets	12
51115-18776-1	4" Square Sixplex mounting bracket (pair)	9.3	Brackets	6

Fire Barrier, Applicator Gun & Nozzles

3M™ Flex Pack Heavy Duty Applicator Gun & Nozzles



Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.

UPC Number	Description	Units	Case Qty
51135-08991-0	Caulking Gun for 20 oz foils	Unit	1
50-05114-107349-6	Nozzles (20 oz)	Box of 200	1

Fire Barrier, Duct Wrap Blanket

3M™ 615+ Duct Wrap Blanket 6 Lb. Density



UPC Number	Description	Units	Case Qty
00-05113-535438-4	25' x 2' x 1½"	Roll	1
00-05113-535439-1	25' x 4' x 1½"	Roll	1

First Aid Products

**3M™ Nexcare™
First Aid Kits**

Whether you are in the office, at home or in your car, with our 3M First Aid Kits, you'll be prepared to treat most minor emergencies. Containing the same high quality medical products used by health care professionals for more than 25 years, these kits are packed with almost everything for on-the-spot treatment of cuts, sprains, headaches or tense muscles.



UPC Number	Product ID	Extra Desc	Case Qty
00-051119-54321-6	7730	Deluxe	6
00-051119-54910-2	7721P	Personal	6
00-051119-55482-3	113KIT	Mlni	24

**3M™ Nexcare™
Cold and Hot
Therapy Products**

Cold/Hot Pack, reusable with cover.



UPC Number	Prod ID	Size	Case Qty
06-032700-00074-9	2641	4" x 10"	12

**3M™ Nexcare™
Advanced Skin Cream**

Benefits:

- Softens and replenishes rough, cracked or scaly skin
- Silky but not greasy
- Lipid rich moisturizer



UPC Number	Prod ID	Product Description	Case Qty
00-051131-86104-6	112-03-CA	4 oz.	12
00-051131-91177-2	112-325CA	Foot Cream	12

**3M™ Nexcare™
Skin Crack Care**

Benefits:

- Seals painful skin cracks
- Promotes healing
- Waterproof



UPC Number	Prod ID	Product Description	Case Qty
00-051131-86101-5	112-CA	Bottle	24

First Aid Products - continued

**3M™ Nexcare™
Liquid Bandages**

Benefits:

- For minor cuts and abrasions
- Clear, waterproof protection
- Dries quickly



UPC Number	Prod ID	Product Description	Case Qty
00-051131-86293-7	118-03-CA	Bottle	24
00-051131-86386-6	120-LBD	Drops	24

**3M™ Nexcare™
Dressings**

Nexcare™ Opticlude™ Orthoptic Eye Patches.

- Extra gentle adhesive for sensitive eye area.



UPC Number	Prod ID	Size	Case Qty
00-051119-00022-1	1537	Junior	36
00-051119-00023-8	1539	Adult	36

**3M™ Nexcare™
First Aid Tapes**



UPC Number	Prod ID	Extra Desc	Size	Case Qty
00-051131-56660-6	527-P1	Nexcare™ Transpore Flexible Clear Tape single wrapped roll	1" x 10 yds	36
00-051131-56661-3	527-P2	Nexcare™ Transpore Flexible Clear Tape single wrapped roll	2" x 10 yds	24
00-051131-00014-8	530-P1/2	Nexcare™ Micropore Paper Tape single wrapped roll	1/2" x 10 yds	72
00-051131-00015-5	530-P1	Nexcare™ Micropore Paper Tape single wrapped roll	1" x 10 yds	36
00-051131-00016-2	530-P2	Nexcare™ Micropore Paper Tape single wrapped roll	2" x 10 yds	24
00-051119-55077-1	861B	Nexcare™ Water Resistant Tape on a plastic core	1" x 12.5 yds	24

continued next page ⇨
Construction Markets

First Aid Products - *continued*

3M™ Nexcare™ First Aid Tapes - *continued*

UPC Number	Prod ID	Extra Desc	Size	Case Qty
00-051131-65299-6	771	Nexcare™ Transpore Flexible Clear Tape on retail back card	1" x 10 yds	24
00-051131-65300-9	781	Nexcare™ Micropore Paper Tape on retail back card	1" x 10 yds	24
00-051131-65301-6	791	Nexcare™ Durapore Cloth Tape on retail back card	1" x 10 yds	24
00-051131-66994-9	779-CA	Nexcare™ Transpore Flexible Clear Tape on dispenser	3/4" x 7 yds	24
00-051131-66992-5	789-CA	Nexcare™ Micropore Paper Tape on dispenser	3/4" x 8 yds	24
00-051131-66993-2	799-CA	Nexcare™ Durapore Cloth Tape on dispenser	3/4" x 6 yds	24
00-051131-62098-8	870	Nexcare™ Athletic Tape on retail back card	1" x 5 yds	24
00-051119-55210-2	731	Nexcare™ Waterproof Foam Premium Tape on retail back card	1" x 5 yds	24

3M™ Nexcare™ Active™ Flexible Foam Bandages

- Latex free



UPC Number	Prod ID	Extra Desc	Size	Case Qty	Colour
00-051119-55120-4	AT201	45 Bandages	Assorted	12	Tan
00-051131-62040-7	17021	100 Bandages	1" x 3"	12	Tan

First Aid Products - *continued*

3M™ Nexcare™ Comfort Bandages

- Latex free



UPC Number	Prod ID	Extra Desc	Size	Case Qty	Colour
00-051119-54486-2	CS103	Knee & Elbow	1-7/8" x 4"	12	Tan
00-051119-54485-5	CS201	50 Bandages	Assorted	12	Tan
00-051119-55189-1	CS203	80 Bandages	Assorted	12	Tan

3M™ Nexcare™ Waterproof Bandages



UPC Number	Prod ID	Extra Desc	Size	Case Qty	Colour
00-051119-55117-4	CL101	30 Bandages	Assorted Sizes	12	Clear
00-051119-55119-8	CL301	Knee & Elbow	2-3/8" x 3-1/2"	12	Clear

3M™ Nexcare™ Heavy Duty Bandages

- Latex free



UPC Number	Prod ID	Extra Desc	Size	Case Qty	Colour
00-051131-93870-0	661-30-CA	Waterproof, 30 bandages	Assorted	12	Clear
00-051131-93750-5	660-08-CA	Waterproof, knee & elbow	2-1/8" x 3-3/8"	12	Clear
00-051131-86609-6	HD201	Flexible Fabric, 40 bandages	1" x 3"	12	Tan

Industrial Paint

Masking Guide

Six Easy questions to select your GOOD, BETTER or BEST 3M™ Masking Tape

- ① What is your application?
- ② To what temperature will the tape be exposed during use?
- ③ Do you need maximum holding power during use?
- ④ Do you need maximum paint edge sharpness when the tape is removed?
- ⑤ Do you want to remove the tape without slivering and adhesive residue?
- ⑥ What is your customer/end user's price range?

		GOOD		BETTER			BEST		
		199	203	2308	234	2364	231	2693	2393
Product									
Colour	Tan	X	X	X	X	X	X	X	X
Hold to and clean removal from specialty surfaces	Stainless steel			R	R	R	R	R	R
	Anodized aluminum							R	R
	Alodine aluminum				R			R	
	Phosphate primer					R	R		R
	Chemlease primer								R
	Zinc primer					R	R		R
	Nickel plating								R
	EPDM rubber			R	R				R
	Most powder coated paint			R	R	R	R	R	R
Holding strength to common surfaces i.e. steel paints	Low								R
	Medium	R		R		R	R		
	High		R		R				
Paint line	Good		R						
	Better			R	R				
	Best					R	R	R	R
Sunlight/ outdoor exposure	Up to 3 days opaque surface			R					
Increasing temperature performance 30 min bake cycle		Up to 200 °F / 66 °C		Up to 250 °F / 121 °C			Up to 325 °F / 163 °C		

R is recommended



Masking Tapes

**3M™ Scotch®
General Purpose
Masking Tape 203**



UPC Number	Size	Case Qty
00-021200-22823-0	12 mm x 55 m	72
00-021200-22818-6	18 mm x 55 m	48
00-021200-22819-3	24 mm x 55 m	36
00-021200-22820-9	36 mm x 55 m	24
00-021200-22821-6	48 mm x 55 m	24
00-021200-22822-3	72 mm x 55 m	12

**3M™ Scotch®
Pro-Painter's Masking
Tape 2055 (Green)**

Scotch® Masking Tape for Pro-Painting is a medium adhesion, 5-day removal masking tape ideal for masking trim and woodwork.



UPC Number	Size	Case Qty
00-051131-82628-1	24 mm x 55 m	36
00-051131-82629-8	36 mm x 55 m	24
00-051131-82630-4	48 mm x 55 m	18
00-051131-82632-8	6 rolls/pack	4
00-051131-95162-4	4 rolls/pack	4
00-051131-95163-1	3 rolls/pack	4

**3M™ Scotch® Painters'
Masking Tape for
Hard-to-Stick Surfaces
2060**

Design for use with, or on, lacquer coating. Does not lift, curl, or transfer adhesive with most lacquers. This tape can also be used on rough, uneven or hard to stick to surfaces. Conforms well to most surfaces, which produces an excellent paint line.



UPC Number	Size	Case Qty
00-021200-73282-9	24 mm x 55 m	36
00-021200-73283-6	36 mm x 55 m	24

Masking Tapes - continued

**3M™ Scotch®
Painter's Tape for
Delicate Surfaces 2080**

This tape removes cleanly without adhesive transfer or damage for up to 60 days, even in direct sunlight. It is a medium adhesion tape that is ideal for smooth, freshly painted surfaces, faux painting, wood floors and glass.



UPC Number	Size	Case Qty
00-051115-02915-8	1" x 60 yds	18
00-051115-02916-5	1-1/2" x 60 yds	12

**3M™ Scotch-Blue™
Painter's Tape for
Multi-Surfaces 2090 (Blue)**



UPC Number	Size	Case Qty
00-051115-03681-1	1" x 60 yds	36
00-051115-03682-8	1.5" x 60 yds	24
00-051115-03683-5	2" x 60 yds	18

**3M™ Scotch®
Performance Masking
Tape 233+**

Ideal for paint masking applications with temperatures up to 250°F. Temperature and solvent resistant. Clean removal and conformable even on EPDM rubber moldings and painted steel even after 30 minutes. Green-coloured paper tape. Has excellent conformability and transfer resistance. Better UV resistance than traditional masking tapes and resistance to paint bleed-through.



UPC Number	Size	Case Qty
00-051131-26343-1	3 mm x 55 m	12
00-051131-26344-4	6 mm x 55 m	12
00-051131-26346-8	12 mm x 55 m	12
00-051131-26334-5	18 mm x 55 m	48
00-051131-26336-9	24 mm x 55 m	24
00-051131-26338-3	36 mm x 55 m	16
00-051131-26340-6	48 mm x 55 m	12
00-051131-26341-3	72 mm x 55 m	8

Masking Tapes - *continued*

**3M™ Scotch®
Transparent Duct Tapes**



UPC Number	Size	Case Qty
000-51131-83260-2	1.88 in x 20 yds	12

Masking Film

**3M™ High Temperature
Paint Masking Film 7300**

Translucent polypropylene film effectively masks trucks, motor homes, and other RVs during OEM painting and repair.



UPC Number	Size	Case Qty
00-021200-22832-2	3" x 1500'	6
00-021200-81192-0	6" x 1500'	6
00-021200-81191-3	6" x 1500'	4
00-021200-22835-3	12" x 1500'	3
00-021200-22836-0	15" x 1500'	2
00-021200-22845-2	18" x 1500'	2
00-021200-22839-1	36" x 1500'	1

**3M™ Overspray
Protective Sheeting**

Clear, tear resistant polyethylene film, designed to protect a vehicle from paint overspray. Folded to 3 ft. for easy one person application. Film unfolds easily yet clings to the vehicle allowing for easy application. Use with masker 06780.



UPC Number	Part No.	Size	Case Qty
00-051131-06727-1	06727	12 ft x 400 ft	1
00-051131-06728-8	06728	16 ft x 400 ft	1

Masking Film - *continued*

**3M™ Hand-Masker™
Pre-Taped Drop Cloth**



UPC Number	Description	Case Qty
000-51131-80058-8	Pre-Taped Plastic Drop Cloth with dispenser, PTD2090-48	6
000-51131-80055-7	Pre-Taped Plastic Drop Cloth PT2090-48	6
000-51115-12071-8	Pre-Taped Plastic Drop Cloth with dispenser, PTD2090-24	6
000-51131-06696-0	3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090-24	6

Masking Film, Accessories

**3M™ Hand-Masker™
Dispenser**

The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film or paper in one continuous application. Compact, lightweight, saves time.



UPC Number	Extra Desc	Case Qty
00-051131-77385-1	Dispenser	4

**3M™ Hand-Masker™
Dispenser Kit**

The 3M™ Hand-Masker™ M3000 Dispenser Kit.



UPC Number	Extra Desc	Case Qty
00-051131-86952-3	Dispenser Kit	4

**3M™ Hand-Masker™
Paper Blades**

(For use on M3000 and M2000)



UPC Number	Size	Case Qty
00-051131-06794-3	6 in	6
00-051131-06795-0	9 in	6
00-051131-06796-7	12 in	6

Masking Film, Accessories - *continued*

**3M™ Hand-Masker™
Dispenser Cut-Off Blades
with Guard**

Use in conjunction with all Hand-Masker™ Dispensers. Use to cut Masking Film (PNO6844-06953).



UPC Number	Size	Case Qty
00-051131-06802-5	12"	6

**3M™ Hand-Masker™
General Purpose
Masking Paper**



UPC Number	Size	Case Qty
00-051131-06643-4	3 in x 60 yds	12
00-051115-04138-9	6 in x 60 yds	12
00-051131-04139-4	9 in x 60 yds	12
00-051115-04140-2	12 in x 60 yds	12
00-051131-06655-7	15 in x 60 yds	12
00-051131-06658-8	18 in x 60 yds	12

**3M™ Hand-Masker™
(Pre-Folded) Masking Film**

3M™ Hand-Masker Pre-Folded Masking Film. Pre-folded, height-density, non-porous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers.



UPC Number	Size	Colour	Case Qty
00-051131-06850-6	12 in x 180 ft	White	12
00-051131-06845-2	24 in x 180 ft	White	12
00-051131-06860-5	36 in x 90 ft	White	12
00-051131-06848-3	48 in x 180 ft	White	12
00-051131-77406-3	72 in x 90 ft	White	12
00-051131-77407-0	99 in x 90 ft	White	12
00-051131-06861-2	144 in x 60 ft	White	12

Masking Papers

3M™ Masking Paper

For utility applications. Acceptable conformability. 28 lbs. treated paper.



UPC Number	Prod ID	Size	Case Qty	Colour
00-051131-06537-6	06537	6" x 750'	6	White
00-051131-06508-6	06508	12" x 180'	12	White
00-051131-06538-3	06538	12" x 750'	3	White
00-051131-06510-9	06510	18" x 180'	12	White
00-051131-06539-0	06539	18" x 750'	2	White
00-051131-06540-6	06540	36" x 750'	1	White

**3M™ Scotchblok™
Masking Paper**

Protects against dust contamination from its own paper fibers. Holds up well under wet sanding conditions. Excellent conformability. No solvent penetration. Back cycles up to 225°F (107°C) for thirty minutes. Gold.



UPC Number	Prod ID	Size	Case Qty
00-051131-06726-4	06726	6" x 180'	12
00-051131-06732-5	06732	12" x 180'	12
00-051131-06712-7	06712	12" x 750'	3
00-051131-06715-8	06715	15" x 750'	2
00-051131-06738-7	06738	18" x 180'	12
00-051131-06718-9	06718	18" x 750'	2
00-051131-06736-3	06736	36" x 750'	1



3M™ Nomad™ Carpet Matting 6050

Resilient vinyl loops scrape dirt and moisture from shoes, allowing it to fall into the mat where it won't get re-tracked into the building. The backing keeps dirt and moisture from falling onto the floor underneath. Available in ebony, slate, red, dove, chestnut, blue and forest.



3M™ Safety-Walk™ Cushion Mat 3600

More loft from less bulk. Necessary cushion to reduce discomfort. A durable mat that's easily moved. Superior traction to help prevent slips and mat movement. Black.



3M™ Nomad™ Carpet Matting 8850

Entrance Carpet matting designed for heavy traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



3M™ Safety-Walk™ Cushion Matting 5100

Combination slip-resistant and anti-fatigue matting for safety and comfort. Unbacked, open construction allows debris and liquids to pass through mat. Resistant to a wide variety of chemicals and detergents.



3M™ Safety-Walk™ Cushion Matting 3270 & 3270E

Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort and less fatigue. Available in 3 foot and 4 foot widths by 2 to 30 foot lengths in 1-foot increments. 3270 without edging; 3270E has black integral 4-side edging.



3M™ Safety-Walk™ Wet Area Matting 3200

(Also known as 3M™ Entrap™ Wet Area Matting). Open vinyl "Z" construction allows liquids and small debris to fall through, helping to reduce slips and falls. Available in blue and wheat.



3M™ Safety-Walk™ Cushion Matting 3400

The closed-cell foamed vinyl, Z-web foundation gives your workers comfort while they work. The textured, solid vinyl top surface helps prevent slipping accidents. Choose from matting with no edging, or with black or yellow beveled edging on 2 or 4 sides. Available in 34 inch widths by 2 to 30 foot lengths in 1-foot increments.

Matting

3M™ Clean-View Pad 5850

3M™ Clean-View Pads features a transparent multi-sheeted adhesive system comprised of a pad of 20 layers, designed to protect paint booth window and light fixtures from paint over-spray. Each layer is individually tabbed and numbered. When the top layer is contaminated from paint over-spray the tabbed corner allows for easy removal, exposing the next layer ready for immediate use.



UPC Number	Size	Case Qty	Colour
00-021200-55042-3	24" x 50"	1	Clear

3M™ Clean-Walk Framed Mat 5840

An adhesive coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



UPC Number	Size	Case Qty	Colour
00-021200-55723-1	31.5" x 25.5"	1	White on White
00-021200-55724-8	1.5" x 25.5"	1	White on Black

3M™ Clean-Walk Mat 5836

3M™ Clean-Walk Mats feature a multisheeted adhesive system that captures dirt on contact from shoe soles, wheels and other passing objects. Each sheet is individually tabbed and numbered for quick and easy removal exposing a fresh, ready-to-use sheet. Mats are available in a 30 or 60 layer format.



UPC Number	Size	Case Qty	Colour
00-021200-55725-5	25" x 45"	4	White
00-021200-55727-9	18" x 36"	4	White

Matting - continued

3M™ Clean-Walk Mat 5838

3M™ Clean-Walk Mats feature a multisheeted adhesive system that captures dirt on contact from shoe soles, wheels and other passing objects. Each sheet is individually tabbed and numbered for quick and easy removal exposing a fresh, ready-to-use sheet. 5838 mats are available in a 60 layer format only.



UPC Number	Size	Case Qty	Colour
00-021200-95740-6	24" x 36"	4	White
00-021200-95741-3	36" x 36"	4	White
00-021200-95742-0	36" x 46"	4	White
00-021200-95743-7	36" x 60"	4	White
00-021200-95744-4	36" x 72"	4	White
00-021200-95745-1	48" x 60"	4	White
00-021200-95746-8	24" x 36"	4	Blue
00-021200-95747-5	36" x 36"	4	Blue
00-021200-95748-2	36" x 46"	4	Blue
00-021200-95749-9	36" x 60"	4	Blue
00-021200-95750-5	36" x 72"	4	Blue
00-021200-95751-2	48" x 60"	4	Blue
00-021200-95752-9	24" x 36"	4	Gray
00-021200-95753-6	36" x 36"	4	Gray
00-021200-95754-3	36" x 46"	4	Gray
00-021200-95755-0	36" x 60"	4	Gray
00-021200-95756-7	36" x 72"	4	Gray
00-021200-95757-4	48" x 60"	4	Gray

3M™ Clean-Walk Replacement Pad 5842

An adhesive coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



UPC Number	Size	Case Qty	Colour
00-021200-55722-4	30" x 24"	2	White

3M™ Safety-Walk™ Cushion Matting

Combination slip-resistant and antifatigue matting for safety and comfort. Unbacked, open construction allows debris and liquids to pass through mat. Resistant to a wide variety of chemicals and detergents.



UPC Number	Extra Desc	Size	Case Qty	Colour
50-048011-05978-0	5100	3' x 5'	1	Quarry Tile Red
50-048011-20229-2	5101	3' x 5'	1	Ebony
50-048011-05979-7	5102	3' x 10'	1	Quarry Tile Red
50-048011-20231-5	5103	3' x 10'	1	Ebony
50-048011-05980-3	5104	3' x 20'	1	Quarry Tile Red
50-048011-20233-9	5105	3' x 20'	1	Ebony

Treads

3M™ Safety-Walk™ Coarse Tread 710

Extra-large mineral particles and more durable construction provide additional slip resistance in the most extreme conditions.



UPC Number	Size	Case Qty
00-048011-34730-1	4" x 30'	1
00-048011-34731-8	6" x 30'	1
00-048011-34732-5	12" x 30'	1
00-048011-34733-2	18" x 30'	1
00-048011-34734-9	24" x 30'	1

3M™ Safety-Walk™ Conformable Treads 500 Series

Ideal for use on diamond-grade safety plates, steps and other irregular surfaces. Mineral coated slip-resistant with aluminum backing. Colours include black and yellow.



UPC Number	Prod ID	Size	Case Qty	Colour
50-048011-19280-7	510	2" x 60'	1	Black
50-048011-19288-3	530	2" x 60'	1	Yellow
50-048011-19281-4	510	4" x 60'	1	Black
50-048011-19289-0	530	4" x 60'	1	Yellow
50-048011-10906-5	510	5-1/2" x 5-1/2"	50	Black
50-048011-19279-1	510	6" x 24"	50	Black
50-048011-19287-6	530	6" x 24"	50	Yellow
50-048011-19282-1	510	6" x 60'	1	Black
50-048011-19290-6	530	6" x 60'	1	Yellow
50-048011-19283-8	510	12" x 60'	1	Black
50-048011-19284-5	510	18" x 60'	1	Black
50-048011-10893-8	510	24" x 60'	1	Black

3M™ Safety-Walk™ General Purpose Treads

Mineral coated slip-resistant material for smooth, flat surfaces. Best for work and heavy-traffic areas. Available in a variety of sizes including custom sizes. Colours include black, safety yellow and brown.



UPC Number	Prod ID	Size	Case Qty	Colour
50-048011-19224-1	19224	6" x 60'	1	Black

3M™ Safety-Walk™ Slip-Resistant Fine Resilient Tapes and Treads – 200 Series



UPC Number	Prod ID	Extra Desc	Size	Case Qty
50-048011-19341-5	F-903-ROLLER	Rubber Hand Roller	6" x 2"	1
50-048011-21531-0	F-999-50Z	Edge Sealing Compound	5 oz	1

3M™ Safety-Walk™ General Purpose Treads 600 Series

Mineral coated slip-resistant material for smooth, flat surfaces. Best for work and heavy-traffic areas. Available in a variety of sizes including custom sizes. Colours include black, safety yellow and brown.



UPC Number	Prod ID	Size	Case Qty	Colour
50-048011-19216-6	610	5-1/2" x 5-1/2"	50	Black
50-048011-19217-3	610	3/4" x 24"	50	Black
50-048011-19218-0	610	6" x 24"	50	Black
50-048011-19219-7	610	3/4" x 60'	4	Black
50-048011-19220-3	610	1" x 60'	4	Black
50-048011-26425-2	660-B	1" x 60'	4	Brown
50-048011-48967-9	630-B	1" x 60'	4	Yellow
50-048011-19221-0	610	2" x 60'	1	Black
50-048011-26421-4	630-B	2" x 60'	1	Yellow
50-048011-39871-1	660-B	2" x 60'	1	Brown
50-048011-19223-4	610	4" x 60'	1	Black
50-048011-26420-7	630-B	4" x 60'	1	Yellow
50-048011-26423-8	660-B	4" x 60'	1	Brown
50-048011-19235-7	610	12" x 60'	1	Black
50-048011-19238-8	610	18" x 60'	1	Black
50-048011-19236-4	610	24" x 60'	1	Black
50-048011-19239-5	610	36" x 60'	1	Black
50-048011-28383-3	610	48" x 60'	1	Black

3M™ Safety-Walk™ Medium Resilient Treads 300 Series

Medium-textured polymer for use on smooth, flat surfaces. Best for light and medium traffic and barefoot areas. Available in a variety of sizes including custom sizes. Colours include black and gray.



UPC Number	Prod ID	Size	Case Qty	Colour
50-048011-19292-0	310	6" x 24"	50	Black
50-048011-19320-0	370	6" x 24"	50	Gray
50-048011-19293-7	310	1" x 60'	1	Black
50-048011-19321-7	370	1" x 60'	1	Gray
50-048011-19294-4	310	2" x 60'	1	Black
50-048011-19323-1	370	2" x 60'	1	Gray
50-048011-19296-8	310	4" x 60'	1	Black
50-048011-19322-4	370	4" x 60'	1	Gray
50-048011-19297-5	310	6" x 60'	1	Black
50-048011-19324-8	370	6" x 60'	1	Gray
50-048011-19298-2	310	12" x 60'	1	Black
50-048011-19325-5	370	12" x 60'	1	Gray
50-048011-19299-9	310	18" x 60'	1	Black
50-048011-19326-2	370	18" x 60'	1	Gray
50-048011-19300-2	310	24" x 60'	1	Black
50-048011-37053-3	370	24" x 60'	1	Gray
50-048011-19301-9	310	36" x 60'	1	Gray
50-048011-19328-6	370	36" x 60'	1	Gray
50-048011-19302-6	310	48" x 60'	1	Black

3M™ Safety-Walk™ Lite Tape

Slip resistance and the added safety feature of a photoluminescent 1 cm strip.

Use in areas of emergency exits or with limited lighting.

Note: luminescence life dependent on previous exposure to light



UPC Number	Prod ID	Size	Case Qty
50-051135-35453-2	F-SWLITE	50 mm x 20 m	2

3M™ Photoluminescent Film 6900

6900 HPPL delivers performance you can count on –

- Superior initial and retained luminosity
- High conformability
- Superior PSA adhesion for easy installation
- Resists graffiti, chemicals and stains
- No radioactive materials used in production
- Expected performance life: Six (6) years
- Wide selection of signs and markings



UPC Number	Prod ID	Size	Case Qty
00-51135-23241-5	75-0301-0698-5	1 in x 50 yd	1
00-51135-23242-2	75-0301-0699-3	2 in x 50 yd	1

Box Sealing Tapes

Tartan™ Box Sealing Tape 369

For non-critical packaging and sealing. Seal or bundle lightweight boxes with low value contents. Reliable, pressure sensitive box sealing tape can also be used with palletized loads.



UPC Number	Size	Case Qty	Colour
00-021200-61551-1	48 mm x 50 m	36	Clear
00-021200-61547-4	48 mm x 50 m	36	Tan
00-021200-61553-5	48 mm x 100 m	36	Clear
00-021200-61549-8	48 mm x 100 m	36	Tan
00-021200-61554-2	72 mm x 100 m	24	Clear
00-021200-62481-0	72 mm x 100 m	24	Tan

Scotch® Box Sealing Tape 371

Seals single wall corrugated cartons or bundles a group reliably. Polypropylene backing for tear resistance. Pressuresensitive rubber adhesive offers quick, moisture proof seal. This tape offers a good, tight, general purpose seal.



UPC Number	Size	Case Qty	Colour
00-021200-13679-5	48 mm x 50 m	36	Clear
00-021200-82883-6	48 mm x 100 m	36	Blue
00-021200-15873-5	48 mm x 100 m	36	Clear
00-021200-82889-8	48 mm x 100 m	36	Green
00-021200-82881-2	48 mm x 100 m	36	Red
00-021200-15872-8	48 mm x 100 m	36	Tan
00-021200-82885-0	48 mm x 100 m	36	White
00-021200-82891-1	48 mm x 100 m	36	Yellow
00-021200-19280-7	72 mm x 100 m	24	Clear
00-021200-61525-2	72 mm x 100 m	24	Tan

Box Sealing Tapes - continued

Scotch® Box Sealing Tape 372

Pressure-sensitive rubber adhesive resists moisture and adheres quickly to a wide variety of surfaces including fiberboard. Polypropylene tape resists center seam split and score line breaks. Use for unitized loads or palletized groups of cartons.



UPC Number	Size	Case Qty	Colour
00-021200-72344-5	48 mm x 50 m	36	Clear
00-021200-72335-3	48 mm x 50 m	36	Tan
00-021200-33658-4	48 mm x 100 m	36	Clear
00-021200-73077-1	48 mm x 100 m	36	Tan
00-021200-72346-9	72 mm x 50 m	24	Clear
00-021200-73076-4	72 mm x 100 m	24	Clear
00-021200-73078-8	72 mm x 100 m	24	Tan

Scotch® Box Sealing Tape 373

For medium weight, large or high value content packaging. Strong tape provides tear and split resistance. Sticks well and handles under tough conditions.




UPC Number	Size	Case Qty	Colour
00-021200-72368-1	48 mm x 50 m	36	Clear
00-021200-72359-9	48 mm x 50 m	36	Tan
00-021200-73079-5	48 mm x 100 m	36	Clear
00-021200-73081-8	48 mm x 100 m	36	Tan
00-021200-69605-3	72 mm x 50 m	24	Clear
00-021200-72361-2	72 mm x 50 m	24	Tan
00-021200-73080-1	72 mm x 100 m	24	Clear
00-021200-73082-5	72 mm x 100 m	24	Tan

Box Sealing Tapes - continued

Scotch® Box Sealing Tape 375

Extremely versatile superior performance box sealing tape. Seal heavy, high value, over packed, or under packed packages. Strong for demanding situations. Meets US postal regulations.



UPC Number	Size	Case Qty	Colour
00-021200-72406-0	48 mm x 50 m	36	Clear
00-021200-72401-5	48 mm x 50 m	36	Tan
00-021200-72407-7	72 mm x 50 m	24	Clear
00-021200-72402-2	72 mm x 50 m	24	Tan

3M™ Tartan™ Acrylic Box Sealing Tape 302

- Value priced for the price conscious customer.
- Conformable backing.
- Edge tear and split resistance.
- 3M roll to roll consistency increases productivity for improved unit costs.
- Complies with the environmental considerations of ASTM D 1974-92.
- Adheres to a variety of surfaces.
- Available in both clear and tan offerings.

UPC Number	Size	Case Qty	Colour
051111-19996-6	48 mm x 50 m	36	Clear
051115-25657-8	48 mm x 100 m	36	Clear
051111-19997-3	48 mm x 132 m	36	Clear
051115-25658-5	72 mm x 100 m	24	Clear
051111-19999-7	72 mm x 132 m	24	Clear
051115-25548-9	48 mm x 50 m	36	Tan
051115-25322-5	48 mm x 100 m	36	Tan
051111-19998-0	48 mm x 132 m	36	Tan
051115-25324-9	72 mm x 100 m	24	Tan
051111-18925-3	72 mm x 132 m	24	Tan

Tartan™ Box Sealing Tape 305

Economical tape with strong polypropylene backing and a water base acrylic adhesive that sticks quickly to many types of packages.




UPC Number	Size	Case Qty	Colour
00-021200-39809-4	48 mm x 100 m	36	Clear
00-021200-39823-0	48 mm x 100 m	36	Tan
00-021200-39811-7	72 mm x 100 m	24	Clear

Box Sealing Tapes, Acrylic

Scotch® Box Sealing Tape 311

General purpose box sealing tape designed specifically for utility type applications on light to medium weight boxes. Offers performance over broad temperature ranges; specifically in cold and damp applications such as refrigerated storage.



UPC Number	Size	Case Qty	Colour
00-021200-69367-0	48 mm x 50 m	36	Clear
00-021200-88292-0	48 mm x 100 m	36	Clear
00-021200-88290-6	48 mm x 100 m	36	Tan
00-021200-69397-7	72 mm x 100 m	24	Clear
00-021200-69396-0	72 mm x 100 m	24	Tan

Box Sealing Tapes, Cold Temperature

Scotch® Cold Temperature Box Sealing Tape 3723

Heavy duty tape with pressure sensitive adhesive. Modified hot melt synthetic rubber adhesive on tough, tear resistant backing designed for sealing cold foods or winter transit. Accepted by NSDA for minimal contact with meat. Clear.



UPC Number	Size	Case Qty
00-021200-72412-1	48 mm x 50 m	36
00-021200-72413-8	72 mm x 50 m	24

Box Sealing Tapes – High Tack

Scotch® High Tack Box Sealing Tape 3743

Adheres to boxes with high recycled content, coated corrugated, textured surfaces or rough fiberboard. Pressuresensitive rubber adhesive and tough, tear and split resistant polypropylene. Pack and send food, apparel and electronics safely



UPC Number	Size	Case Qty	Colour
00-021200-72421-3	48 mm x 50 m	36	Clear
00-021200-72422-0	72 mm x 50 m	24	Clear

Box Sealing Tapes, Dispensers

Scotch® Box Sealing Tape Dispenser H-122

Special braking system lets you control the amount of tape you use. Popular, light, plastic, contoured hand held dispenser. Small and portable, yet allows you to dispense tape up to 2" wide on a 3" core.



UPC Number	Size	Case Qty
00-021200-06925-3	2"	6

Scotch® Box Sealing Tape Dispenser H-180

Handheld, portable and easy to operate. Features an adjustable tape brake allowing control of tension and delivery. Dispenses tapes 2" wide and is constructed of plastic and metal.



UPC Number	Size	Case Qty
00-021200-19008-7	2"	6

Scotch® Box Sealing Tape Dispenser H-183

Hand-held portable dispenser features an adjustable tape break allowing the operator to chose comfortable tape tension and unwind. Provides a quick and easy method for dispensing up to 3" wide roll tape. Plastic and metal construction.



UPC Number	Size	Case Qty
00-021200-61850-5	3"	5

Scotch® Box Sealing Tape Dispenser H-190

Unique ergonomically designed box sealing tape hand dispenser has a pistol grip handle and lightweight construction. Pull apart for easy use. For use with box sealing tape up to 2" wide.



UPC Number	Size	Case Qty
00-021200-84768-4	2"	12

Box Sealing Tapes, Dispensers - continued

Scotch® Box Sealing Tape Dispenser H-192

Roll on box sealing tape with one hand and a minimum of wrist movement. Special design for hand comfort. Roll brake allows you to control tape tension as you seal carton center seams or make "C" clips. Accommodates tape up to 2" wide.



UPC Number	Size	Case Qty
00-021200-86512-1	2"	6

Tartan™ Hand Held Box Sealing Tape Dispenser HB-902

Handheld box sealing tape dispenser that minimizes waste by dispensing only the tape you need. This compact and lightweight dispenser fits in your hand making it easy to control. For tape rolls up to 2" wide on a 3" core.



UPC Number	Size	Case Qty
00-051131-06996-1	2"	12

Tartan™ Pistol Grip Box Sealing Tape Dispenser HB-903

Easy to use, refillable, one hand box sealing tape dispenser. Has an adjustable braking mechanism. Holds tape up to 2 inches wide on a 3 inch core.



UPC Number	Case Qty
00-051131-06997-8	1

Box Sealing Tapes - Acrylic

3M™ Acrylic Box Sealing Tape 302

- Value priced for the price conscious customer
- Conformable backing
- Edge tear and split resistance.
- Roll to roll consistency increases productivity for improved unit costs.
- Adheres to a variety of surfaces.



UPC Number	Size	Case Qty	Colour
0-51111-19996-6	48 mm x 50 m	36	Clear
0-51111-25657-8	48 mm x 100 m	36	Clear
0-51111-19997-3	48 mm x 132 m	36	Clear
0-51111-25658-5	72 mm x 100 m	24	Clear
0-51111-19999-7	72 mm x 132 m	24	Clear
0-51111-25548-9	48 mm x 50 m	36	Tan
0-51111-25322-5	48 mm x 100 m	36	Tan
0-51111-19998-0	48 mm x 132 m	36	Tan
0-51111-25324-9	72 mm x 100 m	24	Tan
0-51111-18925-3	72 mm x 132 m	24	Tan

Box Sealing Tapes – Polyester

Scotch® Box Sealing Tape 355

Withstands rough handling. Superior abrasion resistance. Polyester tape with hot melt synthetic rubber adhesive resists splitting and score line breaking. Film back keeps out moisture. Meets Government specifications including Rule #41.



UPC Number	Size	Case Qty	Colour
00-021200-72329-2	36 mm x 50 m	48	Clear
00-021200-74831-8	36 mm x 50 m	48	Tan
00-021200-72330-8	48 mm x 50 m	36	Clear
00-021200-80534-9	48 mm x 50 m	36	Tan
00-021200-72327-8	72 mm x 50 m	24	Tan

Filament Tapes

Scotch® Extreme Application Packaging Tape 8959

High performance backing reinforced with continuous glass yarn across length and width for added strength - resists tearing. For heavy weight packages and overseas, export shipments. Strong backing is abrasion, moisture and scuff resistant.



UPC Number	Size	Case Qty	Colour
00-021200-88228-9	50 mm x 50 m	18	Translucent

Scotch® Filament Tape 893

High performance. Polypropylene backing reinforced with continuous glass yarn. Typical 300 lb/inch width tensile strength with aggressive adhesive for low unit cost, medium-duty closure, reinforcing, and holding.



UPC Number	Size	Case Qty
00-021200-39846-9	48 mm x 55 m	24
00-021200-39859-9	9 mm x 55 m	96
00-021200-98623-9	12 mm x 55 m	72
00-051131-06938-1	18 mm x 55 m	48
00-051131-06939-8	24 mm x 55 m	36
00-021200-39845-2	36 mm x 55 m	24

Scotch® Filament Tape 897

Pressure sensitive rubber resin adhesive sticks well to fiberboard and ages well. Scotchpro film backing and glass filaments for good strength. Resists moisture and solvents. Meets government specifications.



UPC Number	Size	Case Qty	Colour
00-021200-86522-0	9 mm x 55 m	96	Clear
00-021200-86523-7	12 mm x 55 mm	72	Clear
00-021200-86524-4	18 mm x 55 m	48	Clear
00-021200-86525-1	24 mm x 55 mm	36	Clear
00-021200-77419-5	36 mm x 55 m	24	Clear

Filament Tapes - continued

Scotch® Filament Tape 898


Transparent polypropylene film backed product reinforced with glass yarn filaments offering nick and abrasion resistance, superior tensile strength, and good handling. Available in translucent and custom printed.



UPC Number	Size	Case Qty	Colour
00-021200-39865-0	6 mm x 55 m	144	Clear
00-021200-98666-6	9 mm x 55 m	96	Clear
00-051131-06896-4	12 mm x 55 m	72	Clear
00-051131-06897-1	18 mm x 55 m	48	Clear
00-051131-06898-8	24 mm x 55 m	36	Clear
00-021200-39868-1	36 mm x 55 m	24	Clear
00-021200-39869-8	48 mm x 55 m	24	Clear
00-021200-39870-4	72 mm x 55 m	12	Clear

Scotch® Filament Tape 8981

High performance. Polypropylene backing reinforced with continuous glass yarn. Typical 380 lb/inch width tensile strength. High shear adhesion for low unit cost, heavy-duty closure of hard-to-adhere or high recycled content fiberboard.



UPC Number	Size	Case Qty
00-021200-88189-3	12 mm x 55 m	72
00-021200-88190-9	18 mm x 55 m	48
00-021200-88191-6	24 mm x 55 m	36
00-021200-88204-3	36 mm x 55 m	24
00-021200-88192-3	48 mm x 55 m	24

Filament Tapes - continued

Tartan™ Filament Tape 8934

Transparent polypropylene film backing reinforced with glass yarn filaments. Light-duty tensile strength, nick resistance, abrasion resistance and good handling for utility bundling, reinforcing, and pallet unitizing applications.



UPC Number	Size	Case Qty	Colour
00-021200-86517-6	9 mm x 55 m	96	Clear
00-021200-86518-3	12 mm x 55 m	72	Clear
00-021200-86519-0	18 mm x 55 m	48	Clear
00-021200-86520-6	24 mm x 55 m	36	Clear
00-021200-73999-6	36 mm x 55 m	24	Clear
00-021200-86521-3	48 mm x 55 m	24	Clear
00-021200-33550-1	72 mm x 55 m	12	Clear

Filament Tapes - Dispensers

Scotch® Filament Tape Hand Dispenser H-10


Made from high-impact, durable plastic. For use with filament tapes up to 1 inch (24 mm) wide.



UPC Number	Case Qty
00-021200-06910-9	6

Scotch® Filament Tape Hand Dispenser H-12

Lightweight, durable filament tape dispenser for 1" tape and up to a 3" core.



UPC Number	Size	Case Qty
00-021200-06953-6	1"	6

Filament Tapes, Dispensers - *continued*


Scotch® Filament Tape Hand Dispenser H-133

"L" clips and "C" clips of a filament tape can be applied fast and economically. It cuts and buffs tape with one-hand motion. Hand brake in core allows the operator to add tension. Handles filament tape up to 3/4" wide.

UPC Number	Size	Case Qty
00-021200-06919-2	3/4"	6

Tartan™ Hand-Held Filament Tape Dispenser HB-901

Streamlines strapping, bundling and closing tasks. Lightweight yet rugged construction with built-in serrated blade cuts time and frustration. For rolls up to 1 in wide on 3 in core.



UPC Number	Case Qty
00-051131-06994-7	12

Tape Pads

3M™ ScotchPad™ Tape Pad 822


Pre-cut 4" x 6" tape pads keep labels dry, legible and secure. Transparent to make labels easy to read. Portable and easy to read. 25 sheets/pad- 40 pads/carton - 5 cartons/case.

UPC Number	Size	Case Qty
00-021200-61618-1	4" x 6"	200

Label Protection

Scotch® Label Protection Tape 3565


Adheres to most types of package and container surfaces including corrugated boxes, plastic pails, metal drums, and film bags.



UPC Number	Size	Case Qty	Colour
00-021200-73153-2	72 mm x 100 m	24	Clear
00-021200-73154-9	96 mm x 100 m	18	Clear
00-021200-73160-0	96 mm x 132 m	12	Clear
00-021200-73155-6	120 mm x 100 m	12	Clear
00-021200-73156-3	144 mm x 100 m	12	Clear
00-021200-73162-4	144 mm x 132 m	8	Clear

Scotch® Labelgard™ Film Tape 821

Attach and protect address labels. Non-glare, matte finish. Writable surfaces. Use with dispenser PNO6944.



UPC Number	Size	Case Qty	Colour
00-021200-04563-9	2" x 72 yds	24	Pink
00-021200-04132-7	3" x 72 yds	12	Pink
00-021200-04133-4	4" x 72 yds	8	Pink
00-021200-04134-1	5" x 72 yds	8	Pink
00-021200-04135-8	6" x 72 yds	8	Pink

Label Protection – Dispensers

Scotch® Label Protection Dispenser M-707

Loads easily and can handle label protection tapes up to 4" wide. An auxiliary holder and cutter for 3/4" tape keeps an extra roll at hand for general packaging uses.



UPC Number	Case Qty
00-021200-06923-9	6

Packing List Envelopes

3M™ Non-Printed Perforated Packing List Envelopes

UPC Number	Part N°	Size	Case Qty
00-021200-73709-1	NP-1	4-1/2" x 5-1/2"	1000
00-021200-73778-7	NP-2	4-1/2" x 6"	1000
00-021200-73706-0	NP-4	5-1/2" x 10"	1000
00-021200-73779-4	NP-5	7" x 10"	1000
00-021200-73708-4	NP-3	7" x 5-1/2"	1000
00-021200-73780-0	NP-6	9-1/2" x 12"	1000

3M™ Top Print Packing List Envelope

High-tack, hot-melt adhesive technology keeps the 3M™ Packing List Envelope in place even through a wide range of temperatures and conditions. An oil resistant and water-resistant polyethylene envelope for packing slips, invoices, cards and other shipping documents. English only.



UPC Number	Extra Desc	Size	Case Qty
00-021200-33487-0	T1-1	4-1/2" x 5-1/2"	1000
00-021200-34031-4	T1-2	4-1/2" x 6"	1000
00-021200-73712-1	T1-3	7" x 5-1/2"	1000
00-021200-33482-5	T1-4	5-1/2" x 10"	1000

3M™ Top Print Packing List Envelope PLE-T1 INV

High-tack, hot-melt adhesive technology keeps the 3M™ Packing List Envelope in place even through a wide range of temperatures and conditions. An oil-resistant and water-resistant polyethylene envelope for packing slips, invoices, cards and other shipping documents.



UPC Number	Size	Case Qty
00-021200-37594-1	4-1/2" x 5-1/2"	1000

Packing List Envelopes - continued

3M™ Full Print Packing List Envelopes

High-tack, hot-melt adhesive technology keeps the 3M™ Packing List Envelope in place even through a wide range of temperatures and conditions. An oil-resistant and water-resistant polyethylene envelope for packing slips, invoices, cards and other shipping documents. Bilingual.



UPC Number	Part N°	Size	Case Qty
00-021200-33480-1	TC-1	4-1/2" x 5-1/2"	1000
00-021200-34031-4	TC-2	4-1/2" x 6"	1000
00-021200-33481-8	TC-3	7" x 5-1/2"	1000
00-021200-33482-5	TC-4	5-1/2" x 10"	1000

Stretchable Tapes

Scotch® Stretchable Tape

Low density polyethylene with 710% elongation at break and 20 lb/inch width tensile strength for light to medium containment of A- and B-type pallets. Elastic memory tightly bundles load during shipment.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-69313-7	8884	36 mm x 55 m	24	Clear
00-021200-69314-4	8886	36 mm x 55 m	24	Clear



3M Occupational Health & Environmental Safety

Our Brand Promise

3M is dedicated to improving worker safety and comfort. We do this by designing and producing innovative and reliable products that meet the needs of a wide range of workplace conditions. Our products meet industry best practices and CSA, ANSI, NIOSH and OSHA standards. The products in this catalogue are among the many offered by 3M to enhance the quality of the workplace. Worldwide, 3M offers over 60,000 products to industry, government and consumers.

Safety
Solutions
from the Brands
You Trust

www.3M.ca/safety

3M Canada Occupational Health and Environmental Safety
Service and Technical Support Centre
1 800 267-4414

E-A-R™, 3M™ and Peltor™ Earplugs offer a variety of sizes, shapes and levels of protection. Choose the one that is comfortable and provides the required noise reduction.

CLASSIC™ Earplugs

- Proven size, shape, and foam
- World's most popular earplug
- Corded and uncorded in a variety of individual packs.
- Ideal for small contractors or store shelves for walk-in trade.
- Most popular hearing protector.
- NRR 29 dB



Product Number	Description	3M Case UPC	Unit	Case Qty
312-1201	CLASSIC Plug In Poly Bag (Cs 2000)	10080529120028	Case	2000
311-1101	CLASSIC Plug With Cord (Cs 2000)	10080529110012	Case	2000
310-1060	E-A-R™ CLASSIC™ Earplugs Uncorded In Pillow Packs	TBD	30-Pair Pack	360 Pairs/Case

E-A-RSOFT™ FX™ Earplugs

- Best NRR - 33 dB
- Patented shape to more effectively fit the ear canal
- Soft, comfortable foam



Product Number	Description	3M Case UPC	Unit	Case Qty
312-1261	EARSOFT FX	10080529120868	Case	2000
312-1260	EARSOFT FX Corded	10080529120851	Case	2000

PUSH-INS™ Earplugs

- No Roll Down Earplugs
- Quick, Clean & Hygienic
- EARform™ Foam Comfort
- NRR 28 dB



Product Number	Description	3M Case UPC	Unit	Case Qty
318-1001	PUSH-INS Corded - 100 Count Box	10080529180015	Case	400

ARC PLUG Premolded Reusable Earplugs

- For protection against arc blast noise
- Aids in compliance with NFPA70E



Product Number	Description	3M Case UPC	Unit	Case Qty
370-2000	ARC PLUG, Dual Ended with Dielectric, Plastic Chain and Carrying Case	10080529700121	Case	10

3M™ 1100 Foam Earplugs

- Tapered design to conform for comfort



Product Number	Description	3M Case UPC	Unit	Case Qty
1100	3M™ Foam Earplug 1100	50051138290080	Case	1000

3M™ 1110 Corded Foam Earplugs

- Tapered design to conform for comfort



Product Number	Description	3M Case UPC	Unit	Case Qty
1110	3M™ Corded Foam Earplug 1110	50051138290097	Case	500

UltraFit™ Reusable Plugs

- Comfortable and durable; advanced polymer allows for cleaning
- Fits a wide range of ear canal sizes
- NRR 25dB



Product Number	Description	3M Case UPC	Unit	Case Qty
340-4014	UltraFit™ Econopack	10080529400533	Case	2000
340-4004	UltraFit™ Corded No Case	10080529400038	Case	400

Peltor™ Earmuffs

Choosing the right earmuff for construction workers is a critical decision. A muff with too little attenuation leaves workers vulnerable to noise induced hearing damage. One with too high of a protection level can “overprotect” and make it difficult to hear voices, signals, and make a worker feel isolated ... a common reason cited for non-compliance.

Now there’s an easy solution. Just match the numbers to the noise levels.

OPTIME™ 105 Series

The ultimate in earmuff technology

- For noise levels up to 105 dBA
- Twin cup design minimizes resonance thus achieving maximum high and low frequency attenuation
- Available with headband or helmet-attachable



Product Number	Description	3M Case UPC	Unit	Case Qty
H10A	Peltor Optime 105 Over-the-head Dual Cup Hp NRR 30 Db	10093045081018	Case	10
H10B	Peltor Optime 105 Behind-the-head Dual Cup Hp NRR 29 Db	10093045081025	Case	10
H10P3E	Peltor Optime 105 Helmet Attach Dual Cup Hp NRR 27 Db	10093045081032	Case	10

OPTIME™ 101 Series

Versatile protection

- For noise levels up to 101 dBA
- Effective protection up to extreme noise levels
- Available with headband or helmet-attachable



Product Number	Description	3M Case UPC	Unit	Case Qty
H7A	Peltor Optime 101 Over-the-head Hp Green NRR 27 Db	10093045080714	Case	10
H7B	Peltor Optime 101 Behind-the-head Hp Green NRR 26 Db	10093045080721	Case	10
H7P3E	Peltor Optime 101 Helmet Attached Hp Green NRR 24 Db	10093045080738	Case	10

OPTIME™ 95 Series

Slim design for high comfort and continuous wear.

- For noise levels up to 95 dBA
- Available with headband or helmet-attachable



Product Number	Description	3M Case UPC	Unit	Case Qty
H6A/V	Peltor Optime 95 Over-the-head Hp Beige NRR 21 Db	10093045080615	Case	10
H6B/V	Peltor Optime 95 Behind-the-head Hp NRR 21 Db	10093045080622	Case	10
H6P3E/V	Peltor Optime 95 Helmet Attached Hp Beige NRR 21 Db	10093045080653	Case	10

Communication Headsets

PowerCom Plus Self-contained 2-way Radio Headset

- Up to 2-mile transmitting range GMRS/FRS format with 22 channels
- 38 privacy sub-channels
- Noise cancelling boom microphone
- Rechargeable battery pack
- Surround ambient listening feature included
- English/French/Spanish voice sub-system
- PTT or Voice Activated transmitting



Product Number	Description	3M Case UPC	Unit	Case Qty
MT53H7A4610 GN	MIL GREEN Headband model – NRR 25 dB Channels – UHF – 462-467 mHz	07318640048294	Case	1

MT Series Industrial Headsets for use with Two-Way Radios

- Noise attenuating headset, plug into 2-way radios to enable clear communications in high noise environments
- Requires a mating in-line PTT adapter cable



Product Number	Description	3M Case UPC	Unit	Case Qty
MT7H79A	Noise Attenuating Headset. Headband Model With Noise Canceling Boom Microphone. In-line Ptt Adaptor Required, Nrr 25 Db	07318640031975	Case	1

Safety Eyewear

MAXIM™ Eyewear

New Maxim™ Eyewear. So advanced, it doesn't raise the bar in eyewear technology. It puts it out of reach.



- Dual-injected, cushioned brow bar for comfort and protection
- New, patented, dual-aspheric lens for prescription quality, distortion-free vision
- Ventilation channel to help reduce fogging
- Adjustable length temples
- Soft, adjustable nose bridge
- Meets ANSI Z87.1 and CSA Z94.3 high velocity tests
- Made in U.S.A.

Product Number	Description	3M Case UPC	Unit	Case Qty
13250-00000-20	Maxim Black Adj Temple Clear Lens	10078371622357	Case	20

LEXA® Eyewear

There is no other eyewear system in the world like Lexa®.



- Adjustable length temples
- Lens angle adjustment
- DX™ anti-fog hard coat standard
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.

Product Number	Description	3M Case UPC	Unit	Case Qty
15152-00000-100	Lexa Black Clear Medium	10078371622821	Case	100

DUST GOGGLEGEAR® for LEXA® Eyewear

Converts Lexa to a dust goggle in just a snap.



- DX™ anti-fog standard
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.
- Assembled

Product Number	Description	3M Case UPC	Unit	Case Qty
16617-00000-10	Gogglegear w/strap Medium Clear Lens Std Bridge	10078371623309	Case	10

METALIKS™ Eyewear

Stylish metal frames and sleek lens put Metaliks™ in a class of its own.

- Adjustable temples
- Soft adjustable nose bridge
- Meets ANSI Z87.1 and CSA Z94.3



Product Number	Description	3M Case UPC	Unit	Case Qty
11343-10000-20	Metaliks Sport Brushed Nickel Frame, Clear Anti-fog Lens	10078371623552	Case	20

VIRTUA Sport Eyewear

- Comfortable, ultra light frame
- Sporty, sleek unisex styling
- 9 base curve lens
- High Impact polycarbonate filters 99.9% UV
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards



Product Number	Description	3M Case UPC	Unit	Case Qty
11384-00000-20	Virtua Sport Clear Temple Clear Anti-fog Lens	10078371620544	Case	20

TOUR-GUARD® III Eyewear

Economical visitor spec fits over most prescription glasses.

- Available in two sizes
- Meets ANSI Z87.1 and CSA Z94.3
- Made in U.S.A.



Product Number	Description	3M Case UPC	Unit	Case Qty
41120-00000-100	958B Tour-Guard III Clear	10078371623439	Case	100

AO TUFFMASTER® Headgear/window Combo Systems

- Complete headgear and faceshield unit
- Meets ANSI Z87.1
- Made in U.S.A.



Product Number	Description	3M Case UPC	Unit	Case Qty
82501-00000	H8a Deluxe Ratchet Headgear	10078371825017	Case	10
82701-00000	Wp96 Clear Polycarbonate	10078371827011	Case	10

XLR8™ Hard Hats

- Universal accessory slots for use with a wide variety of Eye, Face, and Hearing protection products
- Rugged, high-density polyethylene shell for maximum protection
- Nylon web suspension with full cushioned, washable foam brow pad
- Imprinting available upon request
- Meets ANSI Z89.1 Type 1, Class G, E and C, and CSA Z94.1 Type 1, Class G & E
- Made in U.S.A.



Product Number	Description	3M Case UPC	Unit	Case Qty
45995-00001	Xlr8 Hard Hat White 6pt Ratchet	10078371459953	Case	20

Harnesses

Variety of harnesses.

- Lightweight harnesses
- No tangle with state of the art webbing, quick connect buckles and sub-pelvic retainer.
- Harnesses for positioning applications with adjustable back pad.
- Harnesses for welders
- Harnesses for metal-workers



Retractable lifelines

Variety of lengths, weights, attachments.



Anchor Points; Assemblies and Fasteners

Lanyards

Variety of lanyards.



Kits


- Roofer's Kit
- Confined space system
- Mobile Skywalk Horizontal Lifeline



For more information contact Aearo customer service at 1-800-387-9681

Product Preference Selector

Use the selector below to identify which respirator may be preferred for increased worker comfort.



*3M recommended for ozone protection up to 10X OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for ozone. Respirator selection must be conducted to meet the requirements of the authority having jurisdiction in your region and/or CSA Standard Z94.4.

Respirators, Particulate

3M™ Particulate Respirator 8210, 8110s, N95

Reliable worker protection against certain non-oil based particles. Suggested Applications: Grinding, Sanding, Sweeping, Bagging, Other dusty operations. NIOSH Approved.



UPC Number	Prod ID	Case Qty
50-051138-46457-3	8210	160
50-051138-54305-6	8110s	160

3M™ Particulate Respirator 8240, R95

Designed to help provide protection against certain oil and non-oil based particles. Features a collapse resistant shell for increased durability in most hot, humid conditions. Features the M-noseclip which adjusts easily with fewer pressure points and greater comfort. Workplace Applications: Grinding, Sanding, Sweeping, Machining, Other dust producing/oily operations. NIOSH Approved.



UPC Number	Case Qty
50-051138-66297-9	120

3M™ Particulate Respirator 8511, N95

Helps reduce exposure to dust from sanding on particle board, drywall, non-lead paints, fiberglass insulation dust. Cool Flow Exhalation Valve makes it comfortable when heat and humidity are present. Lightweight construction. M-noseclip. NIOSH Approved.



UPC Number	Case Qty
50-051138-54343-8	80

Respirators, Particulate - continued

3M™ Particulate Respirator 8271, P95

Combines P-series versatility with exceptional comfort and fit. An excellent choice for those who have work environments that may contain oil aerosols. Features the 3M™ Cool Flow Exhalation Valve, comfortable faceseal and M-noseclip to help provide a custom fit and secure seal. Workplace Applications: Grinding, Sanding, Sweeping, Bagging, Machining, Other dusty/oily operations. NIOSH Approved.



UPC Number	Case Qty
50-051138-54285-1	80

3M™ Particulate Respirator 9210, N95

Comfortable, lightweight and convenient. Three panel respirator, low profile and fits wide range of face sizes. NIOSH Approved.



UPC Number	Case Qty
00-051131-37021-0	240

3M™ Particulate Respirator 9211, N95

Comfortable, lightweight and convenient. Three panel respirator, low profile and fits wide range of face sizes. 3M Cool flow exhalation valve.



UPC Number	Case Qty
50-051138-66262-7	120

Respirators should be selected in accordance with CSA Z94.4-02. Follow the requirements of the authority having jurisdiction in your region.

3M™ Particulate Welding Respirator 8515, N95

Designed to help provide comfortable, reliable worker protection. Features the 3M™ Cool Flow Exhalation Valve, 3M™ Welding Web, adjustable M-noseclip, and braided headband to help provide a custom fit and secure seal. Workplace Applications: Welding, Brazing, Soldering, Torch cutting, Metal pouring, Grinding, Sanding, Sweeping, Bagging, Other dusty/hot operations. Flame Resistant.



UPC Number	Case Qty
50-051131-07189-1	80

3M™ Particulate Welding Respirator with Faceseal 8212, N95

Designed for applications such as welding, soldering and other operations where metal fumes may be present. Features the 3M™ Cool Flow Exhalation Valve, cake-resistant filter media, a comfortable faceseal and fully adjustable straps. Workplace Applications: Welding, Brazing, Soldering, Torch cutting, Metal pouring, Grinding, Sanding, Sweeping, Bagging, Other dusty/hot operations. Flame Resistant. NIOSH Approved.



UPC Number	Case Qty
50-051138-54141-0	80

3M™ Particulate Respirator 8512, N95

Recommended for welding, brazing, metal pouring and cutting. Designed to help provide worker protection against a variety of airborne contaminant's. Their innovative lightweight, flame resistant construction promotes greater worker comfort and acceptance and contributes to increased wear time. NIOSH Approved.



UPC Number	Case Qty
50-051138-66298-6	80

3M™ Particulate Welding Respirator

Recommended for welding on stainless steel, aluminum, galvanized steel, and other applications where ozone* and nuisance level organic vapors** may be present. Features the 3M™ Cool Flow Exhalation Valve, cake-resistant filter media, welding web, and fully adjustable straps. *3M recommended for ozone protection up to 10 times the OSHA PEL, or applicable government occupational exposure limits, whichever is lower. **3M recommended for relief from nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations not exceeding the OSHA PEL, or applicable government occupational exposure limits, whichever is lower. NIOSH Approved.



with Faceseal and Nuisance Level Organic Vapor Relief, 8214, N95	
UPC Number	Case Qty
00-051138-66192-2	80

with Nuisance Level Organic Vapor Relief, 8514, N95	
UPC Number	Case Qty
00-051138-66299-8	80

3M™ Particulate Respirator with Nuisance Level Acid Gas Relief 8246, R95

Helps provide protection against certain oil and non-oil based aerosol particles. Suggested Applications: Glass etching, Chemical processing, Paper processing, Aluminum smelting, Brewing operations. Its lightweight construction promotes greater worker comfort and contributes to increased wear time. NIOSH Approved.



UPC Number	Case Qty
50-051138-54357-5	120

3M™ Particulate Respirator 8247, R95

Provides Nuisance Level Organic Vapour Relief. Designed to help provide comfortable protection against certain oil and non-oil based particles. Suggested applications include foundry operations, lab settings, agriculture, petrochemical manufacturing and undercoating. Its lightweight construction promotes greater worker comfort and contributes to increased wear time. Provides nuisance level organic vapour relief. NIOSH Approved.



UPC Number	Case Qty
50-051138-54358-2	120

Respirators should be selected in accordance with CSA Z94.4-02. Follow the requirements of the authority having jurisdiction in your region.

3M™ Particulate Respirator with Nuisance Level Acid Gas Relief 8576, P95

Designed to provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles. An excellent choice for work settings that involve heat, humidity and long wear periods. Lightweight construction promotes greater worker comfort and contributes to increased wear time. Suggested Applications: Glass etching, Chemical processing, Paper processing, Aluminum smelting, Brewing operations. NIOSH Approved.



UPC Number	Case Qty
50-051138-54370-4	80

3M™ Particulate Respirator with Nuisance Level Organic Vapor Relief 8577, P95

Designed to help provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles including those present with nuisance levels of organic vapors such as solvents, degreasers and resins. An excellent choice for work settings that involve heat, humidity and long wear periods. Features the 3M™ Cool Flow Exhalation Valve for cool, dry comfort, and M-noseclip to help provide a custom fit and secure seal. Suggested Applications: Foundry operations, Lab settings, Agriculture, Undercoating, Petrochemical manufacturing operations. NIOSH Approved.



UPC Number	Case Qty
50-051138-54371-1	80

3M™ Particulate Respirator 8233, N100

Well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance-free respirator. Provides a minimum filter efficiency of 99.97% against non-oil based particles. An excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving particle exposures. Features the 3M™ Cool Flow Exhalation Valve, comfortable face seal, adjustable straps, and lightweight construction.



UPC Number	Case Qty
50-051138-54143-4	20

3M™ Particulate Respirator 8293, P100

Well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance-free respirator. Features the 3M™ Cool Flow Exhalation Valve, comfortable face seal and adjustable straps.



UPC Number	Case Qty
50-051138-54336-0	20

Fit Testing

3M™ Qualitative Fit Test Apparatus FT-10, Sweet

Test kits and accessories designed to help your organization meet OSHA fit testing requirements for respirators. The products can be used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter. Used to help meet CSA requirements. Contains a laminated instruction booklet, sensitivity solution, fit test solution, two nebulizers, one hood, one collar assembly and two sets of replacement nebulizer inserts.



Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

UPC Number	Prod ID	Case Qty
00-051138-16358-7	FT-10	1

3M™ Qualitative Fit Test Apparatus FT-30, Bitter

Test kits and accessories designed to help your organization meet OSHA fit testing requirements for respirators. The products can be used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter. Allows exercises to be performed in a test atmosphere. Use to test the seal of any respirator with particulate prefilter. Meets CSA requirements before issuing the respirator to a worker. Includes instruction booklet in English/Spanish, Portuguese, and French. Two nebulizers, one hood, one collar assembly, two sets of nebulizer inserts and sensitivity solution/bitter are included. Individual component products can be ordered separately.



Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

UPC Number	Prod ID	Case Qty
00-051138-54203-0	FT-30	1

Respirators should be selected in accordance with CSA Z94.4-02. Follow the requirements of the authority having jurisdiction in your region.

Respirators, Half Face

3M™ Half Facepiece

3M™ Half and Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 7093c approved cartridge / P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



UPC Number	Prod ID	Size	Case Qty
50-051131-07024-5	6100	Small	24
50-051131-07025-2	6200	Medium	24
50-051131-07026-9	6300	Large	24

3M™ Half Facepiece 7500 Series, Ultimate Reusable

This half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow Exhalation Valve, enhances wearer comfort and face fit. It's made from a durable silicone and can be used with any of the 3M™ Filters and Cartridges, Series 2000, 6000, 7093, 7093c.



UPC Number	Prod ID	Size	Case Qty
50-051131-37081-9	7501	Small	10
50-051131-37082-6	7502	Medium	10
50-051131-37083-3	7503	Large	10

3M™ Dual Cartridge Respirator Assembly, Organic Vapour/P95

3M™ Half Facepiece Respirators 5000 Series have permanently attached cartridges for ease of use and little or no maintenance. NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation. When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the Occupational Exposure Limit. Do not use in environments that are immediately dangerous to life or health (IDLH).



UPC Number	Prod ID	Size	Case Qty
50-051138-66068-5	51P71	Small	12
50-051138-66069-2	52P71	Medium	12
50-051138-66070-8	53P71	Large	12

Respirators, Full Face

3M™ Full Facepiece 6000 Series

3M™ Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. Full facepieces provide an assigned protection factor of up to 100 in negative pressure mode.



UPC Number	Prod ID	Size	Case Qty
50-051138-54145-8	6700	Small	4
50-051138-54146-5	6800	Medium	4
50-051138-54159-5	6900	Large	4

3M™ Full Facepiece 7800S Series, Silicone, Ultimate Reusable

3M™ Full Facepiece Respirators are made of silicone for increased comfort and durability and can accommodate many different cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Cartridges 6000 Series, 3M™ Cartridges and Filters 7000 Series, or a variety of powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals. Full facepieces provide an assigned protection factor of up to 100 in negative pressure mode.



UPC Number	Prod ID	Size	Case Qty
00-051138-54257-3	7800S-S	Small	1
00-051138-54258-0	7800S-M	Medium	1
00-051138-54259-7	7800S-L	Large	1

Respirators - Accessories

3M™ Adapter 502

Use to attach 3M™ Particulate Filters 2000 Series and 7093C to 3M™ Cartridges 6000 Series for a wide variety of applications.



UPC Number	Prod ID	Case Qty
50-051138-21511-3	502	100

3M™ Particulate Filter 5N11, N95

NIOSH approved for environments containing non-oil based particles. Use with 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501.



UPC Number	Prod ID	Case Qty
50-051138-46464-1	5N11	100

3M™ Respirator Filter 5P71, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501.



UPC Number	Prod ID	Case Qty
50-051131-07194-5	5P71	100

3M™ Retainer 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) to 3M™ Cartridges 6000 Series.



UPC Number	Prod ID	Case Qty
50-051138-17668-1	501	100

Respirators, Accessories - continued

3M™ Respirator Cleaning Wipe Alcohol-Free 504

Sanitary, alcohol-free cleaning wipes. Individually packaged. Will not damage the facepiece material. 8"x10" folded, individually wrapped towelettes stored in a convenient box dispenser.



UPC Number	Prod ID	Case Qty
50-051138-28909-1	504	500

Respirators - 2000 Series Filters

3M™ Particulate Cartridge Hydrogen Fluoride/P95, with Nuisance Level Acid Gas Relief 2076

NIOSH approved for hydrogen fluoride and certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051138-54369-8	2076	100

3M™ Particulate Filter 2071, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051138-54356-8	2071	100

**3M™ Particulate Filter
2091, P100**

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051131-07000-9	2091	100

**3M™ Particulate Filter
with Nuisance Level Acid
Gas Relief 2096, P100**

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051138-54295-0	2096	100

**3M™ Particulate Filter
with Nuisance Level
Organic Vapour Relief
2097, P100**

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051131-07184-6	2097	100

**3M™ Particulate Filter
with Nuisance Level
Organic Vapor/Acid Gas
Relief 2078, P95**

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051138-54368-1	2078	100

**3M™ Organic Vapour
Cartridge 6001**

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors. Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics.



UPC Number	Prod ID	Case Qty
50-051138-21674-5	6001	60

**3M™ Acid Gas Cartridge
6002**

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against chlorine, hydrogen chloride, sulfur dioxide, or chlorine dioxide, or hydrogen sulfide (escape only). Use in a variety of applications including chemical manufacturing, glass etching, pulp and paper, and laboratories.



UPC Number	Prod ID	Case Qty
50-051138-28880-3	6002	60

**3M™ Organic Vapour/Acid
Gas Cartridge 6003**

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors and chlorine, hydrogen chloride, sulfur dioxide, or hydrogen sulfide (escape only) or hydrogen fluoride. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.



UPC Number	Prod ID	Case Qty
00-051138-28881-5	6003	60

3M™ Ammonia/ Methylamine Cartridge 6004

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against ammonia and methylamine.

Use in a variety of applications including agriculture, chemical manufacturing, laboratories and the food industry.



UPC Number	Prod ID	Case Qty
50-051138-28882-7	6004	60

3M™ Mercury Vapour or Chlorine Cartridge 6009

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against mercury vapor and chlorine.

Note: The mercury vapor end of service life indicator must be readily visible without manipulation when wearing the respirator. If not readily visible, do not use.



UPC Number	Prod ID	Case Qty
50-051138-29148-3	6009	60

3M™ Formaldehyde/ Organic Vapour Cartridge 6005

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against formaldehyde and certain organic vapors. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Use in a variety of applications, including laboratories, wood processing, carpet manufacturing, and primary metals manufacturing.



UPC Number	Prod ID	Case Qty
50-051138-28883-4	6005	60

3M™ Cartridge/Filter Organic Vapour/P100 60921

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors and particulates. Use in a variety of applications including petrochemical, construction, transportation and chemical manufacturing.



UPC Number	Prod ID	Case Qty
50-051138-46465-8	60921	60

3M™ Multi Gas/Vapour Cartridge 6006

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde or hydrogen fluoride. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Use in a variety of applications, including petrochemical and chemical processing, utilities, pharmaceuticals, mining and primary metals.



UPC Number	Prod ID	Case Qty
50-051138-54186-1	6006	60

3M™ Cartridge/Filter Acid Gas/P100, 60922

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only). Use in a variety of applications including chemical manufacturing, glass etching, pulp and paper, and laboratories.



UPC Number	Prod ID	Case Qty
50-051138-46466-5	60922	60

3M™ Cartridge/Filter Organic Vapour/ Acid Gas/ P100 60923

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, acid gases (chlorine, hydrogen chloride, sulfur dioxide, or hydrogen sulfide [escape only] or hydrogen fluoride) and particulates. Use in a variety of applications including petrochemical, laboratories, pharmaceutical and chemical manufacturing.



UPC Number	Prod ID	Case Qty
50-051138-46467-2	60923	60

3M™ Cartridge/ Filter Ammonia/ Methylamine/ P100 60924

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against ammonia, methylamine and particulates. Use in a variety of applications including agriculture, chemical manufacturing, laboratories and the food industry.



UPC Number	Prod ID	Case Qty
50-051138-46468-9	60924	60

3M™ Cartridge/Filter Formaldehyde/Organic Vapour/P100 60925

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against formaldehyde, certain organic vapors and particulates. Use in a variety of applications, including laboratories, wood processing, carpet manufacturing, and primary metals manufacturing.



UPC Number	Prod ID	Case Qty
50-051138-46469-6	60925	60

3M™ Cartridge/Filter Multi Gas/Vapour/ P100 60926

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde or hydrogen fluoride and particulates. Use in a variety of applications, including petrochemical and chemical processing, utilities, pharmaceuticals, mining and primary metals.



UPC Number	Prod ID	Case Qty
50-051138-54187-8	60926	60

3M™ Cartridge/Filter Mercury Vapour/Chlorine Gas/P100 60929

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against mercury vapor, chlorine and particulates. Note: The mercury vapor end of service life indicator must be readily visible without manipulation when wearing the respirator. If not readily visible, do not use.



UPC Number	Prod ID	Case Qty
50-051138-46471-9	60929	60

3M™ Cartridge/Filter 7093C/37173(AAD), Hydrogen Fluoride, P100 with Nuisance Level Organic Vapour and Acid Gas Relief*

This cartridge/ filter is NIOSH approved and provides the highest level of protection against oil and non-oil based particles. Use with 3M™ Half and Full Facepiece Respirators 6000 Series, Half Facepiece Respirator 7500 Series and Full Facepiece Respirator 7800 Series with bayonet filter holders.



UPC Number	Prod ID	Case Qty
50-051131-37173-1	7093C	60



Flexibility & Freedom

Power and Supplied Air

Supplied Air Respirators

3M™ Supplied Air Respirators – Product Matrix

3M™ Supplied Air Respirators are designed to deliver clean air to the worker. The air* can be supplied from a high pressure compressor, low-pressure pumps, or cylinders (bottled air). Supplied air respirators offer many advantages over traditional respiratory protection including comfort and protection.

- Cool or heat incoming air
- Fit testing only required on tight-fitting facepieces
- Low maintenance



*It is the employer's responsibility to ensure that the compressed air used with any supplied air system meets the requirements for at least Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1-1997 in the U.S. In Canada refer to CSA Standard Z160.1 table for the quality of compressed breathing air.
 **Clip-on 3M™ Welding Shield also available.

The 3M Safety Products in the Powered and Supplied Air Section must be used in accordance with OSHA regulations and the User Instructions, warnings and limitations accompanying each product.

3M™ Powerflow™ Face-Mounted Powered Air Purifying Respirator (PAPR)

This respirator is a lightweight, face-mounted Powered Air Purifying Respirator (PAPR). It uses a single high efficiency filter for protection against dusts, mists, fumes and radionuclides, making it ideal for lead, asbestos and other hazardous particulates.



UPC Number	Prod ID	Size	Case Qty
00-051138-76712-9	6800PF	Medium	1
00-051138-76714-3	6900PF	Large	1

3M™ PAPR Kit Helmet Welding Shield High Efficiency Filter

This kit is for welders who require respiratory protection and must wear an ANSI / CSA approved hardhat. The 3M™ JobBox PAPR-K-L905-GVP440 Kit is a fully integrated system that provides mobility and comfort, while protecting the worker's head, eyes, and respiratory system. We can make the choice of respiratory protection easy for you! It's all in the box.



UPC Number	Prod ID	Case Qty
50-051131-95420-0	PAPR-K-L905-GVP440	1 Kit

3M™ PAPR Kit Helmet HEPA filter

This kit is for workers who require respiratory protection and must wear an ANSI / CSA approved hardhat. The 3M™ JobBox PAPR-K-L901-GVP440 Kit is a fully integrated system that provides mobility and comfort, while protecting the worker's head, eyes, and respiratory system. We can make the choice of respiratory protection easy for you! It's all in the box.



UPC Number	Prod ID	Case Qty
50-051131-95363-0	PAPR-K-L901-GVP440	1 Kit

3M™ High Efficiency Filter GVP-440

This HEPA filter is used with the 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) System. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Prod ID	Case Qty
50-051138-29219-0	GVP-440	8

3M™ Organic Vapour/ Acid Gas/High Efficiency Cartridge GVP-443

This organic vapour/acid gas/HEPA cartridge is used with the 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) System. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Prod ID	Case Qty
50-051138-29222-0	GVP-443	6

Sorbents, Petroleum

3M™ Petroleum Sorbent Pad, High Capacity

A selective sorbent which will absorb hydrocarbon based liquids (oleophilic) and repel aqueous based liquids (hydrophobic). Each bale absorbs 141.9 Litres (37.5 gallons) and contains 100 pads.



UPC Number	Prod ID	Size	Case Qty
50-051138-28911-4	HP-156	43 cm x 48 cm (17" x 19")	100

Sorbents, Petroleum - *continued*

3M™ Petroleum Sorbent Roll, High Capacity

Designed to cover large surfaces and easy to cut to cover small areas or to fit tight corners. Can also be used as a precaution in areas where spills may occur. Roll absorbs 276.3 Litres (73 gallons).



UPC Number	Prod ID	Size	Case Qty
50-051138-21542-2	HP-100	96 cm x 44 m (38' x 144')	1

3M Welding Solutions

3M™ Speedglas™ Welding Helmets with ADF's

The Speedglas Utility is designed for MIG (GMAW) and stick (SMAW) welding. For the serious part-time welder, as well as for maintenance. Premium optics in a dependable and affordable auto-darkening lens. Certified to CSA Z94.3.02 Standard.



UPC Number	Part No.	Description	Case Qty
00-051131-37119-4	04-0014-10U	Speedglas™ Utility Shade 10	1
00-051131-92748-3	04-0014-11U	Speedglas™ Utility Shade 11	1

3M™ Speedglas™ Welding Helmets with ADF's

Versatile ADF for Stick, MIG and TIG >1amp Shades 9-13; light state shade 3. Consistent shading across lens. Vented for comfort. Certified to CSA Z94.3.02 Standard.



UPC Number	Part No.	Description	Case Qty
00-051131-93310-1	04-0012-31	Speedglas™ 9002V Complete	1
00-051131-93316-3	04-0012-21	Speedglas™ 9002X Complete	1

3M™ Speedglas™ Accessories

3M™ Speedglas™ 9000 Series Outside Protection Plates



UPC Number	Part No.	Description	Case Qty
00-051131-93031-5	04-0270-00	Used with Utility Helmets 9000F, 9000XF, 9002V, 9002X	10

3M™ Speedglas™ 9000 Series Inside Protection Plates



UPC Number	Part No.	Description	Case Qty
00-051131-93037-7	04-0290-00	Used with Utility Helmets 9000F, 9002V	5

3M™ Speedglas™ 9000 Series Inside Protection Plates



UPC Number	Part No.	Description	Case Qty
00-051131-93034-6	04-0280-00	Used with Utility Helmets 9000XF, 9002X	5

Anti-Slip/Anti-Stick

3M™ Anti-Slip/Anti-Stick Tape 5461

High friction roller tape. Unique rubber backing provides positive drive and easy cleanup of web rollers.



UPC Number	Prod ID	Case Qty
00-021200-24884-9	2" x 18 yds	6

Aluminum Foil Tape

3M™ Aluminum Foil Tape 1450


Shiny Silver, 0.0031 inch (.079 mm) aluminum foil with a transparent, high tack, synthetic rubber based adhesive.



UPC Number	Size	Case Qty	Colour
00-021200-48321-9	1" x 60 yds	36	Shiny Silver
00-021200-48322-6	2" x 60 yds	24	Shiny Silver

3M™ Aluminum Foil Tape 3380

- UL723 listed.
- Specifically designed for cold weather conditions.
- High performance insulation tape is ideal for use as a vapour seal for reinforced fiberglass or mineral wool thermal insulation.
- May also be used on FSK systems.
- Hand tearable for easy installation.
- Excels in high heat and humidity conditions.
- Stocked products are available for immediate delivery.




Cat ID	Size	Unit	Case Qty
3380	48 mm x 45 m	Roll	24
3380	72 mm x 45 m	Roll	16
3380	99 mm x 45 m	Roll	12
3380	48 mm x 91 m	Roll	12
3380	72 mm x 91 m	Roll	8

Aluminum Foil Tape - continued

3M™ Aluminum Foil Tape 3381

- High performance insulation tape is ideal for use as a vapour seal for reinforced fiberglass or mineral wool thermal insulation.
- May also be used on FSK systems.
- Hand tearable for easy installation.
- Excels in high heat and humidity environmental conditions.
- Stocked products are available for immediate delivery.



Cat ID	Size	Unit	Case Qty
3381	48 mm x 45 m	Roll	24
3381	72 mm x 45 m	Roll	16
3381	99 mm x 45 m	Roll	8

3M™ Aluminum Foil Tape 425

Dead-soft aluminum foil tape. Applications include masking of sensitive components to protect from damage during aircraft paint stripping. In white goods appliances, tape provides an excellent moisture barrier, helps reflect and dissipate heat.




UPC Number	Size	Case Qty	Colour
00-021200-60600-7	3/4" x 60 yds	48	White
00-021200-60572-7	1" x 60 yds	36	White
00-021200-60573-4	1-1/2" x 60 yds	24	White
00-021200-60574-1	2" x 60 yds	24	White
00-021200-60597-0	3" x 60 yds	12	White

Cloth Tapes

3M™ Glass Cloth Tape 361


Coated with silicone adhesive for high temperature resistance. Strong adhesion with abrasion resistant backing. Meets F.A.R. 25.853(a) and F.A.R. 25.855(d) specifications.



UPC Number	Size	Case Qty	Colour
00-021200-32222-8	1" x 60 yds	36	White

3M™ PTFE Glass Cloth Tape


Impact, puncture and tear resistant. Provides easy release surface. Resistant to most chemicals. High temperature performance. 5451 is 5.3 mil. 5453 is 8.3 mil.



UPC Number	Prod ID	Size	Case Qty
00-021200-16150-6	5451	1/2" x 36 yds	18
00-021200-16158-2	5453	1/2" x 36 yds	18
00-021200-16152-0	5451	1" x 36 yds	9
00-021200-16160-5	5453	1" x 36 yds	9
00-021200-34542-5	5451	3" x 36 yds	6

3M™ Thermosettable Glass Cloth Tape 365

Thermosettable rubber resin adhesive. Very strong conformable backing.



UPC Number	Size	Case Qty	Colour
00-021200-03019-2	3/4" x 60 yds	48	White
00-021200-03020-8	1" x 60 yds	36	White
00-021200-03862-4	5" x 60 yds	8	White

Double Coated Tapes, Foam

3M™ Double Coated Polyethylene Foam Tape 4462

Seals out dust, resists solvents and acids, and fills gaps. It forms a very strong bond between most rough, or smooth surfaces and develops great peel strength. The tape and rubber adhesive are extremely flexible so it easily conforms to almost any surface. Instead of drills and screws, use this. It seals and cushions vibrations. Great for window glazing and attaching hooks.



UPC Number	Size	Case Qty	Colour
00-021200-24313-4	1/2" x 72 yds	18	White
00-021200-24312-7	3/4" x 72 yds	12	White
00-021200-24311-0	1" x 72 yds	9	White

3M™ Double Coated Polyethylene Foam Tape 4466

Seals out dust, resists solvents and acids, and fills gaps. It forms a very strong bond between most rough, or smooth surfaces and develops great peel strength. The tape and rubber adhesive are extremely flexible so it easily conforms to almost any surface. Instead of drills and screws, use this. It seals and cushions vibrations. Great for window glazing and attaching hooks.



UPC Number	Size	Case Qty	Colour
00-021200-24304-2	1/2" x 36 yds	18	White
00-021200-24303-5	3/4" x 36 yds	12	White
00-021200-24302-8	1" x 36 yds	9	White

3M™ Double Coated Polyethylene Foam Tape 4492

Seals out dust, resists solvents and acids, and fills gaps. It forms a very strong bond between most rough or smooth surfaces and develops great peel strength. The tape and rubber adhesive are extremely flexible so it easily conforms to almost any surface. It works well enough to replace drills and screws, and it seals and cushions vibrations. Great for window glazing and attaching hooks.



UPC Number	Size	Case Qty	Colour
00-021200-24317-2	1/2" x 72 yds	18	White
00-021200-24316-5	3/4" x 72 yds	12	White
00-021200-24315-8	1" x 72 yds	9	White

3M™ Double Coated Polyethylene Foam Tape 4496

Seals out dust, resists solvents and acids, and fills gaps. It forms a very strong bond between most rough, or smooth surfaces and develops great peel strength. The tape and rubber adhesive are extremely flexible so it easily conforms to almost any surface. Instead of drills and screws, use this. It seals and cushions vibrations. Great for window glazing and attaching hooks.



UPC Number	Size	Case Qty	Colour
00-021200-30425-5	1/2" x 36 yds	18	Black
00-021200-24308-0	1/2" x 36 yds	18	White
00-021200-30424-8	3/4" x 36 yds	12	Black
00-021200-24307-3	3/4" x 36 yds	12	White
00-021200-30423-1	1" x 36 yds	9	Black
00-021200-24306-6	1" x 36 yds	9	White

3M™ Double Coated Urethane Foam Tape 4004


This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time. 1/4" Thickness.



UPC Number	Size	Case Qty	Colour
00-021200-03392-6	1/2" x 18 yds	18	Off-White
00-021200-03394-0	1" x 18 yds	9	Off-White

3M™ Double Coated Urethane Foam Tape 4008


1/8 in, thick open cell urethane foam flexible carrier with high shear, high temperature resistant acrylic adhesive. Use to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area. Apply by hand or with dispenser.



UPC Number	Size	Case Qty	Colour
00-021200-06450-0	1/2" x 36 yds	18	Off-White
00-021200-06451-7	3/4" x 36 yds	12	Off-White
00-051131-06439-3	1" x 4 yds	5	Off-White
00-021200-06452-4	1" x 36 yds	9	Off-White

3M™ Double Coated Urethane Foam Tape 4016


1/16 in, thick open cell urethane foam flexible carrier with high shear, high temperature resistant acrylic adhesive. Use to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area. Apply by hand or with dispenser.



UPC Number	Size	Case Qty	Colour
00-021200-06453-1	1/2" x 36 yds	18	Off-White
00-021200-06454-8	3/4" x 36 yds	12	Off-White
00-021200-06455-5	1" x 36 yds	9	Off-White

3M™ Double Coated Urethane Foam Tape 4026


This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time.



UPC Number	Size	Case Qty	Colour
00-051131-06440-9	1" x 6 yds	5	Off-White

3M™ Double Coated Urethane Foam Tape 4032


This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time. 1/32" Thickness.



UPC Number	Size	Case Qty	Colour
00-021200-77160-6	1/2" x 72 yds	18	Off-White
00-021200-77178-1	3/4" x 72 yds	12	Off-White
00-021200-06458-6	1" x 72 yds	9	Off-White

3M™ Double Coated Urethane Foam Tape 4052


This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time. 1/32" Thickness.



UPC Number	Size	Case Qty	Colour
00-021200-14667-1	1/2" x 72 yd	18	Black
00-021200-14618-3	3/4" x 72 yds	12	Black
00-021200-14557-5	1" x 72 yds	9	Black

3M™ Double Coated Urethane Foam Tape 4056


This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time. 1/16" Thickness.



UPC Number	Size	Case Qty	Colour
00-021200-14668-8	1/2" x 36 yds	18	Black
00-021200-14619-0	3/4" x 36 yds	12	Black
00-021200-14558-2	1" x 36 yds	9	Black

3M™ Double Coated Urethane Foam Tape 4085

This tape has an acrylic adhesive that seals, cushions vibrations, resists impacts, and insulates. It adheres to most clean, dry, rough, or smooth surfaces. Resists heat up to 380° F for short periods and 225° F for an extended time. 3/64" Thickness.



UPC Number	Size	Case Qty	Colour
00-021200-17660-9	1/2" x 72 yds	18	Off-White
00-021200-17661-6	3/4" x 72 yds	12	Off-White
00-021200-17662-3	1" x 72 yds	9	Off-White

3M™ Double Coated Vinyl Foam Tape 4408

Its bond is very strong with great peel strength. Has an acrylic adhesive and is very flexible so it easily conforms to corners. Replaces the need of drills and screws. It seals, cushions vibrations, and resists solvents. Great for bonding fiberglass trim panels or signs in buildings. It adheres to most rough, or smooth surfaces. Resists heat up to 200°F for short periods and 150°F for weeks.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-03289-9	1/8"	1/2" x 36 yds	18	Black
00-021200-03290-5	1/8"	3/4" x 36 yds	12	Black
00-021200-03291-2	1/8"	1" x 36 yds	9	Black

3M™ Double Coated Vinyl Foam Tape 4416

1/16 in closed cell vinyl foam carrier with 430 acrylic adhesive and 3.0 mil, 62 lb densified kraft liner. Medium solvent resistance. High relative adhesion to HSE plastics and low adhesion to LSE plastics.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-03280-6	1/16"	3/4" x 36 yds	12	Black
00-021200-03279-0	1/16"	1/2" x 36 yds	18	Black
00-021200-03273-8	1/16"	1/2" x 36 yds	18	White
00-021200-03281-3	1/16"	1" x 36 yds	9	Black

Double Coated Tapes, Foam - *continued*

3M™ Double Coated Vinyl Foam Tape 4432

Its bond is very strong with great peel strength. Has an acrylic adhesive and is very flexible so it easily conforms to corners. Replaces the need of drills and screws. It seals, cushions vibrations, and resists solvents. Great for bonding fiberglass trim panels or signs in buildings. It adheres to most rough, or smooth surfaces. Resists heat up to 200°F for short periods and 150°F for weeks. Comes in multiple thicknesses, 3 widths and in black or white.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-03294-3	1/32"	1/2" x 72 yds	18	White
00-021200-03300-1	1/32"	1/2" x 72 yds	18	Black
00-021200-03295-0	1/32"	3/4" x 72 yds	12	White
00-021200-03301-8	1/32"	3/4" x 72 yds	12	Black
00-021200-03296-7	1/32"	1" x 72 yds	9	White
00-021200-03302-5	1/32"	1" x 72 yds	9	Black

Double Coated Tapes, Tissue

3M™ High Temperature Double Coated Tissue Tape 469

Double coated tissue tape light red in colour. High initial adhesion, high contact heat resistance and good adhesion to a variety of paper grades and thicknesses. Adheres well to most high energy surfaces and is ideal for bonding a variety of similar or dissimilar materials. Hand tearable for easy use.



UPC Number	Size	Case Qty
00-021200-38394-6	1/2" x 60 yds	72
00-021200-38393-9	3/4" x 60 yds	48
00-021200-38391-5	1" x 60 yds	36
00-021200-38390-8	1-1/2" x 60 yds	24
00-021200-38389-2	2" x 60 yds	16

Double Coated Tapes, Dispensers

3M™ Bracket Dispenser M-73

Can be mounted on walls, equipment, or at your work station to easily dispense lighter weight 3M™ industrial tapes.



UPC Number	Size	Case Qty
00-021200-11035-1	1"	6

3M™ Bracket Dispenser M-75

Can be mounted on walls, equipment, or at your work station to easily dispense lighter weight 3M™ industrial tapes.



UPC Number	Size	Case Qty
00-021200-11018-4	2"	1

Film Tapes

3M™ Polyester Film Tape 850

General use for splicing and applications where chemical resistance and/or clean removal is necessary. Polyester backing with an acrylic adhesive (transparent or pigmented). Available in transparent, black, red, white, gold and silver



UPC Number	Size	Case Qty	Colour
00-021200-07398-4	1/4" x 72 yds	144	Silver
00-021200-07392-2	1/2" x 72 yds	144	Black
00-021200-07400-4	1/2" x 72 yds	72	Silver
00-021200-07396-0	1/2" x 72 yds	72	White
00-021200-05905-6	3/4" x 72 yds	72	Transparent
00-021200-07393-9	1" x 72 yds	48	Black
00-021200-03573-9	1" x 72 yds	36	Red
00-021200-07401-1	1" x 72 yds	36	Silver
00-021200-07411-0	1" x 72 yds	36	Transparent
00-021200-32113-9	2" x 72 yds	24	Red

**3M™ Super Bond™
Film Tape 396**


Hold or repair polyethylene sheets and decorations instantly with this strong, thin, durable film tape. Polyester film with rubber resin adhesive economically combines quick adhesion and long holding power. 1.4 mm thick, 24" tensile strength.



UPC Number	Size	Case Qty
00-021200-19083-4	3/4" x 36 yds	48
00-021200-19084-1	1" x 36 yds	36
00-021200-19086-5	2" x 36 yds	24

**3M™ UHMW Film
Tape 5421**

Resist abrasion and wear. Provide a release surface for many sticky materials. Help control noise and efficiency of process equipment. 5 mil backing.



UPC Number	Size	Case Qty	Colour
00-021200-08008-1	1" x 18 yds	9	Transparent
00-021200-08009-8	2" x 18 yds	6	Transparent

**3M™ UHMW Film
Tape 5423**

Resist abrasion and wear. Provide a release surface for many sticky materials. Help control noise and efficiency of process equipment. 11.7 mil backing.



UPC Number	Size	Case Qty	Colour
00-021200-07577-3	1" x 18 yds	9	Transparent
00-021200-07576-6	2" x 18 yds	6	Transparent

**Scotch® Coloured Film
Tape 690**

Colourful film tape that solves packaging, coding and sealing problems. Durable tapes are designed to resist moisture and chemicals for a tight seal.



UPC Number	Size	Case Qty	Colour
00-021200-61648-8	12 mm x 66 m	144	Red
00-021200-61655-6	12 mm x 66 m	144	White
00-021200-61660-0	12 mm x 66 m	144	Yellow
00-021200-61633-4	12 mm x 66 m	144	Black
00-021200-61640-2	12 mm x 66 m	144	Green
00-021200-61637-2	12 mm x 66 m	144	Blue
00-021200-61662-4	24 mm x 66 m	72	Yellow
00-021200-61650-1	24 mm x 66 m	72	Red
00-021200-61635-8	24 mm x 66 m	72	Black

**Scotch® Premium
Film Tape 600**

Excellent holding power and instant adhesion. For light duty closing and bundling. Resists staining and sunlight. Specially treated film backing resists splitting and allows controlled unwind.



UPC Number	Size	Case Qty	Colour
00-051131-06941-3	3/8" x 72 yds	96	Clear
00-051131-06821-6	1/2" x 72 yds	72	Clear
00-051131-06680-9	3/4" x 72 yds	48	Clear
00-051131-07463-9	1" x 72 yds	36	Clear
00-051131-06682-3	1-1/2" x 72 yds	24	Clear
00-051131-06683-0	2" x 72 yds	24	Clear

3M™ Urethane Foam Tape 4104

Urethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive. 6.4 mm thickness.



UPC Number	Size	Case Qty	Colour
00-021200-03414-5	1" x 18 yds	9	Natural White

3M™ Urethane Foam Tape 4108

Urethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive. 3.0 mm thickness.



UPC Number	Size	Case Qty	Colour
00-021200-03404-6	1/4" x 36 yds	36	Natural White
00-021200-03408-4	1" x 36 yds	9	Natural White

3M™ Urethane Foam Tape 4116

Urethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive. 1.5 mm thickness.



UPC Number	Size	Case Qty	Colour
00-021200-03398-8	1/4" x 36 yds	36	Natural White
00-021200-03402-2	1" x 36 yds	9	Natural White

3M™ Urethane Foam Tape 4317

Urethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive. 9.5 mm thickness.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-67474-7	3/8"	3/8" x 9 yds	24	Charcoal Gray
00-051131-06446-1	9.5 mm	1" x 9 yds	9	Charcoal Gray

3M™ Urethane Foam Tape 4318

Urethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive.



UPC Number	Extra Desc	Size	Case Qty	Colour
00-021200-67475-4	9.5 mm	1/4" x 36 yds	36	Charcoal Gray
00-051131-06449-2	9.5 mm	1" x 36 yds	9	Charcoal Gray
00-021200-67478-5	9.5 mm	2" x 36 yds	6	Charcoal Gray

Foam Tapes - Very High Bond

3M™ VHB™ Acrylic Foam Very High Bond Tape 4941

45 mil thick Closed cell gray acrylic foam carrier with paper liner. Conformable, good adhesion to painted metals and plasticizer resistant. UL listing 746C.



UPC Number	Size	Case Qty
00-021200-64886-1	1/2" x 36 yds	18
00-021200-64887-8	3/4" x 36 yds	12
00-021200-64888-5	1" x 36 yds	9

3M™ VHB™ Acrylic Foam Tape 5952

45 mil gray closed-cell acrylic foam carrier. Conformable. Good adhesion to many powder coated surfaces and plastics.



UPC Number	Size	Case Qty
00-021200-59967-5	1/2" x 36 yds	18
00-021200-56229-7	1" x 36 yds	9

3M™ VHB™ Acrylic Foam Tape 4611

Bonds bare metal and holds reliably through most paint cycle washes and high temperature baking. Accepts powder coats for a uniformly coloured product.



UPC Number	Size	Case Qty
00-021200-56375-1	1/2" x 36 yds	18
00-021200-56002-6	3/4" x 36 yds	12
00-021200-36988-9	1" x 36 yds	9

FSK Tape

3M™ FSK Facing Tape 3320

Facing Tape 3320 is engineered specifically as a vapor retardant tape to seal mineral wool foil-faced insulation, bare sheet metal ducts, and blanket-style fiberglass duct insulation.



UPC Number	Size	Unit	Case Qty
0-51115-31530-5	48 mm x 45.7 m	Roll	24
0-51115-31531-2	72 mm x 45.7 m	Roll	16
0-51115-31532-9	99 mm x 45.7 m	Roll	12

Removable Repositionable

3M™ Removable Repositionable Tape 665

Has a strong permanent adhesive on one side and a removable or repositionable adhesive on the other. It seals bags during shipment and display, but allows customers to open and reclose them as necessary. The tape is linerless to help speed automatic dispensing.



UPC Number	Extra Desc	Size	Case Qty
00-021200-04157-0	3.5 mil	1/2" x 72 yds	72
00-021200-04036-8	3.5 mil	3/4" x 72 yds	48
00-021200-04158-7	3.5 mil	1" x 72 yds	36

3M™ General Purpose Vinyl Tape 764

Ideal for colour coding various parts and equipment, indicating hazards on or near equipment, securing bundled parts for efficient transportation and providing a broad variety of holding functions.



UPC Number	Size	Case Qty	Colour
00-021200-43424-2	1" x 36 yds	36	Red
00-021200-43177-7	1" x 36 yds	36	Yellow
00-021200-43428-0	1" x 36 yds	36	Black
00-021200-43431-0	1" x 36 yds	36	Blue
00-021200-43437-2	1" x 36 yds	36	Orange
00-021200-43184-5	1" x 36 yds	36	White
00-021200-43443-3	1" x 36 yds	36	Purple
00-021200-43446-4	1" x 36 yds	36	Gray
00-021200-43449-5	1" x 36 yds	36	Brown
00-021200-43434-1	1" x 36 yds	36	Green
00-021200-43185-2	2" x 36 yds	24	White
00-021200-43425-9	2" x 36 yds	24	Red
00-021200-43435-8	2" x 36 yds	24	Green
00-021200-43450-1	2" x 36 yds	24	Brown
00-021200-43447-1	2" x 36 yds	24	Gray
00-021200-43444-0	2" x 36 yds	24	Purple
00-021200-43441-9	2" x 36 yds	24	Transparent
00-021200-43438-9	2" x 36 yds	24	Orange
00-021200-43178-4	2" x 36 yds	24	Yellow
00-021200-43429-7	2" x 36 yds	24	Black
00-021200-43432-7	2" x 36 yds	24	Blue
00-021200-43183-8	3" x 36 yds	12	White
00-021200-43426-6	3" x 36 yds	12	Red
00-021200-43179-1	3" x 36 yds	12	Yellow

3M™ Hazard Warning Tape 766


Stripes promote employee safety by marking pinch points or gears on equipment. Prevent accidents by providing temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas.



UPC Number	Size	Case Qty	Colour
00-021200-43181-4	2" x 36 yds	24	Black/Yellow
00-021200-43182-1	3" x 36 yds	12	Black/Yellow

3M™ Hazard Warning Tape 767


Stripes promote employee safety by marking pinch points or gears on equipment. Prevent accidents by providing temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas.



UPC Number	Size	Case Qty	Colour
00-021200-43186-9	2" x 36 yds	2	Red/White
00-021200-43187-6	3" x 36 yds	12	Red/White

3M™ Safety Stripe Tape 5700


Safety first! Use this Black and White Safety Stripe Tape to mark floors, hazards, equipment, pipes and boundaries. This vinyl backed rubber adhesive tape conforms to shapes, holds well and removes easily. Long lasting and abrasion resistant. Use around metal shapes when painting. Chemical resistant.



UPC Number	Size	Case Qty
00-021200-04367-3	2" x 36 yds	24
00-021200-03954-6	3" x 36 yds	12

3M™ Safety Stripe Tape 5702

Safety first! Use this Black and Yellow Safety Stripe Tape to mark floors, stairs, hazards, equipment, pipes and boundaries. This vinyl backed rubber adhesive tape conforms to shapes, holds well and removes easily. Long lasting and abrasion resistant. Use around metal shapes when painting. Chemical resistant.



UPC Number	Size	Case Qty
00-021200-04585-1	2" x 36 yds	24
00-021200-80453-3	3" x 36 yds	12

3M™ Vinyl Tape 471


Ideal for many colour coding, abrasion protection, decoration, sealing, patching, splicing, wrapping and general purpose applications. Used in paint marking areas.



UPC Number	Size	Case Qty	Colour
00-021200-03133-5	1/4" x 36 yds	144	White
00-021200-03994-2	3/8" x 36 yds	96	White
00-021200-03113-7	1/2" x 36 yds	72	Black
00-021200-03134-2	1/2" x 36 yds	72	White
00-021200-03126-7	1/2" x 36 yds	72	Yellow
00-021200-03114-4	3/4" x 36 yds	48	Black
00-021200-03120-5	3/4" x 36 yds	48	Blue
00-021200-05112-8	3/4" x 36 yds	48	Brown
00-021200-03144-1	3/4" x 36 yds	48	Green
00-021200-03980-5	3/4" x 36 yds	48	Orange
00-021200-03106-9	3/4" x 36 yds	48	Red
00-021200-03099-4	3/4" x 36 yds	48	Transparent
00-021200-03135-9	3/4" x 36 yds	48	White
00-021200-03127-4	3/4" x 36 yds	48	Yellow
00-021200-03115-1	1" x 36 yds	36	Black
00-021200-03136-6	1" x 36 yds	36	White
00-021200-03116-8	1-1/2" x 36 yds	24	Black
00-021200-03137-3	1-1/2" x 36 yds	24	White
00-021200-04306-2	2" x 36 yds	24	Black
00-021200-04308-6	2" x 36 yds	24	Blue
00-021200-04309-3	2" x 36 yds	24	Brown
00-021200-04313-0	2" x 36 yds	24	Green
00-021200-04312-3	2" x 36 yds	24	Orange
00-021200-04305-5	2" x 36 yds	24	Red
00-021200-04314-7	2" x 36 yds	24	Transparent
00-021200-04311-6	2" x 36 yds	24	White
00-021200-04310-9	2" x 36 yds	24	Yellow
00-021200-06467-8	3" x 36 yds	12	Black
00-021200-06466-1	3" x 36 yds	12	White
00-021200-06470-8	3" x 36 yds	12	Yellow
00-021200-03118-2	4" x 36 yds	8	Black
00-021200-03139-7	4" x 36 yds	12	White

3M™ Vinyl Tape 472

Black, 10.4 mil, vinyl tape with rubber adhesive used in applications requiring corrosion, abrasion and outdoor weathering protection. Designed for splicing, patching, sealing and dissimilar metal protection. Thickest vinyl tape. Very conformable.



UPC Number	Size	Case Qty
00-021200-03151-9	1" x 36 yds	36
00-021200-04316-1	2" x 36 yds	24
00-021200-03154-0	4" x 36 yds	8

Sheathing Tape

3M™ Construction Sheathing Tape 8808

- High performance sheathing tape installs and performs well over a broad temperature range
- Excellent vapour barrier tape on polyethylene film
- Performs well as a seam tape on extruded foam products such as Styrofoam® and Foamular®
- Applies to all major housewraps including Tyvek® and Typar®
- Great for use as a sealing tape on DensGlass Gold® and other sheathing brands
- Listed and approved by the Canadian Construction Materials Centre (CCMC #11862-R)



3M Product N°	Size	Rolls/Case
8088	60 mm x 66 m	20

Single Coated Tape - Dispensers

Scotch® Heavy Duty Dispenser C-22

Film-backed or paper tape on rolls up to 5-1/4" in diameter is dispensed quickly and efficiently using the C-22. Can handle two 1" wide tape rolls or one 2" wide tape roll.



UPC Number	Size	Case Qty
00-021200-11206-5	2"	1

Single Coated Tape, Dispensers - continued

Scotch® Heavy Duty Dispenser C-23

Handles a variety of materials including cellophane, acetate fibre, acetate film, paper and filament tape on rolls up to 5-3/4" in diameter and up to 1" wide.



UPC Number	Size	Case Qty
00-021200-11022-1	1"	1

Squeak Reduction Tapes

3M™ Squeak Reduction Tape 5430

Reduce squeaks and rattles in automotive parts by providing a slick surface. With acrylic adhesive for excellent adhesion to metal. Abrasion resistant UHMW-PE film 6.5 mm thick, 75 oz./inch adhesion to steel, 40# tensile. Heat resistant.



UPC Number	Size	Case Qty
00-021200-24329-5	1" x 36 yds	9

Thread Sealant Tape

3M™ Pipe Thread Sealant Tape 48

Rolls on dry; molds into pipe threads forming a leak-proof seal. Works on any automotive line, eliminates messiness of conventional materials. Unaffected by oils, transmission fluid, or freon. Never dries out. Permanently lubricated joints never stick.



UPC Number	Size	Case Qty
00-054007-06195-3	1/2" x 260"	12
00-054007-06196-0	1/2" x 520"	12

Vinyl Tapes, Foam Tape

3M™ Vinyl Foam Tape 4500-Series -High Density Vinyl

Black closed cell vinyl foam with acrylic adhesive. Durable, flexible, weather resistant tapes which can help seal out dust, light, and moisture when placed under 30 percent compression.



UPC Number	Product N°	Thickness	Size	Case Qty
00-021200-03316-2	4504	6.0 mm	1/4" x 18 yds	36
00-021200-03320-9	4504	6.0 mm	1" x 18 yds	9
00-021200-04892-0	4504	6.0 mm	2" x 18 yds	6
00-021200-03310-0	4508	3.0 mm	1/4" x 36 yds	36
00-021200-03314-8	4508	3.0 mm	1" x 36 yds	9
00-021200-04857-9	4508	3.0 mm	2" x 36 yds	6
00-021200-03305-6	4516	1.5 mm	1/4" x 36 yds	36
00-021200-03309-4	4516	1.5 mm	1" x 36 yds	9

3M™ Vinyl Foam Tape 4700-Series

-Medium Density VinylUrethane foam tape series 4100 are a firm rigid open cell urethane foam offering excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells.

Urethane foam tape series 4310 are a very soft, conformable low density urethane foam which can help seal out air, dust, and light when compressed 50%. Vinyl foam tape series 4500 and 4700 are durable, flexible closed cell vinyls which can help seal out dust, light, and moisture when placed under 30% compression. All foams feature an acrylic adhesive. Colour: Black.



UPC Number	Product N°	Thickness	Size	Case Qty
00-051131-06471-3	4714	6.0 mm	1/2" x 18 yds	18
00-051131-06473-7	4714	6.0 mm	1" x 18 yds	9
00-051131-06474-4	4718	3.0 mm	1/2" x 36 yds	18
00-051131-06476-8	4718	3.0 mm	1" x 36 yds	9
00-051131-06479-9	4726	1.5 mm	1" x 36 yds	9

**3M™ VHB™ Structural Glazing Tapes
G23F (Gray) and B23F (Black)**

Reliability guaranteed

- Up to 20-year warranty for qualifying applications
- Bonds with excellent dynamic strength to replace wet glazing
- Resists environmental conditions such as UV, moisture, heat, and cold
- Viscoelasticity absorbs shock and allows movement for reliability against wind, vibration, and thermal expansion/contraction

Simplified application saving time and materials

- Speeds assembly and delivery
- Bonds on contact with no drying, fixturing, and liquid mess
- Saves the time, labor, and materials of spacer tape, gasketing, masking, and clean-up
- Eliminates the time and testing of 2-part systems for glass/butterfly, snap time, and mix ratio

Eye appeal from a distance and even up close from the inside and out

- Clean edge lines
- Tape bonds, seals and conforms to a variety of surfaces
- Colour remains consistent from one end to the other
- No colour change as seen between structural silicone and spacer tape/gasket



Quick and Easy Application



SPECIFICATIONS:

Adhesive	High performance acrylic
Adhesive carrier	Conformable closed cell acrylic foam
Thickness	2.3 mm (0.090")
Tolerance	± 10%
Density	720 kg/m3 (45 lb.ft.3)
Liner	0.125 mm (0.005") red polyethylene film
Peel strength	25 lb./in. width (440 N/100 mm) Stainless steel, ASTM D 3330
Tensile strength	70 lb./in.2 (480 kPa) Aluminum T-block, ASTM D 1002
Dynamic overlap shear strength	65 lb./in.2 (450 kPa) Stainless steel, ASTM D 1002
Static shear strength	1000 g/0.5 sq. in. for 10,000 min. at 72°F (22°C) 500 g/0.5 sq. in. for 10,000 min. at 150°F (66°C) and 200°F (93°C) Stainless steel, ASTM D 3654



High Performance Long Life

©2011 3M. 3M is a trademark of 3M. Used under license in Canada. BPOB-CP-318605-E



Pro Series Residential Air Cleaning Filters

Offered only through HVAC dealers, distributors & contractors

3M Pro Series 4" & 5" residential air cleaning filters meet the MERV14* rating standard set by ASHRAE 52.2. The filters electrostatically charged synthetic micro fibres enable them to last up to 1 year and to capture significantly more microscopic and large allergens like:

- dust
- smoke particles
- smog particles
- mold spores
- pet dander

Old fashioned fiberglass filters don't even come close!

3M™ Pro Series Residential Air Cleaning Filters

Catalog ID	Size	Unit	Case Qty
PRO-1-1625	16" x 25" x 1"	3 Pack	4
PRO-1-2025	20" x 25" x 1"	3 Pack	4
PRO-4-1625	16" x 25" x 4"	1 Each	4
PRO-4-2025	20" x 25" x 4"	1 Each	4
PRO-5-1625	16" x 25" x 5"	1 Each	5
PRO-5-2025	20" x 25" x 5"	1 Each	5

3M™ Pro Series Residential Air Cleaning Filters Media Bay with filter

Catalog ID	Size	Unit	Case Qty
PRO-5-1625-MBF	16" x 25" x 5"	1 Each	1
PRO-5-2025-MBF	20" x 25" x 5"	1 Each	1

* Applies to 4" and 5" models only.

1" Pro Series is rated as a MERV 11 and lasts up to 3 months.

POU (Point-of-Use) Drinking Water Systems – Existing Faucet

AP Easy CS-FF (Existing Faucet) Drinking Water System

Full Flow undersink drinking water system, 5 micron, 2000 gallons.

Reduces: Sediment*, Chlorine Taste & Odour
Existing Faucet Drinking Water System

- Rated for 7,570 litres of filtration at 7.6 Lpm (2,000 gallons @ 2.0 gpm)
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP Easy CS-FF	5609222	CTO (Chlorine, Taste, Odour)	Each	4
C-CS-FF	5610427	Replacement cartridge for the AP Easy CS-FF	Each	4

* Claims not tested or certified by NSF

AP Easy CYST-FF (Existing Faucet) Drinking Water System

Full Flow undersink drinking water system, 0.5 micron, 2000 gallons.

Reduces: Sediment*, Chlorine Taste & Odour and Parasitic Protozoan Cysts
Existing Faucet Drinking Water System

- Rated for 7,570 litres of filtration at 5.7 Lpm (2,000 gallons @ 1.5 gpm)
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP Easy Cyst-FF	5609223	CTO, Cyst	Each	4
C-CYST-FF	5610428	Replacement cartridge for the AP Easy CYST-FF	Each	4

* Claims not tested or certified by NSF

POU (Point-of-Use) Drinking Water Systems – Dedicated Faucet

AP Easy CS-S (Dedicated Faucet) Drinking Water System

Dedicated Faucet, undersink drinking water system, 5 micron, 750 gallons.

Reduces: Sediment*, Chlorine Taste & Odour

- Rated for 2,839 litres of filtration at 2.84 Lpm (750 gallons @ 0.75 gpm)
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP Easy CS-S	5617905	CTO	Each	6
C-CS-S	5618009	Replacement cartridge for the AP Easy CS-S	Each	6

* Claims not tested or certified by NSF

AP Easy LC (Dedicated Faucet) Drinking Water System

Dedicated Faucet, undersink drinking water system, 0.5 micron, 750 gallons.

Reduces: Sediment*, Chlorine Taste & Odour, Lead and Parasitic Protozoan Cysts

- Rated for 2,839 litres of filtration at 2.84 Lpm (750 gallons @ 0.75 gpm)
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP Easy LC	5617906	CTO, Cyst, Lead	Each	1
C-LC	5618011	Replacement cartridge for the AP Easy LC	Each	6

* Claims not tested or certified by NSF

AP Easy Complete (Dedicated Faucet) Drinking Water System

Dedicated Faucet, undersink drinking water system, 0.5 micron, 750 gallons.

Reduces: Sediment*, Chlorine Taste & Odour, Lead, Parasitic Protozoan Cysts, VOCs**, Mercury, Turbidity and Asbestos


- Rated for 2,839 litres of filtration at 2.84 Lpm (750 gallons @ 0.75 gpm)
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP Easy Complete	5617904	CTO, lead, cyst, mercury, turbidity, asbestos, limited VOCs	Each	1
C-Complete	5648007	Replacement cartridge for the AP Easy Complete	Each	6

** VOCs include: Benzene, Toxaphene and Dichlorobenzene

* Claims not tested or certified by NSF



AP-DWS1000 (Dedicated Faucet) Drinking Water System

Dedicated Faucet, Metered, undersink drinking water system, 625 gallons.

Reduces: Sediment*, Chlorine Taste & Odour, VOCs**, Chemicals, MTBE, Lead and Parasitic Protozoan Cysts

Advanced Monitor Dual Stage Carbon Block Filtration System

- Very high filtration efficiency and chlorine taste & odour reduction
- Significant reduction of lead and chemical contaminants
- Exclusive sanitary quick change cartridge design
- Cartridge change required every 2,366 litres (625 gallons)
- NSF third party tested and certified



AP-R05500 (Dedicated Faucet) Drinking Water System

Reverse Osmosis undersink drinking water system.

Reduces: Sediment*, Chlorine Taste & Odour, Lead, Arsenic, TDS, Turbidity, Parasitic Protozoan Cysts, Radium, Barium, Cadmium, Chromium, Copper, Fluoride & Selenium, Dissolved Salts and Chlorides

Advanced 4-Stage Reverse Osmosis System

- 92%+ reduction of dissolved salts in water
- Long-reach faucet to easily fill large containers and pitchers
- Automatic shut-off device for peak efficiency and water conservation
- NSF third party tested and certified



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP-DWS1000	5583101	CTO, lead, cyst, VOC/MTBE	Each	1
AP-DW80/90	5585102	Replacement cartridge for the AP-DWS1000	Each	4

** VOCs include: Benzene, Toluene, PCE Styrene, and others
* Claims not tested or certified by NSF

Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP-R05500	5598201	Reverse Osmosis	Each	1
AP5527	5598101	Replacement cartridge for the AP-R05500	Each	6
AP5500RM	5608401	Replacement membrane for the AP-R05500	Each	2

* Claims not tested or certified by NSF

Water Filtration - Whole House Point of Entry Filtration

3M™ Water Filtration Products Models AP902/AP903 single cartridge water filtration systems help provide consistent high quality water for whole house filtration at flow rates up to 20 gpm (75.7 lpm).

3M™ Whole House Water Filtration System, AP902

AP 902 filters sediment in well water applications. NSF Std. 42 component listed.

3M™ Whole House Water Filtration System, AP903

AP 903 filters sediment and reduces chlorine, taste and odour in city water applications. NSF Std. 42 component listed.



Catalog ID	Part Number	Reduction Claims / Description	Unit	Case Qty
AP902	5621101	Sediment Filter	Each	1
AP903	5621102	CTO, Sediment	Each	1
AP910R	5621001	5 micron sediment replacement cartridge for the AP902	Each	1
AP917R	5621003	5 micron sediment, CTO replacement cartridge for the AP903	Each	1

Aqua-Pure® CWS Series - High Flow - Metered Water Softener

Features

- Smart electronics with backup
 - Monitors water consumption and automatically adjusts to changing water usage
- Patented CYCLONE resin scrubber
- Self-leveling base compensates for unlevel floors
- Brine overflow protection (power outages)
- Quick and Easy installations (manual included)
- Limited Lifetime Warranty



Catalog ID	Size	Max Softening Capacity (grains)	Flow Rate	MOQ
CWS100ME	1.0 cu. ft	28,500	11.0 gpm	1
CWS150ME	1.5 cu. ft	43,000	14.3 gpm	1

3M™ Ultraviolet Disinfection System

3M™ Ultraviolet Water Disinfection System, 8 gpm @ 40 mj/cm²

- Applicable to point of entry applications in today's larger homes and cottages.
- Compact mounting footprint
- Designed using sophisticated computer modeling software
- Electronic ballast, audible alarm and power on indicator



Part Number	Description	Flow Rate (gpm/lpm)	Application	Stock #	Case Qty
3MUV-8	System	8 / 30.0	Whole House	CT060898567	1
UVB-1	Bulb			CT060900280	1
UVQS-1	Quartz Sleeve			CT060900298	1
UVBLST-1	Ballast			CT060900306	1
UVORINGS	O-Rings			CT060900314	1

Aqua-Pure® Heater Scale Inhibition System, AP430SS

- Inhibits scale build-up in hot water heaters (both with and with out tanks) and water using appliances.
- 3/4" inlet and outlet connections for easy installation and high flow rates
- Designed for scale and corrosion inhibition to help extend life of hot water systems, pipes and downstream plumbing fixtures
- Designed with translucent dispenser cartridge to allow for convenient detection of remaining scale reduction level
- Multi-application design effective on all types of hot water systems - boilers, tankless, and tank-type (gas or electric)
- Manufactured from FDA CFR-21 compliant materials



Catalog ID	Application	Reduction Claims / Description	Unit	Case Qty
AP430SS	In-line scale inhibitor system	Scale Reduction	Each	6
AP431	In-line scale inhibitor system	Replacement Cartridge	Each	10

The Choice of the Professional Plumber



Cleaner
Clearer
Better Tasting
Water

Water filtration solutions from a trusted partner that help save money and add value.

The new 3M™ Whole House water filtration system, using Sanitary Quick Change (SQC) technology, an industry first, helps provide better quality water throughout the home in both city and well water applications. Easy to install and maintain, these quick change cartridges are designed for a full year of daily use.

- AP 902 filters sediment in well water applications
- AP 903 filters sediment and reduces chlorine taste and odor in city water applications



Quality drinking and utility water is available for today's home.

Easy, Clean, Done.

Whole House Water Filtration System

Visit www.cuno.com or call 1-800-222-7880

540 Polyurethane Sealant	54
560 Polyurethane Adhesive Sealant	54
5-Way Penetrant.....	60
1100 Foam Earplugs	104
1110 Corded Foam Earplugs.....	104

- A -

Abrasive Flap Disc 563D	10
Abrasive Flap Disc 747D	10
Abrasive Product Roll 314D.....	33
Abrasive Product Sheet 314D.....	34
Acid Gas Cartridge 6002.....	115
Acrylic Box Sealing Tape 302	99
Adapter 502.....	114
Adhesives Applicator Guide	45
Aluminum Foil Tape 425.....	121
Aluminum Foil Tape 1450.....	121
Aluminum Foil Tape 3380.....	121
Aluminum Foil Tape 3381.....	121
Ammonia/Methylamine Cartridge 6004.....	116
Anchor Points; Assemblies and Fasteners ..	108
Anti-Slip/Anti-Stick Tape 5461.....	121
AO TUFFMASTER® Headgear/window Combo Systems	107
AP-DWS1000 (Dedicated Faucet) Drinking Water System.....	135
AP-RO5500 (Dedicated Faucet) Drinking Water System.....	135
AP Easy Complete (Dedicated Faucet) Drinking Water System.....	134
AP Easy CS-FF (Existing Faucet) Drinking Water System.....	134
AP Easy CS-S (Dedicated Faucet) Drinking Water System.....	134
AP Easy CYST-FF (Existing Faucet) Drinking Water System.....	134
AP Easy LC (Dedicated Faucet) Drinking Water System.....	134
Aqua-Pure® CWS Series - High Flow Metered Water Softener	135
Aqua-Pure® Heater Scale Inhibition System, AP430SS	136
ARC PLUG Premolded Reusable Earplugs...	104

- B -

Blunt End Mix Tip for 12 oz Cartridge (356cc).....	40
Bracket Dispenser M-73	125
Bracket Dispenser M-75	125
Bumpon™ Protective Product.....	58
Bumpon™ Protective Product SJ5001.....	58
Bumpon™ Protective Product SJ5003.....	58
Bumpon™ Protective Product SJ5007.....	58

Bumpon™ Protective Product SJ5008.....	58
Bumpon™ Protective Product SJ5017.....	58
Bumpon™ Protective Product SJ5303.....	58
Bumpon™ Protective Product SJ5306.....	58

- C -

Cable Tie Assortment Pack 06220	63
Cable Tie Heavy Duty	63
Cable Tie Miniature 6200	63
Cable Tie Mounting Bases	63
Cartridge/Filter 7093C/37173(AAD), Hydrogen Fluoride, P100 with Nuisance Level Organic Vapour and Acid Gas Relief*	117
Cartridge/Filter Acid Gas/P100, 60922	116
Cartridge/Filter Ammonia/ Methylamine/ P100 60924	116
Cartridge/Filter Formaldehyde/ Organic Vapour/P100 60925.....	117
Cartridge/Filter Mercury Vapour/ Chlorine Gas/P100 60929	117
Cartridge/Filter Multi Gas/Vapour/ P100 60926	117
Cartridge/Filter Organic Vapour/ P100 60921	116
Cartridge/Filter Organic Vapour/ Acid Gas/ P100 60923	117
Citrus Base Adhesive Remover 6041	39
Citrus Base Cleaner	60
CLASSIC™ Earplugs	104
Clean Sanding Disc 360L.....	13
Clean-View Pad 5850	92
Clean-Walk Framed Mat 5840.....	92
Clean-Walk Replacement Pad 5842.....	92
Clean-Walk Mat 5836.....	92
Clean-Walk Mat 5838.....	92
Cloth Belt 240D	1
Cloth Belt 761D	1
Cloth Belt 777F	4
Cloth Belts 241D/341D.....	1
Cloth Belts 241E.....	3
Cloth Belts 963G	4
Colourflex General Purpose Colour Coding Tape.....	71
Combi-S Wheel.....	23
Concrete Repair DP-600 Gray, Non-Sag	40
Concrete Repair DP 600 Gray, Self-Leveling	39
Concrete Repair Horizontal	40
Construction Sheathing Tape 8808	130
Contact Adhesive Solvent	41
Crimping Tool Ratchet TH-482.....	65
Crimping Tool Ratchet TR-490	65

Crimping Tool Scissors TH-450.....	66
Crystal Bay™ Emery Cloth Sheet 011K.....	36

- D -

Depressed Center Wheel, Aluminum Oxide	24
Detail Area/Angled Sanding Sponge	36
Di-Noc™ Architectural Finishes	56 -57
Disc Holder Adaptor 9	9
Disc Pad Face Plate - Ribbed	9
Disc Pad Face Plate - Smooth	9
Disc Pad Holder 945.....	11
Disc Pad Holder 947	11
Disc Pad Holder (Hook and Loop Discs)	22
Disc Pad Holders	22
Disc Pad Hub.....	9
Disc Pad Hub 88743.....	10
Disc Retainer Nut.....	10
Doodlebug™ Cleaning Pads.....	74
Doodlebug™ Pad Holder 6472.....	74
Double Coated Polyethylene Foam Tape 4462	122
Double Coated Polyethylene Foam Tape 4466	122
Double Coated Polyethylene Foam Tape 4492	122
Double Coated Polyethylene Foam Tape 4496	123
Double Coated Urethane Foam Tape 4004	123
Double Coated Urethane Foam Tape 4008	123
Double Coated Urethane Foam Tape 4016	123
Double Coated Urethane Foam Tape 4026	123
Double Coated Urethane Foam Tape 4032	124
Double Coated Urethane Foam Tape 4052	124
Double Coated Urethane Foam Tape 4056	124
Double Coated Urethane Foam Tape 4085	124
Double Coated Vinyl Foam Tape 4408.....	124
Double Coated Vinyl Foam Tape 4416.....	124
Double Coated Vinyl Foam Tape 4432.....	125
DP-600 Self Leveling Concrete Repair Starter Kit.....	40
Drywall Cloth Backed Abrasives	31
Drywall Foam Backed Cloth Abrasives.....	31
Drywall Products	31
Dual Cartridge Respirator Assembly, Organic Vapour/P95.....	113
Dual Lock™ Low Profile Reclosable Fastener SJ4570.....	78
Dual Lock™ Reclosable Fastener	77

Product Index

Duct Tape 3900.....	62
Duct Tape 3939.....	62
Duct Tape 6969.....	62
Duct Tape Classifications.....	61
DUST GOGGLEGEAR® for LEXA® Eyewear...	106

– E –

E-A-RSOFT™ FX™ Earplugs.....	104
Expanrol™ Flexible Intumescent Strip (E-FIS).....	82
Extra Duty Floor Brush 73.....	76

– F –

Fastbond™ Contact Adhesive 30.....	41
Fastbond™ Insulation Adhesive 49.....	41
Fibre Disc 281C.....	8
Fibre Disc 381C.....	8
Fibre Disc 501C.....	8
Fibre Disc 785C.....	9
Fire Barrier 615+ Duct Wrap Blanket 6 Lb. Density.....	84
Fire Barrier 1000 Silicone Sealants – No Sag.....	80
Fire Barrier 1003 Silicone Sealants – Self-leveling.....	80
Fire Barrier 2000+ Silicone Sealants.....	80
Fire Barrier 2000 Silicone Sealants.....	80
Fire Barrier 2001 Silicone RTV Foam.....	80
Fire Barrier Cast-in Device Products.....	82
Fire Barrier CP 25WB+ Caulk.....	79
Fire Barrier CS-195+ Composite Sheet.....	83
Fire Barrier IC 15WB+ Caulk.....	79
Fire Barrier Moldable Putty+.....	83
Fire Barrier Mortar.....	83
Fire Barrier Pass-Through Devices and Brackets - Round.....	84
Fire Barrier Pass-Through Devices and Brackets - Square.....	84
Fire Barrier Pillows.....	83
Fire Barrier Plastic Pipe Device.....	81
Fire Barrier Restricting Collars.....	81
Fire Barrier Self-Locking Pillows.....	83
Fire Barrier Ultra RC Pack.....	81
Fire Barrier Water Tight Silicone Sealant 3000 WT.....	81
Fire Barrier Wrap Strip.....	81
Fire Block FB 136 Sealant.....	79
FireDam™ 150+ CAULKING (blue).....	79
FireDam™ 150+ CAULKING (limestone).....	79
FireDam™ Spray 200.....	79
FireStrap Plastic Pipe Firestop.....	81
Flange 356.....	30
Flange Adaptor #3.....	27
Flange Adaptor 3.....	30
Flange Adaptor 5.....	30
Flap Disc Adaptor Nut 88765.....	10
Flap Disc Holder T27 88769.....	10
Flap Wheel 241E.....	25

Flap Wheel 244E.....	24
Flap Wheel 244E Type 83.....	26
Flap Wheel 244E Type 84.....	26
Flap Wheel 747D Type 83.....	26
Flexible Grinding Wheel Backup Pad.....	27
Flex Pack Heavy Duty Applicator Gun & Nozzles.....	82
FoamFast 74 Spray Adhesive.....	38
Forked Spindle 45121.....	36
Formaldehyde/Organic Vapour Cartridge 6005.....	116
FSK Facing Tape 3320.....	128
Full Facepiece 6000 Series.....	113
Full Facepiece 7800S Series, Silicone, Ultimate Reusable.....	113
Full Print Packing List Envelopes.....	102
Full Size Sanding Sponge.....	36

– G –

General Purpose Cut-Off Wheel.....	23
General Purpose Floor Brush 53.....	76
General Purpose Vinyl Tape 764.....	129
Glass Cloth Electrical Tape.....	71
Glass Cloth Tape 361.....	122
Green Corps™ Chop Saw Wheels.....	23
Green Corps™ Cut-Off Wheel.....	24
Green Corps™ Cutting and Grinding Wheel.....	27
Green Corps™ Depressed Center Wheel.....	24
Green Corps™ Flexible Grinding Wheel.....	27
Green Corps™ Reinforced Cut-Off Wheel.....	27

– H –

Half Facepiece.....	113
Half Facepiece 7500 Series, Ultimate Reusable.....	113
Hand-Masker™ Dispenser.....	89
Hand-Masker™ Dispenser Cut-Off Blades with Guard.....	90
Hand-Masker™ Dispenser Kit.....	89
Hand-Masker™ General Purpose Masking Paper.....	90
Hand-Masker™ Paper Blades.....	89
Hand-Masker™ (Pre-Folded) Masking Film.....	90
Hand-Masker™ Pre-Taped Drop Cloth.....	89
Harnesses.....	108
Hazard Warning Tape 766.....	129
Hazard Warning Tape 767.....	129
Heat Shrink Thin Wall Tubing Assort. FP-301.....	67
Heat Shrink Thin Wall Tubing EPS-300.....	67
Heat Shrink Tubing Kit EPS-300.....	67
Heat Shrink Tubing Kit — Colour Assortment FP-301.....	66
Heat Shrink Tubing Kit FP-301.....	66
Heat Shrink Tubing Spools FP-301.....	67
Hi-Strength 90 Spray Adhesive.....	39
High Efficiency Filter GVP-440.....	119
High Tack 76 Spray Adhesive.....	38

High Temperature Double Coated Tissue Tape 469.....	125
High Temperature Paint Masking Film 7300.....	89
Highland Terminals.....	68
Hookit™ Disc 216U.....	13
Hookit™ Disc 359F.....	11
Hookit™ Disc 750U.....	11
Hookit™ Disc Pad.....	12
Hookit™ Disc Pad 05775.....	11
Hookit™ Dust Free Low Profile Backup Pad 05855.....	12
Hookit™ Dust Free Low Profile Finishing Disc Pad 84226.....	12
Hookit™ Film Disc 255L.....	12
Hookit™ Low Profile Disc Pad 05755.....	12
Hookit™ Microfinishing Film Disc 366L.....	14
Hookit™ Soft Interface Disc Pad 05773.....	12
Hot-Melt™ Tips with Adaptor.....	45
Hot-Melt Applicator™ TC Quadrack Converter.....	45
Hot-Melt Applicators™ TC and LT Palm Trigger.....	45

– I –

Insulation 78 Spray Adhesive.....	39
Interam™ Aluminum Tape T-49.....	82
Interam™ Endothermic Mat.....	82

– L –

Lanyards.....	108
LEXA® Eyewear.....	106
Linerless Electrical Rubber Splicing Tape.....	72

– M –

Mandrel 933.....	29
Mandrel 934.....	29
Mandrel 936.....	30
Mandrel 944.....	6
Mandrel 946.....	30
Mandrel 990.....	30
Manual Dispenser.....	40
Marine Fire Wrap.....	82
Masking Paper.....	90
Masking Tape Application Guide.....	87
Matting & Treads Product Guide.....	91
MAXIM™ Eyewear.....	106
Mercury Vapour or Chlorine Cartridge 6009.....	116
METALIKS™ Eyewear.....	107
Microfinishing Film PSA Disc 366L.....	14
Microfinishing Film PSA Disc Roll 366L.....	14
Mini Mandrel 935.....	36
MT Series Industrial Headsets for use with Two-Way Radios.....	106
Multi-Purpose Duct Tape 2929.....	62
Multi Gas/Vapour Cartridge 6006.....	116

– N –

Nexcare™ Active™ Flexible Foam Bandages.....	86
Nexcare™ Advanced Skin Cream.....	85
Nexcare™ Cold and Hot Therapy Products.....	85
Nexcare™ Comfort Bandages.....	86
Nexcare™ Dressings.....	85
Nexcare™ First Aid Kits.....	85
Nexcare™ First Aid Tapes.....	85
Nexcare™ Heavy Duty Bandages.....	86
Nexcare™ Liquid Bandages.....	85
Nexcare™ Skin Crack Care.....	85
Nexcare™ Waterproof Bandages.....	86
Nomad™ Carpet Matting 6050.....	91
Nomad™ Carpet Matting 8850.....	91
Non-Printed Perforated Packing List	
Envelopes.....	102
NTN Maintenance and Repair Kit.....	7

– O –

O-Cel-O™ Sponges.....	74
OPTIME™ 95 Series.....	105
OPTIME™ 101 Series.....	105
OPTIME™ 105 Series.....	105
Organic Vapour/Acid Gas Cartridge 6003... 115	
Organic Vapour/Acid Gas/High Efficiency Cartridge GVP-443.....	119
Organic Vapour Cartridge 6001.....	115
Outdoor Masking and Stucco Tape 5959.....	62
Overspray Protective Sheeting.....	89

– P –

PAPR Kit Helmet HEPA filter.....	119
PAPR Kit Helmet Welding Shield	
High Efficiency Filter.....	119
Particulate Cartridge Hydrogen Fluoride/ P95, with Nuisance Level	
Acid Gas Relief 2076.....	114
Particulate Filter 2071, P95.....	114
Particulate Filter 2091, P100.....	115
Particulate Filter 5N11, N95.....	114
Particulate Filter with Nuisance Level	
Acid Gas Relief 2096, P100.....	115
Particulate Filter with Nuisance Level	
Organic Vapor/Acid Gas Relief 2078, P95.....	115
Particulate Filter with Nuisance Level	
Organic Vapour Relief 2097, P100.....	115
Particulate Respirator 8210, 8110s, N95... 110	
Particulate Respirator 8233, N100.....	112
Particulate Respirator 8240, R95.....	110
Particulate Respirator 8247, R95.....	111
Particulate Respirator 8271, P95.....	110
Particulate Respirator 8293, P100.....	112
Particulate Respirator 8511, N95.....	110
Particulate Respirator 8512, N95.....	111
Particulate Respirator 9210, N95.....	110
Particulate Respirator 9211, N95.....	110

Particulate Respirator with Nuisance Level	
Acid Gas Relief 8246, R95.....	111
Particulate Respirator with Nuisance Level	
Acid Gas Relief 8576, P95.....	112
Particulate Respirator with Nuisance Level	
Organic Vapor Relief 8577, P95.....	112
Particulate Welding Respirator.....	111
Particulate Welding Respirator 8515, N95.. 111	
Particulate Welding Respirator with	
Faceseal 8212, N95.....	111
Performance Plus Wire Connectors.....	65
Petroleum Sorbent Pad, High Capacity.....	119
Petroleum Sorbent Roll, High Capacity.....	120
Photoluminescent Film 6900.....	95
Pipe Thread Sealant Tape 48.....	131
Pneumatic Dispenser.....	40
Polyester Film Tape 850.....	125
Polyurethane Adhesive Sealant, 560.....	54
Polyurethane Sealant, 540.....	54
PowerCom Plus Self-contained	
2-way Radio Headset.....	106
Powerflow™ Face-Mounted Powered Air	
Purifying Respirator (PAPR).....	119
Pro Series Residential Air Cleaning Filters... 133	
Pro Series Residential Air Cleaning Filters	
Media Bay with filter.....	133
Pronto™ Instant Adhesive CA-4.....	50
Pronto™ Instant Adhesive CA-5.....	51
Pronto™ Instant Adhesive CA-7.....	51
Pronto™ Instant Adhesive CA-8.....	51
Pronto™ Instant Adhesive CA-9.....	52
Pronto™ Instant Adhesive CA40.....	51
Pronto™ Instant Adhesive CA-40H.....	51
Pronto™ Instant Adhesive CA-50 Gel.....	51
Pronto™ Instant Adhesive CA-100.....	50
PSA Disc 248D/348D.....	14
PSA Disc 777F.....	15
PSA Disc Holder.....	15
PTFE Glass Cloth Tape.....	122
PUSH-INS™ Earplugs.....	104

– Q –

Qualitative Fit Test Apparatus FT-10, Sweet.....	112
Qualitative Fit Test Apparatus FT-30, Bitter.....	112
Quick Drying Contact Cleaner 16-102.....	60

– R –

Radial Bristle Disc Thin Bristle.....	6
Removable Repositionable Tape 665.....	128
Respirator Cleaning Wipe	
Alcohol-Free 504.....	114
Respirator Filter 5P71, P95.....	114
Respirator Selector Guide.....	109
Retainer 501.....	114
Retractable lifelines.....	108

Roloc™ + Holder 1.....	30
Roloc™ Disc 361F.....	16
Roloc™ Disc 461F.....	16
Roloc™ Disc 777F.....	16
Roloc™ Disc 963G.....	16
Roloc™ Disc Pad.....	17
Roloc™ Disc Pack 985S.....	17
Roloc™ Disc Pad Shank 45102.....	17
Roloc™ Fibre Disc 501C.....	17
Roloc™ Fibre Disc 785C.....	17
Rubber and Vinyl 80 Spray Adhesive.....	39

– S –

Safety-Walk™ Coarse Tread 710.....	93
Safety-Walk™ Conformable Treads	
500 Series.....	93
Safety-Walk™ Cushion Matting.....	93
Safety-Walk™ Cushion Matting	
3270 & 3270E.....	91
Safety-Walk™ Cushion Matting 3400.....	91
Safety-Walk™ Cushion Matting 3600.....	91
Safety-Walk™ Cushion Matting 5100.....	91
Safety-Walk™ General Purpose Treads.....	93
Safety-Walk™ General Purpose Treads	
600 Series.....	94
Safety-Walk™ Lite Tape.....	95
Safety-Walk™ Medium Resilient Treads	
300 Series.....	94
Safety-Walk™ Slip-Resistant Resilient	
Tapes and Treads 200 Series.....	94
Safety-Walk™ Wet Area Matting 3200.....	91
Safety Stripe Tape 5700.....	129
Safety Stripe Tape 5702.....	129
Scotch® 2000 Electrician's Duct Tape.....	71
Scotch® 35 Vinyl Electric Tape.....	71
Scotch® Box Sealing Tape 311.....	97
Scotch® Box Sealing Tape 355.....	99
Scotch® Box Sealing Tape 371.....	96
Scotch® Box Sealing Tape 372.....	96
Scotch® Box Sealing Tape 373.....	96
Scotch® Box Sealing Tape 375.....	97
Scotch® Box Sealing Tape Dispenser	
H-122.....	98
Scotch® Box Sealing Tape Dispenser	
H-180.....	98
Scotch® Box Sealing Tape Dispenser	
H-183.....	98
Scotch® Box Sealing Tape Dispenser	
H-190.....	98
Scotch® Box Sealing Tape Dispenser	
H-192.....	98
Scotch® Cold Temperature Box Sealing	
Tape 3723.....	97
Scotch® Coloured Film Tape 690.....	126
Scotch® Electrical Moisture Sealant	
06147 and 06149.....	72

Product Index

Scotch® Extreme Application Packaging		Scotch-Brite™ Cut and Polish Wheel	23	Scotch-Seal™ Metal Sealer 2084	
Tape 8959	99	Scotch-Brite™ Deburring Roll	32	Aluminum	55
Scotch® Filament Tape 893	99	Scotch-Brite™ Deburring Wheel	24	Scotch-Seal™ Tamper Proof Sealant 1252....	55
Scotch® Filament Tape 897	99	Scotch-Brite™ EX2 Deburring Wheel	25	Scotch-Weld™ Acrylic Adhesive DP805	38
Scotch® Filament Tape 898	100	Scotch-Brite™ EX3 Deburring Wheel	25	Scotch-Weld™ Acrylic Adhesive DP820	38
Scotch® Filament Tape 8981	100	Scotch-Brite™ EXL Deburring Wheel.....	25	Scotch-Weld™ Applicators	45
Scotch® Filament Tape Hand Dispenser		Scotch-Brite™ EXL Unitized Deburring		Scotch-Weld™ Contact Adhesive 10.....	41
H-10	100	Wheels.....	25	Scotch-Weld™ Epoxy Adhesive 1751	
Scotch® Filament Tape Hand Dispenser		Scotch-Brite™ EXL Unitized Wheel.....	29	B/A - Gray	42
H-12.....	100	Scotch-Brite™ General Purpose Scouring		Scotch-Weld™ Epoxy Adhesive 1838	
Scotch® Filament Tape Hand Dispenser		Pad No. 96.....	75	B/A - Green.....	42
H-133.....	101	Scotch-Brite™ General Purpose Scrubbing		Scotch-Weld™ Epoxy Adhesive 2216	
Scotch® General Purpose Masking		Pad No. 9650.....	75	B/A - Gray	42
Tape 203	88	Scotch-Brite™ Hand Pad.....	32	Scotch-Weld™ Epoxy Adhesive 3501	
Scotch® Heavy Duty Dispenser C-22.....	130	Scotch-Brite™ Heavy Duty Commercial		B/A - Gray	42
Scotch® Heavy Duty Dispenser C-23.....	131	Scouring Pad No. 86.....	75	Scotch-Weld™ Epoxy Adhesive DP420 -	
Scotch® High Tack Box Sealing Tape		Scotch-Brite™ High Gloss Roll.....	32	Off-White	43
3743	97	Scotch-Brite™ High Performance Cloth		Scotch-Weld™ Epoxy Potting Compound	
Scotch® Label Protection Dispenser		(Ref. 2010).....	76	DP270	43
M-707	101	Scotch-Brite™ High Strength Disc	11	Scotch-Weld™ EPX™ Applicators and	
Scotch® Label Protection Tape 3565.....	101	Scotch-Brite™ High Strength Roll	33	Accessories.....	44
Scotch® Labelgard™ Film Tape 821	101	Scotch-Brite™ Hookit™ Production		Scotch-Weld™ General Purpose	
Scotch® Linerless Rubber Splicing Tape		Clean and Finish Disc.....	11	Construction Mastic 4323 Gray	40
130C	72	Scotch-Brite™ Light Duty Cleansing		Scotch-Weld™ Hi-Strength Postforming	
Scotch® Painter's Masking Tape for		Sponge No. 63	75	94 CA Adhesive.....	42
Hard-to-Stick Surfaces 2060.....	88	Scotch-Brite™ Light Duty Scouring Pad 98 ...	75	Scotch-Weld™ High Performance Contact	
Scotch® Painter's Tape for Delicate		Scotch-Brite™ Medium Duty Scrub		Adhesive 1357 - Gray	41
Surfaces 2080	88	Sponge No. 74	75	Scotch-Weld™ High Performance Contact	
Scotch® Performance Masking Tape 233+ ...	88	Scotch-Brite™ Metal Blending Roll	33	Adhesive 1357 - Neutral	41
Scotch® Premium Film Tape 600	126	Scotch-Brite™ Metal Finishing Unitized		Scotch-Weld™ High Performance Contact	
Scotch® Pro-Painter's Masking Tape 2055		Wheel	29	Adhesive 1357L - Gray	41
(Green).....	88	Scotch-Brite™ Metal Finishing Wheel	28	Scotch-Weld™ HoldFast 70 Cylinder Spray	
Scotch® Stretchable Tape	102	Scotch-Brite™ Multi-Finishing Wheel.....	28	Adhesive	42
Scotch® Super 33+ Vinyl Plastic		Scotch-Brite™ Multi-Flex Abrasive		Scotch-Weld™ Hot-Melt™ Adhesive	
Electrical Tape	70	Sheet Roll.....	33	3738TC	46
Scotch® Super 88 Vinyl Plastic		Scotch-Brite™ Power Sponge No. 3000.....	75	Scotch-Weld™ Hot-Melt™ Adhesive	
Electrical Tape	70	Scotch-Brite™ Purple Scour Pad No. 2020 ...	76	3738TCQ	46
Scotch® Transparent Duct Tapes	89	Scotch-Brite™ Radial Bristle Brush 8".....	6	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch® Vinyl Mastic	72	Scotch-Brite™ Roloc™ Bristle Disc	7	3747AE	46
Scotch-Blue™ Painter's Tape for		Scotch-Brite™ Roloc™ Bristle Disc		Scotch-Weld™ Hot-Melt™ Adhesive	
Multi-Surfaces 2090 (Blue)	88	Pack 982RS.....	7	3747TC	46
Scotch-Brite™ Bristle Disc	6	Scotch-Brite™ Roloc™ Surface Conditioning		Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ Bristle Brush 6".....	7	Disc	18	3747TCQ	46
Scotch-Brite™ CFFB-R (HPFB-R)	5	Scotch-Brite™ Roloc™ TR EXL		Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ CFFB-S (HPFB-S)	5	Unitized Wheel.....	29	3748TC	46
Scotch-Brite™ Clean and Finish Roll	32	Scotch-Brite™ Soft Scour!™ Scrub Sponge		Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ Clean and Strip Cup Wheel	23	No. 9489	75	3748TCQ	46
Scotch-Brite™ Clean and Strip Disc.....	7	Scotch-Brite™ Sponge No. A21	76	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ Clean and Strip Unitized		Scotch-Brite™ Star	6	3748VOTC	47
Wheel	28	Scotch-Brite™ Super Polish Roll.....	37	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ Coating Removal Disc.....	7	Scotch-Brite™ Surface Conditioning Belt.....	4	3748VOTCQ.....	46
Scotch-Brite™ CPD5.....	5	Scotch-Brite™ Surface Conditioning Disc.....	22	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ CPFB-R.....	5	Scotch-Brite™ Surface Conditioning Disc		3750AE	47
Scotch-Brite™ CPFB-S.....	5	Pack	22	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ CSD2-S	5	Scotch-Brite™ Surface Conditioning Disc		3762LMPG	47
Scotch-Brite™ Cut and Polish Roll	32	Pad 924.....	23	Scotch-Weld™ Hot-Melt™ Adhesive	
Scotch-Brite™ Cut and Polish Unitized		Scotch-Seal™ Industrial Sealant 800.....	55	3762TC	47
Wheel	28				

Scotch-Weld™ Hot-Melt™ Adhesive 3762TCQ	47	Scotch-Weld™ Rubber and Gasket Adhesive 2141	54	ScotchPad™ Tape Pad 822	101
Scotch-Weld™ Hot-Melt™ Adhesive 3764TC	47	Scotch-Weld™ Rubber and Gasket Adhesive 847	54	Sheet 140N	34
Scotch-Weld™ Hot-Melt™ Adhesive 3764TCQ	47	Scotch-Weld™ Structural Plastic Adhesive DP-8005	55	Sheet 210N	34
Scotch-Weld™ Hot-Melt™ Adhesive 3776LMTCQ	47	Scotch-Weld™ Super Fast Cyanoacrylate Adhesive SF100	52	Sheet 211K	34
Scotch-Weld™ Hot-Melt™ Adhesive 3779TC	48	Scotch-Weld™ Thermoset Adhesive TE-015	49	Sheet 336U	35
Scotch-Weld™ Hot-Melt™ Adhesive 3779TCQ	48	Scotch-Weld™ Threadlocker Anaerobic Adhesive TL42	52	Sheet 346U	35
Scotch-Weld™ Hot-Melt™ Adhesive 3789TCQ	48	Scotch-Weld™ Threadlocker Anaerobic Adhesive TL62	52	Sheet 405N	35
Scotch-Weld™ Hot-Melt™ Adhesive 3792LMTC	48	Scotch-Weld™ Threadlocker TL22	52	Silicone Lubricant	60
Scotch-Weld™ Hot-Melt™ Adhesive 3792LMTCQ	48	Scotch-Weld™ Two-Part Epoxy Adhesive DP100 Clear	43	Speedglas™ 9000 Series Inside Protection Plates	120
Scotch-Weld™ Hot-Melt™ Adhesive 3792TC	48	Scotch-Weld™ Two-Part Epoxy Adhesive DP100 FR Off-White	43	Speedglas™ 9000 Series Outside Protection Plates	120
Scotch-Weld™ Hot-Melt™ Adhesive 3792TCQ	48	Scotch-Weld™ Two-Part Epoxy Adhesive DP100 NS Translucent	43	Speedglas™ Welding Helmets with ADF's ...	120
Scotch-Weld™ Hot-Melt™ Adhesive 3796TC	48	Scotch-Weld™ Two-Part Epoxy Adhesive DP100 Plus Clear	43	Spring Connector 312	64
Scotch-Weld™ Hot-Melt™ Adhesive 3797TC	49	Scotch-Weld™ Two-Part Epoxy Adhesive DP105 Clear	43	Spring Connector 512	64
Scotch-Weld™ Hot-Melt™ Applicator Guide ...	45	Scotch-Weld™ Two-Part Epoxy Adhesive DP110	44	Squeak Reduction Tape 5430	131
Scotch-Weld™ Hot-Melt™ Gummy Glue Low Melt Adhesive	49	Scotch-Weld™ Two-Part Epoxy Adhesive DP125	44	Stikit™ 240N Discs	18
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-030	49	Scotch-Weld™ Two-Part Epoxy Adhesive DP190	44	Stikit™ Disc 300D	18
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-031	49	Scotch-Weld™ Two-Part Epoxy Adhesive DP460	44	Stikit™ Disc Hand Pad 11063	18
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-040	49	Scotch-Weld™ Urethane Adhesive DP-605NS	55	Stikit™ Disc Pad	19
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-100	50	Scotch-Weld™ Urethane Adhesive DP-640	55	Stikit™ Disc Pad 05575B	19
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TE-200	50	Scotchblok™ Masking Paper	90	Stikit™ Disc Pad - Medium Density	19
Scotch-Weld™ Hot-Melt™ Thermoset Adhesive TS-115 HGS	50	ScotchCode™ Refills for Write-On Wire Marker Tape Dispensers SWD & SLW	73	Stikit™ Disc Roll 214U	20
Scotch-Weld™ Industrial Adhesive 4799	53	ScotchCode™ Preprinted Wire Marking Book	73	Stikit™ Disc Roll 216U	20
Scotch-Weld™ Low Odour Acrylic Adhesive 810NS	38	ScotchCode™ Wire Marking Tape Dispenser	73	Stikit™ Disc Roll 236U	21
Scotch-Weld™ Metal Primer 3901	55	Scotchfil™ Electrical Insulation Putty	72	Stikit™ Disc Roll 3631	20
Scotch-Weld™ Plastic Adhesive 1099	53	Scotchlok™ Crimping Tool TH-440	66	Stikit™ Disc Roll 415N	21
Scotch-Weld™ Plastic Adhesive 2262	53	Scotchlok™ Hand Driver for Wire Connectors	65	Stikit™ Disc Roll 415U	21
Scotch-Weld™ Plastic Adhesive 4475	53	Scotchlok™ IDC Connector	64	Stikit™ Disc Roll 415U	21
Scotch-Weld™ Plastic Adhesive 4693	53	Scotchlok™ IDC Connector 314 and 314U ...	64	Stikit™ Disc Roll 7511	21
Scotch-Weld™ Plastic Adhesive 4693H Clear	53	Scotchlok™ IDC Connector 560	64	Stikit™ Disc Roll 763U	21
Scotch-Weld™ Poly Primer AC77	52	Scotchlok™ Terminal Box (Empty)	72	Stikit™ Dust Free Low Profile Disc Pad 05655	19
Scotch-Weld™ Rubber and Gasket Adhesive 1300	54	Scotchlok™ Terminal Kit STK-1	73	Stikit™ Low Profile Finishing Disc Pad 05545	19
Scotch-Weld™ Rubber and Gasket Adhesive 1300L	54	Scotchmate™ Reclosable Fastener	77	Stikit™ Low Profile Finishing Disc Pad 05546	19
		Scotchmate™ Reclosable Fastener SJ-3526/SJ-3527	78	Stikit™ Low Profile Disc Pad 05555	19
		Scotchmate™ Reclosable Fastener SJ-3571/SJ-3572	78	Stikit™ Low Profile Disc Pad 05556	19
				Stikit™ Refill Roll 415N	37
				Stikit™ Sheet Roll 216U	37
				Super 77 Multipurpose Adhesive	39
				Super Bond™ Film Tape 396	126
				Supplied Air Respirator Guide	118

- T -

Tapered Mixer Tip 04902	40
Tartan™ Acrylic Box Sealing Tape 302	97
Tartan™ Box Sealing Tape 305	97
Tartan™ Box Sealing Tape 369	96
Tartan™ Filament Tape 8934	100
Tartan™ Hand-Held Filament Tape Dispenser HB-901	101
Tartan™ Hand-Held Box Sealing Tape Dispenser HB-902	98
Tartan™ Pistol Grip Box Sealing Tape Dispenser HB-903	98

Product Index

Temflex™ Friction Tape 1755	71
Temflex™ Vinyl Electrical Tape	70
Thermosettable Glass Cloth Tape 365	122
Top Print Packing List Envelope	102
Top Print Packing List Envelope PLE-T1 INV	102
TOUR-GUARD® III Eyewear	107
TroubleShooter™ Cleaner	74
Twist-Lok™ Pad Holder No. 961	74

– U –

UHMW Film Tape 5421	126
UHMW Film Tape 5423	126
UltraFit™ Reusable Plugs	105
Ultraviolet Disinfection System	136
Urethane Foam Tape 4104	127
Urethane Foam Tape 4108	127
Urethane Foam Tape 4116	127
Urethane Foam Tape 4317	127
Urethane Foam Tape 4318	127
Utility Roll 211K	35

– V –

VHB™ Acrylic Foam Tape 4611	128
VHB™ Acrylic Foam Tape 5952	128
VHB™ Acrylic Foam Very High Bond Tape 4941	128
VHB™ Structural Glazing Tapes G23F (Gray) and B23F (Black)	132
Vinyl Duct Tape 3903	62
Vinyl Foam Tape 4500 Series High Density	131
Vinyl Foam Tape 4700 Series Medium Density	131
Vinyl Tape 471	130
Vinyl Tape 472	130
VIRTUA Sport Eyewear	107

– W –

Weatherban™ Acrylic Sealant 606NF	38
Weather Resistant Cable Ties	63 – 64
Wetordry™ Roll 281W	35
Wetordry™ Sheet 413Q	36
Wetordry™ Sheet 431Q	36
Wheel Adaptor 81A	27
Whole House Water Filtration System, AP902	135
Whole House Water Filtration System, AP903	135

– X –

XLR8™ Hard Hats	107
-----------------------	-----

3M, Scotch-Brite, Evenrun, Roloc, Hookit, Imperial, Stikit, Cubitron, SBS, Crystal Bay, Wetordry, Green Corps, Green Corp, Scotch-Weld, Weatherban, ReMount, Shipping-Mate, Spray-Mount, FastBond, Scotch-Grip, Scotch-Seal, EPX, Polygun, Jet-melt, Jet-Weld, Pronto, Perfect-It, Superbuff, Automix, Bumpon, Scotchkote, Scotchlok, Highland, Temflex, Scotch, Scotchfil, ScotchCode, Doodlebug, TroubleShooter, Twist-Lok, Niagara, Dual Lock, Scotchmate, FireDam, Interam, Cavidon, Coban, Blenclerm, Durapore, Medipore, Microfoam, Micropore, Transpore, Littmann, Nexcare, Active, Steri-Strip, Hand Masker, Scotchblok, Safe-Release, Safety-Walk, Tartan, ScotchPad, Speedglas, Super Bond, Labelgard, VHB and Aqua-Pure are trademarks of 3M. Used under license in Canada.



**Construction Markets Division
3M Canada Company**

P.O. Box 5757
London, Ontario N6A 4T1
Canada
1 800-364-3577
www.3m.ca/construction

Please recycle. Printed in Canada.
© 3M 2009. All rights reserved.
3M is a trademark of 3M. Used under license in Canada.
0812-4210E