
# 208486-1 Product Details



## **Documentation & Additional Information**

## **Product Drawings:**

• PLUG ASSEMBLY, REV SEX, SERIES 1, 22-14, CMC (PDF, English)

## Catalog Pages/Data Sheets:

- CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ... (PDF, English)
- AMP Circular Connectors for Commercial Signal & Powe... (PDF, English)

## **Product Specifications:**

- None Available
- Application Specifications:
  - <u>Circular Plastic Connectors (CPC)</u> (PDF, English)

## **Instruction Sheets:**

• AMP\* METAL SHELL CPC (CIRCULAR PLASTIC CONNECTORS) (PDF, English)

## CAD Files: (CAD Format & Compression Information)

- <u>2D Drawing</u> (DXF, Version P)
- <u>3D Model</u> (IGES, Version P)
- <u>3D Model</u> (STEP, Version P)

## **Additional Information:**

• Product Line Information

#### **Additional Product Images:**

- <u>Contact Arrangement</u>
- Front View

# **Related Products:**

- <u>Tooling</u>
- Mating Products (1)

List all Documents

# Product Features (Please use the Product Drawing for all design activity)

## **Product Type Features:**

- <u>Product Type</u> = Connector
- <u>Number of Positions</u> = 14
- <u>Gender</u> = Plug
- For Use With = Pin Contacts
- Termination Style = Wire
- <u>Shell Size</u> = 22
- <u>Shell Type</u> = Metal
- <u>Product Series</u> = Series 1
- <u>Thread Size</u> = 1-3/16 18 UNEF-2A
- $\underline{Sealed} = No$
- Insulation Diameter (mm [in]) = 2.54 [0.100]
- Shell Material = Zinc alloy
- Retaining Ring Material = Stainless Steel

## **Mechanical Attachment:**

- <u>Preloaded</u> = No
- <u>VDE Tested</u> = No

## **Body Related Features:**

- <u>Mount Style</u> = Free Hanging
- Shell Plating = Nickel

Provide Website Feedback | Contact Customer Support Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support © 2007 Tyco Electronics Corporation All Rights Reserved

#### **Contact Related Features:**

• <u>Standard or Reverse Gender</u> = Reverse

## **Housing Related Features:**

- Housing Material = Thermoplastic
- Housing Color = Black
- Housing Flammability Rating = UL 94V-0

## **Configuration Related Features:**

• <u>Reverse Numbering</u> = Without

#### **Industry Standards:**

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

## Other:

• Brand = AMP