

213847-4

TE Internal Number: 213847-4

Active

## **Multimate**



Always EU RoHS/ELV Compliant (Statement of

Compliance)

# **Product Highlights:**

- Socket
- Gold (30) Contact Mating Area Plating Material
- Wire Range = 2.00-3.00<sup>2</sup> [14-12] mm [AWG]
- Copper Contact Base Material
- Gold Flash Termination End Plating

View all Features

#### **Documentation & Additional Information**

#### **Product Drawings:**

 SOCKET CONTACT ASSEMBLY, 14-12 AWG, .125 POWERBAND (PDF, English)

## Catalog Pages/Data Sheets:

- .125 POWERBAND CONTACTS PROVIDE UP TO 45 AMPS PER (PDF, English)
- AMP SEALED CONNECTORS (PDF, English)
- PRECISION PIN AND SOCKET CONTACTS (PDF, English)
- Power Contacts (PDF, English)
- CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ... (PDF, English)
- AMP Circular Connectors for Commercial Signal & Powe... (PDF, English)
- METRIMATE\_PIN\_SOCKET\_CATALOG (PDF, English)

### **Product Specifications:**

None Available

### Application Specifications:

• 3.18 [.125] POWERBAND Contacts (PDF, English)

#### Instruction Sheets:

None Available

#### **CAD Files:** (CAD Format & Compression Information)

- 2D Drawing (DXF, Version B)
- 3D Model (IGES, Version B)
- 3D Model (STEP, Version B)

List all Documents

#### Additional Information:

Product Line Information

#### **Related Products:**

Tooling

## Product Features (Please use the Product Drawing for all design activity)

#### **Product Type Features:**

- Pin/Socket = Socket
- Product Type = .125 POWERBAND Contact
- <u>Insulation Support</u> = Yes
- Wire Termination Type = Crimp
- Grade = Commercial

### **Mechanical Attachment:**

• Retention Clip Plating = Nickel

#### **Electrical Characteristics:**

• High Current = No

#### **Termination Related Features:**

• <u>Termination End Plating</u> = Gold Flash

## **Body Related Features:**

#### **Contact Related Features:**

- <u>Contact Mating Area Plating Material</u> = Gold
   (30)
- <u>Contact Base Material</u> = Copper
- Contact Size = 8
- Contact Type = Power

#### **Industry Standards:**

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

- Wire Range (mm [AWG]) = 2.00-3.00<sup>2</sup> [14-12]
- Retention Clip = With
- Retention Clip Material = Phosphor-Bronze

# **Conditions for Usage:**

- <u>Terminate To</u> = Wire
- Test Current (Amps.) = 50.0

# **Packaging Related Features:**

• Packaging Method = Loose Piece

### Other:

• Brand = AMP