
# 213845-3 Product Details



TE Internal Number: 213845-3

Active

# **Multimate**



Always EU RoHS/ELV Compliant (Statement of

Compliance)

# **Product Highlights:**

- Pin
- Silver Contact Mating Area Plating Material
- Wire Range = 2.00-3.00<sup>2</sup> [14-12] mm [AWG]
- Copper Contact Base Material
- Silver Termination End Plating

View all Features

#### **Documentation & Additional Information**

# **Product Drawings:**

PIN CONTACT ASSEMBLY 14-12 AWG, .125 POWERBAND (PDF, English)

# Catalog Pages/Data Sheets:

- <u>.125 POWERBAND CONTACTS PROVIDE UP TO 45 AMPS PER</u> (PDF, English)
- AMP SEALED CONNECTORS (PDF, English)
- PRECISION PIN AND SOCKET CONTACTS (PDF, English)
- Power Contacts (PDF, English)
- <u>CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ...</u> (PDF, English)
- AMP Circular Connectors for Commercial Signal & Powe... (PDF, English)
- METRIMATE\_PIN\_SOCKET\_CATALOG (PDF, English)

## **Product Specifications:**

None Available

# Application Specifications:

• 3.18 [.125] POWERBAND Contacts (PDF, English)

#### Instruction Sheets:

None Available

# **CAD Files:** (CAD Format & Compression Information)

- <u>2D Drawing</u> (DXF, Version B)
- 3D Model (IGES, Version B)
- 3D Model (STEP, Version B)

List all Documents

#### Additional Information:

Product Line Information

#### **Related Products:**

Tooling

# Product Features (Please use the Product Drawing for all design activity)

### **Product Type Features:**

- Pin/Socket = Pin
- Product Type = .125 POWERBAND Contact
- Insulation Support = Yes
- Wire Termination Type = Crimp
- Grade = Commercial

# **Mechanical Attachment:**

• Retention Clip Plating = Nickel

### **Electrical Characteristics:**

High Current = No

### **Termination Related Features:**

- Termination End Plating = Silver
- Pin Diameter (mm [in]) = 3.18 [0.125]

#### **Contact Related Features:**

- Contact Mating Area Plating Material = Silver
- Contact Base Material = Copper
- Contact Size = 8
- <u>Contact Type</u> = Power

### **Industry Standards:**

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

# Conditions for Usage:

# **Body Related Features:**

- <u>Wire Range (mm [AWG])</u> = 2.00-3.00<sup>2</sup> [14-12]
- Retention Clip = With
- Retention Clip Material = Phosphor-Bronze
- Used With = CPC Connectors

- <u>Terminate To</u> = Wire
- Test Current (Amps.) = 50.0

# **Packaging Related Features:**

• <u>Packaging Method</u> = Loose Piece

### Other:

• Brand = AMP