

51565-2

TE Internal Number: 51565-2



# **Multiple Coaxial Contacts** (COAXICON)



Always EU RoHS/ELV Compliant (Statement of

Compliance)

# **Product Highlights:**

- Contact
- Socket
- Terminate To Coaxial Cable
- Cable Type = RG 178, RG 178A, RG 178B, RG 196, RG 196DB, RG 196A
- Body Style = Straight

View all Features

#### **Documentation & Additional Information**

## **Product Drawings:**

• SOCKET ASSEMBLY, SERIES SUBMINIATURE (PDF, English)

# Catalog Pages/Data Sheets:

- COAXICON Contacts (PDF, English)
- PRECISION PIN AND SOCKET CONTACTS (PDF, English)
- Coaxial Contacts (PDF, English)
- M\_SERIES\_PIN\_AND\_SOCKET\_CONNECTORS (PDF, English)
- CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ... (PDF, English)
- <u>AMP Circular Connectors for Commercial Signal & Powe...</u> (PDF, English)
- RF COAX PRODUCTS (PDF, English)

## **Product Specifications:**

Contact, COAXICON, Subminiature (PDF, English)

## **Application Specifications:**

None Available

#### Instruction Sheets:

- <u>Selection Charts for Multimate Pin and Socket Contacts</u> (PDF, English)
- TYPICAL ASSEMBLY (PDF, English)

## **CAD Files:** (CAD Format & Compression Information)

- 2D Drawing (DXF, Version N)
- 3D Model (IGES, Version N)
- <u>3D Model</u> (STEP, Version N)

List all Documents

## Additional Information:

Product Line Information

### **Related Products:**

• <u>Tooling</u>

# Product Features (Please use the Product Drawing for all design activity)

## **Product Type Features:**

- Product Type = Contact
- Pin/Socket = Socket
- Body Style = Straight
- Mating Contact Retention = Without
- <u>Connector Family</u> = CPC, G Series, M Series, Metrimate
- Dielectric Material = TPX
- Center Conductor Material = Brass per QQ-B-626
- Outer Shell Material = Brass per MIL-C-50
- Comment = A ferrule is required for each pin and socket.

#### **Electrical Characteristics:**

• Impedance Options = Non-Matched

## **Body Related Features:**

- Center Conductor Plating = Gold (30) over Nickel (50)
- Outer Shell Plating = Gold (30) over Nickel (50)

### **Contact Related Features:**

- Contact Type = Coax
- Contact Size = 16
- Contact Mating Area Plating Material = Gold (30)

## **Configuration Related Features:**

 <u>Cable Type</u> = RG 178, RG 178A, RG 178B, RG 196, RG 196DB, RG 196A

## **Industry Standards:**

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

## **Conditions for Usage:**

• <u>Terminate To</u> = Coaxial Cable

#### Other:

• Brand = AMP