

5745355-4 Product Details



5745355-4



Standard Board Mount Connectors



Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Number of Positions = 50
- Plug
- PCB Mount Angle = Right Angle
- Product Series = HD 20
- With Mating Connector Lock

View all Features | Find Similar Products | NEW

Documentation & Additional Information

Product Drawings:

• PLUG ASSEMBLY, SIZE 5, 50 POSITION, RIGHT ANGLE, .54... (PDF, English)

Catalog Pages/Data Sheets:

• None Available

Product Specifications:

• None Available

Application Specifications:

• None Available

Instruction Sheets:

• None Available

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version A)
- <u>3D Model</u> (IGES, Version A)
- <u>3D Model</u> (STEP, Version A)

Additional Information:

• Product Line Information

Related Products:

- Tooling
- Mating Products (1)

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- <u>Number of Positions</u> = 50
- Gender = Plug
- PCB Mount Angle = Right Angle
- Product Series = HD 20
- Mating Connector Lock = With
- Mating Connector Lock Type = Mounting Screws
- PCB Retention Feature = Yes
- Shell Type = Full Metal
- Shell Size = 5
- Footprint (mm [in]) = 13.84 [.545]
- PCB Thickness (in [mm]) = 0.093 [2.36]
- Grounding Indents = With
- Grounding Straps = Without
- PCB Mount Style = Thru Hole
- Color Code = None
- Sealed = No
- Profile = High
- Post Size (mm [in]) = 0.64 [.025]
- Mounting Hole Diameter (mm [in]) = 3.05 [.120]
- Shell Material = Steel
- Comment = Plugs are preloaded with size 20 DF posted pin contacts

Mechanical Attachment:

• Panel Attachment = Without

Provide Website Feedback | Contact Customer Support

Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support

© 2007 Tyco Electronics Corporation All Rights Reserved

Termination Related Features:

- Grounding Clips = Without
- Termination (Solder) Post Length (mm [in]) = 3.18 [0.125]
- Solder Tail Contact Plating = Tin over Nickel

Body Related Features:

- PCB Retention Method = Mounting Holes
- Insert Flammability Rating = UL 94V-0
- Insert Material = Thermoplastic
- Shell Plating = Tin

Contact Related Features:

- Contact Mating Area Plating = Gold (30)
- Contact Shape = Square
- Contact Material = Brass

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Operation/Application:

• Application = Standard

Other:

• Brand = AMP