

# 5748394-5 Product Details



5748394-5



## **Standard Board Mount Connectors**



Always EU RoHS/ELV Compliant (Statement of Compliance)

#### **Product Highlights:**

- Number of Positions = 62
- Receptacle
- PCB Mount Angle = Right Angle
- Product Series = HD-22
- With Mating Connector Lock

View all Features | Find Similar Products



#### **Documentation & Additional Information**

#### **Product Drawings:**

• AMPLIMITE HD-22 62 POS RECEPTACLE, RIGHT ANGLE (PDF, English)

#### Catalog Pages/Data Sheets:

• None Available

#### **Product Specifications:**

• AMPLIMITE\* HD-22 Front Metal Shell, PCB Mounted Conn... (PDF, English)

# **Application Specifications:**

• AMPLIMITE HD-22 Right-Angle Front Metal Shell Connectors (PDF, English)

#### **Instruction Sheets:**

• None Available

#### **CAD Files:**

None Available

# Additional Information:

• Product Line Information

#### **Additional Product Images:**

• Product Photo

### **Related Products:**

• <u>Tooling</u>

List all Documents

**Product Features (Please use the Product Drawing for all design activity)** 

#### **Product Type Features:**

- <u>Number of Positions</u> = 62
- Gender = Receptacle
- PCB Mount Angle = Right Angle
- Product Series = HD-22
- Mating Connector Lock = With
- Mating Connector Lock Type = Threaded Inserts
- PCB Retention Feature = Yes
- Shell Type = Front Metal Shell
- Shell Size = 4
- Footprint (mm [in]) = 8.89 [.350]
- <u>PCB Thickness (in [mm])</u> = 0.062 [1.57]
- Grounding Indents = Without
- Grounding Straps = Without
- PCB Mount Style = Thru Hole
- Color Code = None
- Sealed = No
- Mounting Hole Diameter (mm [in]) = 3.18 [.125]
- Shell Material = Steel
- Threaded Insert Material = Zinc
- Eyelet Material = Brass

#### **Mechanical Attachment:**

• Panel Attachment = Without

Provide Website Feedback | Contact Customer Support
Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support
© 2007 Tyco Electronics Corporation All Rights Reserved

#### **Termination Related Features:**

- Grounding Clips = Without
- Termination (Solder) Post Length (mm [in]) = 3.18 [0.125]
- Solder Tail Contact Plating = Tin over Nickel

#### **Body Related Features:**

- PCB Retention Method = Boardlock(s)
- Shell Plating = Tin
- Threaded Insert Plating = Clear Chromate
- Eyelet Plating = Tin

#### **Contact Related Features:**

- Contact Mating Area Plating = Gold (30)
- Contact Material = Phosphor Bronze

#### **Housing Related Features:**

- Housing Flammability Rating = UL 94V-0
- Housing Material = Thermoplastic

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

#### Other:

• Brand = AMP