


# 1-822473-2 Product Details



1-822473-2

TE Internal Number: 1-822473-2







#### **PLCC Sockets**



#### **Product Highlights:**

- Socket Type = PLCC Standard
- 28 Positions
- 2.54 mm Centerline
- Normal Insertion Force
- Through Hole Contact Termination Type

View all Features

#### **Documentation & Additional Information**

#### **Product Drawings:**

SSEMBLY, PLCC, SOLDERTAIL (PDF, English)

#### Catalog Pages/Data Sheets:

#### **Product Specifications:**

None Available

### **Application Specifications:**

None Available

## Instruction Sheets:

None Available

# CAD Files: (CAD Format & Compression Information) ■ 2D Drawing (DXF, Version H)

- 3D Model (IGES, Version H)
- 3D Model (STEP, Version H)

## **Additional Information:**

#### **Related Products:**

List all Documents

# Product Features (Please use the Product Drawing for all design activity)

# **Product Type Features:**

- <u>Insertion Force</u> = Normal
- Polarizing Pin = Without
- Package Configuration = Square

# **Body Related Features:**

- Socket Type = PLCC Standard
- Number of Positions = 28
- Centerline (mm [in]) = 2.54 [0.100]

#### **Contact Related Features:**

- <u>Contact Termination Type</u> = Through Hole
- Contact Base Material = Phosphor Bronze
- Contact Plating, Mating Area, Material = Tin

- Housing Related Features:

   Housing Material = Thermoplastic GF
  - UL Flammability Rating = UL 94V-0

#### **Configuration Related Features:**

Height Above PC Board (mm [in]) = 8.45 [0.333]

# Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

# Packaging Related Features:

Packaging Method = Tube

Other:
• Brand = AMP