


# 201358-1 Product Details



## 201358-1



## **M Series Connectors**



## **Product Highlights:**

- Housing
- Number of Positions = 50
- Phenolic Housing Material
- Plug
- Connector Type = Standard

View all Features | Find Similar Products



## **Documentation & Additional Information**

## **Product Drawings:**

• BLOCK, MALE, 50 POSN, MINIATURE RECTANGULAR, M SERIES (PDF, English)

## Catalog Pages/Data Sheets:

• M SERIES PIN AND SOCKET CONNECTORS (PDF, English)

## **Product Specifications:**

• None Available

## **Application Specifications:**

• Ferrules For M Series Connectors (PDF, English)

## **Instruction Sheets:**

- AMP\* 20 HVC, 34 AND 50 POSITION SERIES "M" CONNECTOR (PDF, English)
- LATCHING SHIELD AND PIN HOOD FOR 50 POSITION "M" S... (PDF, English)

## **CAD Files:** (CAD Format & Compression Information)

- <u>2D Drawing</u> (DXF, Version T)
- <u>3D Model</u> (IGES, Version T)
- <u>3D Model</u> (STEP, Version T)

## Additional Information:

• Product Line Information

## **Related Products:**

• Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

## **Product Type Features:**

- <u>Product Type</u> = Housing
- Number of Positions = 50
- Gender = Plug
- Connector Type = Standard
- Mount = Free Hanging, Panel Mount
- Comment = Housing accepts type II, type III+ and Subminiature Coaxicon contacts.; Pins and/or sockets may be used in any housing.; Housing cavity identification are mirror image.

#### **Mechanical Attachment:**

• Mounting Hardware = None

## **Electrical Characteristics:**

• High Voltage = No

## **Body Related Features:**

• <u>Center Fastener</u> = No

## **Housing Related Features:**

- Housing Material = Phenolic
- Housing Color = Black

## **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

## **Packaging Related Features:**

• Packaging Method = Loose Piece

## Other:

• Brand = AMP