


5-103361-1 Product Details



5-103361-1



.100 inch AMPMODU Headers



Product Highlights:

- Header
- Header Type = Shrouded
- Number of Rows = Single
- Number of Positions = 3
- Mating Post Length = 6.10 mm

View all Features | Find Similar Products



Documentation & Additional Information

Product Drawings:

• HEADER ASSEMBLY, MOD II, SINGLE ROW .100 CL, RIGHT ANGLE (PDF, English)

Catalog Pages/Data Sheets:

• None Available

Product Specifications:

• None Available

Application Specifications:

None Available

Instruction Sheets:

• None Available

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version N)
- <u>3D Model</u> (IGES, Version N)
- <u>3D Model</u> (STEP, Version N)

Additional Information:

• Product Line Information

Related Products:

- Tooling
- Mating Products (1)

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Header
- Number of Positions = 3
- Mount Angle = Right Angle
- PCB Retention Feature = No
- Surface Mount Compatible = No
- Board Standoff = With
- Mounting Ears = Without
- Mating Connector Lock = Without
- Housing Style = 4-Sided
- Post Size (mm [in]) = 0.64 [.025]
- Profile = Standard

Mechanical Attachment:

- Mating Post Length (mm [in]) = 6.10 [0.240]
- Panel Attachment = Without

Electrical Characteristics:

- Current Rating (Amps.) = 3
- Insulation Resistance (M•) = 5,000
- Dielectric Withstanding Voltage (V) = 750

Termination Related Features:

- Termination (Solder) Post Length (mm [in]) = 2.79 [0.110]
- Solder Tail Contact Plating = Tin over Nickel

Body Related Features:

- <u>Header Type</u> = Shrouded
- Number of Rows = Single
- Centerline, Matrix (mm [in]) = 2.54 [.100]
- Selectively Loaded = No
- Mount Type = PC Board

Contact Related Features:

- Contact Mating Area Plating = Gold (30)
- Contact Shape = Square
- Contact Material = Phosphor Bronze
- Approved Standards = UL E28476, CSA LR7189

Housing Related Features:

- Housing Material = Thermoplastic
- Housing Color = Black
- Housing Flammability Rating = UL 94V-0

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- High Temperature Housing = No
- Operating Temperature ($^{\circ}$ C) = -55 +125

Operation/Application:

• <u>High Speed Serial Data Connector</u> = No

Other:

• Brand = Tyco Electronics