


640251-3 Product Details



640251-3

TE Internal Number: 640251-3



[View 3D PDF](#)

MTA, CST-100 II, MT-6 and SL Connectors and Headers



Product Highlights:

- Housing
- 3 Positions
- Housing Type = Receptacle
- SL-156 Product Line
- Wire-to-Board Application

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [View Mating Products \(54\)](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • HOUSING WITHOUT LOCKING RAMP, SL-156 (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • MTA, CST-100 II, SL-156 and AMP Economy Power (EP) C... (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> • SL 156 Connectors (PDF, English) • Connector, Hooded SL 156 (PDF, English) • Connector, Hooded SL 156, Tin (PDF, English) <p>Application Specifications:</p> <ul style="list-style-type: none"> • SL 156 Contacts and Housings (PDF, English) <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> • 2D Drawing (DXF, Version R) • 3D Model (IGES, Version R) • 3D Model (STEP, Version R) 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Information • Product Line Information <p>Additional Product Images:</p> <ul style="list-style-type: none"> • Product Photo <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling • Mating Products (54)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Housing • Number of Positions = 3 • Product Line = SL-156 • Wire Termination Type = Crimp • Mating Polarization = Without • Mating Connector Lock = Without • Four Points of Contact = Without • Shrouded = No • Mounting Ears = Without • Wire Insulation Diameter (mm [in]) = 2.79 [0.110] • Comment = Recommended contact: Part No. 640252-1,-2 and Part No. 770476-1,-2. <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Panel Attachment = Without <p>Body Related Features:</p> <ul style="list-style-type: none"> • Cable Exit Angle = 180° 	<p>Contact Related Features:</p> <ul style="list-style-type: none"> • Contact Centerline Spacing (mm [in]) = 3.96 [0.156] <p>Housing Related Features:</p> <ul style="list-style-type: none"> • Housing Type = Receptacle • Housing Color = White • Housing Flammability Rating = UL 94V-0 • Housing Material = Nylon <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Not relevant for lead free process • RoHS/ELV Compliance History = Always was RoHS compliant <p>Operation/Application:</p> <ul style="list-style-type: none"> • Application = Wire-to-Board <p>Other:</p> <ul style="list-style-type: none"> • Brand = AMP