

171638-1

TE Internal Number: 171638-1

Active

.163" Centerline, 600 V, 9.5 A max.



Always EU RoHS/ELV Compliant (Statement of

Compliance)

Product Highlights:

- Contact
- Mini-Universal MATE-N-LOK
- Pin
- Packaging Method = Loose Piece
- Wire Range = 0.50-1.40² [20-16] mm [AWG], (2) 0.50-0.60² [(2) 20] mm [AWG]

View all Features

Documentation & Additional Information

Product Drawings:

 PIN (LOOSE PIECE) MINI UNIVERSAL MATE-N-LOK (PDF, English)

Catalog Pages/Data Sheets:

- REPRESENTATIVE TERMINALS AND CONNECTORS (PDF, English)
- SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG (PDF, English)

Product Specifications:

- Mini-Universal MATE-N-LOK Connector(UL 94V-0 Grade) (PDF, English)
- Mini-Universal MATE-N-LOK Connector(UL 94V-2) (PDF, English)

Application Specifications:

- <u>Crimping of Mini-Universal MATE-N-LOK Contact</u> (PDF, English)
- <u>Crimping of Mini-Universal MATE-N-LOK Contact</u> (PDF, Japanese)

Instruction Sheets:

• Mini-Universal MATE-N-LOK Connector (PDF, English)

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version B)
- 3D Model (IGES, Version B)
- 3D Model (STEP, Version B)

<u>List all Documents</u>

Additional Information:

Product Line Information

Related Products:

- Tooling
- Housings (199)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Contact
- Connector Line = Mini-Universal MATE-N-LOK
- Gender = Pin
- Wire Insulation Diameter (mm [in]) = 2.01 –
 3.20 [0.079 0.126], 2.40 [0.094]

Electrical Characteristics:

- Voltage (VAC) = 600
- Current Rating (Amps.) = 9.5

Termination Related Features:

• Solder Tail Contact Plating = Pre-Tin

Body Related Features:

- Wire Range (mm [AWG]) = 0.50-1.40² [20-16], (2) 0.50-0.60² [(2) 20]
- Contact Diameter (mm [in]) = 0.99 [0.039]
- Stock Thickness (mm [in]) = 0.20 [0.008]

Contact Related Features:

- Contact Base Material = Brass
- CompactPCI = No

Industry Standards:

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Related Features:

Packaging Method = Loose Piece

Other:

Brand = AMP