

171639-1

TE Internal Number: 171639-1

Active

.163" Centerline, 600 V, 9.5 A max.

Always EU RoHS/ELV Compliant (Statement of

Compliance)

Product Highlights:

- Contact
- Mini-Universal MATE-N-LOK
- Socket
- Packaging Method = Loose Piece
- Wire Range = 0.50-1.40² [20-16] mm [AWG], (2) 0.50-0.60² [(2) 20] mm [AWG]

View all Features

 <u>SOCKET (LOOSE PIECE) MINI UNIVERSAL MATE-N-LOK</u> (PDF, English) 	Additional Information: • Product Line Information Related Products: • Tooling
 <u>SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG</u> (PDF, English) 	• <u>Housings (199)</u>
 Product Specifications: Header, MATE-N-LOK*, Mini-Universal (PDF, English) Mini-Universal MATE-N-LOK Connector(UL 94V-0 Grade) (PDF, English) Mini-Universal MATE-N-LOK Connector(UL 94V-2) (PDF, English) Application Specifications: Crimping of Mini-Universal MATE-N-LOK Contact (PDF, English) Crimping of Mini-Universal MATE-N-LOK Contact (PDF, English) Crimping of Mini-Universal MATE-N-LOK Contact (PDF, Lenglish) Crimping of Mini-Universal MATE-N-LOK Contact (PDF, Lenglish) Crimping of Mini-Universal MATE-N-LOK Connector (PDF, English) Cator Sheets: Mini-Universal MATE-N-LOK Connector (PDF, English) CAD Files: (CAD Format & Compression Information) 2D Drawing (DXF, Version B) 3D Model (IGES, Version B) 3D Model (STEP, Version B) 	

Product Features (Please use the Product Drawing for all design activity)	
 Product Type Features: Product Type = Contact Connector Line = Mini-Universal MATE-N-LOK Gender = Socket Wire Insulation Diameter (mm [in]) = 2.01 – 3.20 [0.079 – 0.126], 2.40 [0.094] Electrical Characteristics: Voltage (VAC) = 600 Current Rating (Amps.) = 9.5 Termination Related Features: Solder Tail Contact Plating = Pre-Tin Body Related Features: Wire Range (mm [AWG]) = 0.50-1.40² [20-16], (2) 0.50-0.60² [(2) 20] Contact Diameter (mm [in]) = 0.99 [0.039] Stock Thickness (mm [in]) = 0.20 [0.008] 	 Contact Related Features: Contact Base Material = Brass CompactPCI = No Industry Standards: RoHS/ELV Compliance = RoHS compliant, ELV compliant Lead Free Solder Processes = Not relevant for lead free process RoHS/ELV Compliance History = Always was RoHS compliant Packaging Related Features: Packaging Method = Loose Piece Other: Brand = AMP