- o Check Distributor Inventory
- Find Authorized Distributors

. My Account

- o Sign In
- o Register

. Customer Support

- o Support
- o RoHS Support Center
- o Glossary of Terms
- o eBulletin Newsletter

Home > Products > By Type > Power Products (>10 Amps/Contact) > Product Feature Selector > Product Details

1-480699-0 Product Details



Documentation & Additional Information

Quick Links

- Check
 Pricing &
 Availability
- Search for Tooling
- View Mating Products (1)
- <u>View</u>
 <u>Contacts</u>
 (186)
- Product
 Feature
 Selector
- Contact Us
 About This
 Product

Product Drawings:

• CAP,2 CIRCUIT, UNIVERSAL MATE-N-LOK (TM) (PDF, English)

Catalog Pages/Data Sheets:

- REPRESENTATIVE TERMINALS AND CONNECTORS (PDF, English)
- INTERCONNECTS FOR NETWORKING (PDF, English)
- MULTI-USER SYSTEMS (PDF, English)
- AMP SEALED CONNECTORS (PDF, English)
- SOFT SHELL PIN AND SOCKET CONNECTORS (PDF, English)

Product Specifications:

- <u>Universal MATE-N-LOK* Connector</u> (PDF, English)
- no title (PDF, English)

Application Specifications:

• Universal MATE-N-LOK Connectors (PDF, English)

Instruction Sheets:

- MATE-N-LOK Contact and Housing Selection Charts (PDF, English)
- <u>Universal MATE-N-LOK Connectors</u> (PDF, English)

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version AG)
- 3D Model (IGES, Version AG)
- 3D Model (STEP, Version AG)

Additional Information:

• Product Line Information

Related Products:

- <u>Tooling</u>
- Mating Products (1)
- Contacts (186)

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Housing
- Connector Line = Universal MATE-N-LOK
- Number of Circuits = 2
- Mount = Free or Panel
- $\bullet \quad Color = Natural$
- Lock Type = Positive Lock

Electrical Characteristics:

- High Current = No
- Current Rating (Amps.) = 19
- Voltage (VAC) = 600

Body Related Features:

- Centerline, Matrix (mm [in]) = 6.35 [.250]
- Housing Type = Receptacle (Cap)
- Contact Diameter (mm [in]) = 2.13 [0.084]

Contact Related Features:

- CompactPCI = No
- Contact Layout = In-Line
- Sealable = Yes

Housing Related Features:

- Housing Material = Nylon
- Housing Flammability Rating = UL 94V-2

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Related Features:

• Packaging Method = One Piece Housing

Other:

• Brand = AMP

Provide Website Feedback | Contact Customer Support

<u>Home</u> | <u>Customer Support</u> | <u>Suppliers</u> | <u>Site Map</u> | <u>Privacy Policy</u> | <u>Browser Support</u> © 2008 Tyco Electronics Corporation All Rights Reserved

.