

5227161-3 Product Details



5227161-3



BNC RF Connectors



Product Highlights:

- Connector
- Connector Type = BNC
- Jack
- Terminate To Printed Circuit Board
- PCB Mount Angle = Right Angle

View all Features | Find Similar Products



Documentation & Additional Information

Product Drawings:

• JACK, RIGHT ANGLE, 50 OHM, PCB, BNC (PDF, English)

Catalog Pages/Data Sheets:

• BNC Connectors (PDF, English)

Product Specifications:

• None Available

Application Specifications:

• None Available

Instruction Sheets:

• None Available

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version A)
- 3D Model (IGES, Version A)
- <u>3D Model</u> (STEP, Version A)

Additional Information:

• Product Line Information

Related Products:

Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- <u>Product Type</u> = Connector
- Connector Type = BNC
- Gender = Jack
- PCB Mount Angle = Right Angle
- \underline{Grade} = Commercial
- PCB Height (mm [in]) = 15.88 [0.625]
- PCB Retention Feature = Yes
- Mounting Post Style = Standard
- Mounting Post Length (mm [in]) = 3.48 [0.137]
- Body Material = VALOX
- Body Insulation = Without
- Sealed = No
- Isolated = No
- <u>Dielectric Material</u> = Polymethylpentene
- $\underline{\text{Color}} = \text{White}$
- Number of Ports = 1
- $\bullet \quad Solder \ Terminal = Without$
- Comment = If an Insulating Bushing is required, see Part Number 330620.

Mechanical Attachment:

- Surface Mountable = No
- Panel Attachment = With
- Panel Attachment Method = Lockwasher and Nut
- Panel Attachment Style = Rear Mount

Provide Website Feedback | Contact Customer Support

Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support

© 2007 Tyco Electronics Corporation All Rights Reserved

Electrical Characteristics:

• Connector Impedance (•) = 50

Body Related Features:

- Hardware Included = No
- PCB Retention Method = Hold Down Post
- Polarized = No

Contact Related Features:

- Center Contact Material = Phosphor Bronze
- Center Contact Plating = Gold (30)

Industry Standards:

- Government/Industry Qualification = No
- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

• Terminate To = Printed Circuit Board

Other:

• Brand = AMP