




### 34319 Product Details



**34319**

TE Internal Number: 34319

[Active](#)

[View 3D PDF](#)

#### Splices - Closed Barrel

[Always EU RoHS/ELV Compliant \(Compliance\)](#)

#### Product Highlights:

- Splice
- Not Sealed
- Splice Type = Parallel
- Body Style = SOLISTRAND
- Uninsulated

[View all Features](#)

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">SPLICE, PARALLEL, SOLISTRAND</a> (PDF, English)</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">SOLISTRAND BUDGET AND DIAMOND GRIP UNINSULATED TERMI...</a> (PDF, English)</li> <li>• <a href="#">ENERGY READY REFERENCE 2000</a> (PDF, English)</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>CAD Files:</b> (<a href="#">CAD Format &amp; Compression Information</a>)</p> <ul style="list-style-type: none"> <li>• <a href="#">2D Drawing</a> (DXF, Version U)</li> <li>• <a href="#">3D Model</a> (IGES, Version U)</li> <li>• <a href="#">3D Model</a> (STEP, Version U)</li> </ul>	<p><b>Additional Information:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Line Information</a></li> </ul> <p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Type</a> = Splice</li> <li>• <a href="#">Sealed</a> = No</li> <li>• <a href="#">Splice Type</a> = Parallel</li> <li>• <a href="#">Body Style</a> = SOLISTRAND</li> <li>• <a href="#">Insulation</a> = No</li> <li>• <a href="#">Insulation Support</a> = Non-Insulation Support</li> <li>• <a href="#">Material</a> = Copper</li> <li>• <a href="#">Finish</a> = Tin</li> <li>• Color = None</li> </ul> <p><b>Mechanical Attachment:</b></p> <ul style="list-style-type: none"> <li>• Inside Diameter (mm [in]) = 5.89 [0.232]</li> </ul> <p><b>Termination Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Wire/Cable Size (CMA)</a> = 20,800 - 33,100</li> </ul>	<p><b>Body Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Wire Range (mm [AWG])</a> = 13.00-15.00<sup>2</sup> [6]</li> <li>• Stock Thickness (mm [in]) = 1.52 [0.060]</li> <li>• Outside Diameter (mm [in]) = 9.37 [0.369]</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• Government/Industry Qualification = No</li> <li>• <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>• RoHS/ELV Compliance History = Always was RoHS compliant</li> </ul> <p><b>Packaging Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Packaging Method</a> = Loose Piece</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• Brand = AMP</li> </ul>