



a vital part of your world

Find Answers:

Sunday, 23 October, 2005

CATALOG

Cross Reference

- Competitive Products
- Military Spec P/Ns
- Tyco Brand P/Ns

- Part Number Search
- Document Search
- Product Type Search
- Product Family Search
- Alphabetical Search
- RoHS/ELV Compliance & Alternates
- CAD Model Search
- Brand Search
- Tool Search
- Multiple Part Comparison
- Lead Free Solutions
- Help/Glossary

Home

e-bulletin newsletter
SUBSCRIBE NOW!
 click here

Terminals and Splices

↳ Quick Disconnect Receptacles - Insulated

AMP 640905-1 Active

Directive 2002/95/EC Compliant

RoHS Compliant

(Corporate P/N: 640905-1)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
<ul style="list-style-type: none"> General Info Sales Info Assembly Subcontractors 	<ul style="list-style-type: none"> Pricing Product Availability 	<ul style="list-style-type: none"> Tooling

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

Searchable Features:	
Brand:	AMP
RoHS/ELV Compliance:	RoHS compliant, ELV compliant
Lead Free Solder Processes:	Not relevant for lead free process
Proprietary Name:	PIDG FASTON
Receptacle Style:	Straight
Fully Insulated:	No
Wire Range (mm [AWG]):	16-14
Tab Fit (mm [in]):	6.35 x 0.81 [.250 x .032]
Insulation Support:	Insulation Support
Insulation Diameter (mm [in]):	4.32 [.170] Max.
Insertion Force:	Normal

Other Properties:	
RoHS/ELV Compliance History:	Always was RoHS compliant
Voltage (VAC):	300
RU (UL Component Program):	Approved
CSA Certified:	Yes
Color:	Blue
Wire Range (CMA):	2,050 – 5,180
Insulation Material:	Nylon
Stock Thickness (mm [in]):	0.46 [0.018]

Material:	Brass
Finish:	Tin
Dimple Type:	Dimple with wire stop
Packaging Method:	Loose Piece

[Copyright and Privacy Statement](#)
Visit [Tyco International Ltd.](#)

[[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)]

.