



8	7	6	5	4	3	2	1
FILE NUMBER TO IMPROVE	REVISIONS FOR PUBLICATION						
000000000	ALL RIGHTS RESERVED						

REV	DATE	DESCRIPTION	BY	CHK	APP
01		REVISED PER ECO-11-004833			





SCALE 3:1

- △ MATERIAL: COPPER ALLOY.
- △ TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS, ALL OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE.
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- △ PADS AND VIAS CHASSIS GROUND.
- △ REFERENCE APPLICATION SPEC 114-13120. HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- △ COMPANY LOGO IN APPROXIMATE AREA SHOWN



1761015-1
SCALE 3:1




1X6 CAGE ASSEMBLY	1761015-1
DESCRIPTION	PART NO


THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004
REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004	TE Connectivity	
REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004	ASSEMBLY, CAGE - PRESS FIT, 1X6, SEP	
REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004	STATE	SCALE CODE (DRAWING NO)
REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004	A	00779
REV. 000000000	DATE 11/02/2004	BY PHILLIPS	DATE 11/02/2004	CUSTOMER DRAWING	

8 ALL DRAWINGS TO BE APPROVED BY THE CUSTOMER BEFORE PRODUCTION. ALL RIGHTS RESERVED.

REV. NO.		REVISIONS			
DATE	BY	DESCRIPTION	DATE	BY	APP.
GP	00	SEE SHEET 1			



THIS DRAWING IS A CONTROLLED DOCUMENT.		REV. NO.	00	DATE	17 FEB 2004
DRAWN BY		DESIGNED BY	W. PHILLIPS	DATE	17 FEB 2004
CHECKED BY		APPROVED BY	W. PHILLIPS	DATE	17 FEB 2004
MATERIAL		QUANTITY	100	DATE	17 FEB 2004
PART NO.		REV.	100-1950	DATE	17 FEB 2004
DESCRIPTION		REV.	116-13120	DATE	17 FEB 2004
CUSTOMER DRAWING		REV.	A	DATE	00779
		REV.	1	DATE	1761015
		REV.	2	DATE	
		REV.	4	DATE	



ASSEMBLY
CAGE - PRESS FIT,
1X6, SEP

