



	1		2	3 4	
	PRODUCT NO. CONTACT AREA PLATING	SHIELD FIGURE	PACKING		
	10029449-001TLF 30u" Au MINIMUM	WITHOUT FLANGE	TRAY		
	10029449-001RLF 30u" Au MINIMUM	WITHDUT FLANGE	TAPE AND REEL	9.00	
	10029449-101TLF GOLD FLASH	WITHDUT FLANGE	TRAY	7.25 4.75	
A	10029449-101RLF GOLD FLASH	WITHDUT FLANGE	TAPE AND REEL	0.50 0.25 A	
	10029449-002TLF 30u" Au MINIMUM	WITH FLANGE	TRAY		
	10029449-002RLF 30u" Au MINIMUM	WITH FLANGE	TAPE AND REEL		
	10029449-002FLF GDLD FLASH	WITH FLANGE	TAPE AND REEL		
В	NDTES: 1. MATERIAL 1-1 HOUSING: GLASS FIBER				
Copyright FCI.	1-2 CUNTACT: BRASS 1-3 SHELL : STEEL 2. FINISH 2-1 CUNTACT : NI UNDER PLATED ALL OVER 50u" MIN CUNTACT AREA SEE TABLE 2-2 SHELL : NI 100u" MIN. 3. PACKAGING SPECIFICATION GS-14-939. A D. VO. CLUMPED COEDULOLUUME, LOCOMPANY,				
Copyrig	6. PRUDUCT SPECIFICATION	. 02-12-309		www.fciconnect.com Surface 6.4/ tolerance std projection Dr LEIF SHEN 10/15/04 ANGULAR LINEAR axx ± aus size A4 Scale Eng LEIF SHEN 10/15/04 ANGULAR LINEAR axx ± aus size A4 Scale S.000 Chr PAUL WAIL 10/15/04 Product family PCMCIA Spec ref * #	
	1 2 3PDM: Rev:P STATUSReleased 4 Printed: Apr 16, 2011				



