



		1			2 3 [4		5	6
•	PRODUCT NO.	NO. OF	DIM. L	DIM. L	DIM. M	DIM. M	DIM. C	DIM. C	PLATING	TERMINATION		1	¬ •
	NOTE 9	POSITIONS	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	CODE	NOTE 6	NOTES	1	
\cap	65801-001			UNA	SSIG	NED						1	
\bigcirc	65801-002	2	0.100	2.54	0.390	9.91	0.315	8.00	1	CONVENTIONAL	_	1	
	65801-003	3	0.200	5.08	0.490	12.45	0.415	10.54	1	CONVENTIONAL	_	1	
	65801-004	4	0.300	7.62	0.590	14.99	0.515	13.08	1	CONVENTIONAL	-	1	
	65801-005	5	0.400	10.16	0.690	17.53	0.615	15.62	1	CONVENTIONAL	_]	
	65801-006	6	0.500	12.70	0.790	20.07	0.715	18.16	1	CONVENTIONAL	_		
	65801-007	7	0.600	15.24	0.890	22.61	0.815	20.70	1	CONVENTIONAL	_		
	65801-008	8	0.700	17.78	0.990	25.15	0.915	23.24	1	CONVENTIONAL	_		
<u>A</u>	65801-009	9	0.800	20.32	1.090	27.69	1.015	25.78	1	CONVENTIONAL	-		<u> </u>
	65801-010	10	0.900	22.86	1.190	30.23	1.115	28.32	1	CONVENTIONAL	_		
	65801-011	11	1.000	25.40	1.290	32.77	1.215	30.86	1	CONVENTIONAL	-		
	65801-012	12	1.100	27.94	1.390	35.31	1.315	33.40	1	CONVENTIONAL	_		
	65801-013	13	1.200	30.48	1.490	37.85	1.415	35.94	1	CONVENTIONAL	_		
	65801-014	14	1.300	33.02	1.590	40.39	1.515	38.48	1	CONVENTIONAL	_	_	
	65801-015	15	1.400	35.56	1.690	42.93	1.615	41.02	1	CONVENTIONAL	_	4	
	65801-016	16	1.500	38.10	1.790	45.47	1.715	43.56	1	CONVENTIONAL	_	4	
	65801-017	17	1.600	40.64	1.890	48.01	1.815	46.10	1	CONVENTIONAL	NOTE 8	4	
	65801-018	18	1.700	43.18	1.990	50.55	1.915	48.64	1	CONVENTIONAL	_	4	
В	65801-019	19	1.800	45.72	2.090	53.09	2.015	51.18	1	CONVENTIONAL	_	4	В
	65801-020	20	1.900	48.26	2.190	55.63	2.115	53.72	1	CONVENTIONAL	_	4	
_ ∈	65801-021 65801-022	21	2.000	50.80 53.34	2.290	58.17 60.71	2.215	56.26 58.80	1	CONVENTIONAL		4	
	65801-022	23	2.100	55.88	2.390	63.25	2.415	61.34	1 1	CONVENTIONAL CONVENTIONAL		-	
	65801-023	23	2.300	58.42	2.490	65.79	2.413	63.88	1	CONVENTIONAL		-	
₽	65801-025	25	2.400	60.96	2.690	68.33	2.615	66.42	1	CONVENTIONAL	_	1	
\bigcirc	65801-026	26	2.500	63.50	2.790	70.87	2.715	68.96	1	CONVENTIONAL		1	
\bigcirc	65801-027	27	2.600	66.04	2.790	73.41	2.815	71.50	1	CONVENTIONAL	_	1	
	65801-028	28	2.700	68.58	2.990	75.95	2.915	74.04	1	CONVENTIONAL	_	1	
	65801-029	29	2.800	71.12	3.090	78.49	3.015	76.58	1	CONVENTIONAL	_	1	
С	65801-030	30	2.900	73.66	3.190	81.03	3.115	79.12	1	CONVENTIONAL	_	1	С
	65801-031	31	3.000	76.20	3.290	83.57	3.215	81.66	1	CONVENTIONAL	_	1	
	65801-032	32	3.100	78.74	3.390	86.11	3.315	84.20	1	CONVENTIONAL	_	1	
									t'l. code		e projection	product family	-
Copyright FCI								100	ecn no dr date	ISO 1302 V ISO 406 ISO 1101 tolerances unless otherwise specified	$\longrightarrow \bigoplus \bigoplus$	CLINCHER title	4
μĒ								AM		.XX±.0	01/.3 INCH/MM	CLINCHER THE RECEPTACLE	
8										- unear .xxx±.o	05/.13 cale 3:1	ASSEMBLY	
										dr T.BREWBAKER 5/	17/94	dwg no sheet 3 of 7 siz	ze
\bigcap										engr T. HANNA 5/	17/94 F C.	65801 A	43
\circ										chr J.MURPHY 5/ appd T. HANNA 5/	17/94	type Product Customer Drawing	
п								she					
	L	1			2		3	ind	ex sheet	4		5	
	form A3	11			41		3		PDM:		STATUS <mark>Relea</mark>		ĭ







