




PRODUCT NUMBER
70232-XYX
70232-XYXLF



PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-Ayy	TELCORDIA CO	SEE NOTE 9
-N1yy	TELCORDIA CO (NXT)	-
-N5yy	TELCORDIA UE (NXT)	-
-1yy	TELCORDIA CO	-
-2yy	TELECOM CLASS	-
-3yy	IEC CLASS I	-
-5yy	TELCORDIA UE	-
-AYXLF	TELCORDIA CO	SEE NOTE 10
-N1YXLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 10
-N5YXLF	TELCORDIA UE (NXT)	SEE NOTE 10
-1YXLF	TELCORDIA CO IEC CLASS I	SEE NOTE 10
-2YXLF	TELECOM CLASS	SEE NOTE 10
-5YXLF	TELCORDIA UE	SEE NOTE 10

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ	
ltr	ecm no.	dr	date	linear	0.X ±0.3	projection	COPY		www.fciconnect.com		
AL	V06-0498	DCH	2006-05-31		0.XX ±0.13		title		METRAL SIGNAL HEADER		
AM	DG09-0256	TER	2009-08-19	angles	.XXX ±.051		product family		METRAL		
AG	V04-0554	TAB	06/07/04	dr	∠ ±2°		size		213		
AH	V05-0079	HTB	02/03/05	engr			scale		1 of 8		
AJ	V05-0359	DAI	04/21/05	chr			2:1		70232		
AK	V05-1030	LP	11/18/05	oppd			A		code		
sheet	revision	AM	AM	AM	AM	AM	AM	AM	code		
index	sheet	1	2	3	4	5	6	7	22526		



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

REV E - 2006-04-18

Pro/E


PDM: Rev:AM

STATUS:Released

Printed: Jan 17, 2011



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00

REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE

SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	www.fciconnect.com		
AM					0.XX ±0.13		title METRAL SIGNAL HEADER		
				angles	.XXX ±.051		I MOD, 4 ROW PRESS-FIT		
					∅ ±2°		product family METRAL		code
				dr	T.BRUNGARD 11/19/99		size	213	
				eng	M.STRAWER 11/19/99		dwg no	70232	
				chr	M.STRAWER 11/19/99		sheet	2	
				appd	M.STRAWER 02/29/00	scale	1:1		
sheet index	revision sheet								

PDM: Rev:AM STATUS:Released Printed: Jan 17, 2011

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X10 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X14 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X18 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3
	C	1	1	1	1	1	1
	B	1	1	1	1	1	1
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X22 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5
	C	5	5	5	5	5	5
	B	5	5	5	5	5	5
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X26 SEE NOTE 11 LEAD FREE OPTION	D	6	6	6	6	6	6
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X11 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1
	C	1	1	1	1	1	1
	B	1	1	1	1	1	1
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X15 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X19 SEE NOTE 11 LEAD FREE OPTION	D	4	4	4	4	4	4
	C	4	4	4	4	4	4
	B	4	4	4	4	4	4
	A	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X23 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X27 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X12 SEE NOTE 11 LEAD FREE OPTION	D	1	1	1	1	1	1
	C	1	1	1	1	1	1
	B	1	1	1	1	1	1
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X16 SEE NOTE 11 LEAD FREE OPTION	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X20 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X24 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8
	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
	A	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X28 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7
	C	5	5	5	5	5	5
	B	5	5	5	5	5	5
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X13 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X17 SEE NOTE 11 LEAD FREE OPTION	D	3	3	3	3	3	3
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X21 SEE NOTE 11 LEAD FREE OPTION	D	5	5	5	5	5	5
	C	5	5	5	5	5	5
	B	5	5	5	5	5	5
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X25 SEE NOTE 11 LEAD FREE OPTION	D	7	7	7	7	7	7
	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
70232-X29 SEE NOTE 11 LEAD FREE OPTION	D	8	8	8	8	8	8
	C	8	8	8	8	8	8
	B	8	8	8	8	8	8
	A	8	8	8	8	8	8

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	copy	www.fciconnect.com	
AM				angles	0.XX ±0.13		title	METRAL SIGNAL HEADER	
				dr	.XXX ±.051		product family	METRAL	
				eng	0° ±2°	MM	size	213	
				chr	T. BRUNGARD 11/19/99	scale	dwg no	70232	
				appd	M. STRAWSER 11/19/99	1:1	sheet	3	
sheet index	revision	sheet			M. STRAWSER 02/29/00				



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N		CONTACT CODE MOD. I					
ROW	1	2	3	4	5	6	
70232-X30	D	9	9	9	9	9	
SEE NOTE 11 LEAD FREE OPTION	C	10	10	10	10	10	
	B	10	10	10	10	10	
	A	11	11	11	11	11	

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	projection	www.fciconnect.com	
AM				0.X ±0.3	MM	title METRAL SIGNAL HEADER	
				.XXX ±.051	MM	I MOD, 4 ROW PRESS-FIT	
				angles	MM	product family	METRAL
				dr T.BRUNGARD 11/19/99	scale	size	code
				engr M.STRAWER 11/19/99	1:1	dwg no	213
				chr M.STRAWER 11/19/99			sheet
				appd M.STRAWER 02/29/00			4
sheet index	revision						
	sheet						



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N		CONTACT CODE MOD. I					METRAL P/N		CONTACT CODE MOD. I					METRAL P/N		CONTACT CODE MOD. I					METRAL P/N		CONTACT CODE MOD. I																
ROW		1	2	3	4	5	6	ROW		1	2	3	4	5	6	ROW		1	2	3	4	5	6	ROW		1	2	3	4	5	6	ROW		1	2	3	4	5	6
70232-X50	D	6	6	6	6	6	6	70232-X54	D	6	6	6	6	6	6	70232-X58	D	20	20	20	20	20	20	70232-X62	D	9	9	9	9	9	9	70232-X66	D	21	21	21	21	21	
SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	6	SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	7	SEE NOTE 11 LEAD FREE OPTION	C	20	20	20	20	20	20	SEE NOTE 11 LEAD FREE OPTION	C	9	9	9	9	9	9	SEE NOTE 11 LEAD FREE OPTION	C	11	11	11	11	11	
	B	8	8	8	8	8	8		B	8	8	8	8	8	8		B	20	20	20	20	20	20		B	9	9	9	9	9	9		B	11	11	11	11	11	
	A	6	6	6	6	6	6		A	7	7	7	7	7	7		A	20	20	20	20	20	20		A	10	10	10	10	10	10		A	11	11	11	11	11	
70232-X51	D	6	6	6	6	6	6	70232-X55	D	5	5	5	5	5	5	70232-X59	D	8	8	8	8	8	8	70232-X63	D	15	15	15	15	15	15	70232-X67	D	12	12	12	12	12	
SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	6	SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	6	SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	7	SEE NOTE 11 LEAD FREE OPTION	C	11	11	11	11	11	11	SEE NOTE 11 LEAD FREE OPTION	C	12	12	12	12	12	
	B	6	6	6	6	6	6		B	7	7	7	7	7	7		B	7	7	7	7	7	7		B	11	11	11	11	11	11		B	15	15	15	15	15	
	A	8	8	8	8	8	8		A	8	8	8	8	8	8		A	7	7	7	7	7	7		A	11	11	11	11	11	11		A	15	15	15	15	15	
70232-X52	D	5	5	5	5	5	5	70232-X56	D	20	20	20	20	20	20	70232-X60	D	10	10	10	10	10	10	70232-X64	D	10	10	10	10	10	10	70232-X68	D	21	21	21	21	21	
SEE NOTE 11 LEAD FREE OPTION	C	5	5	5	5	5	5	SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	7	SEE NOTE 11 LEAD FREE OPTION	C	10	10	10	10	10	10	SEE NOTE 11 LEAD FREE OPTION	C	11	11	11	11	11	11	SEE NOTE 11 LEAD FREE OPTION	C	21	21	21	21	21	
	B	5	5	5	5	5	5		B	7	7	7	7	7	7		B	12	12	12	12	12	12		B	12	12	12	12	12	12		B	21	21	21	21	21	
	A	6	6	6	6	6	6		A	7	7	7	7	7	7		A	10	10	10	10	10	10		A	11	11	11	11	11	11		A	21	21	21	21	21	
70232-X53	D	14	14	14	14	14	14	70232-X57	D	8	8	8	8	8	8	70232-X61	D	10	10	10	10	10	10	70232-X65	D	9	9	9	9	9	9	70232-X69	D	12	12	12	12	12	
SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	7	SEE NOTE 11 LEAD FREE OPTION	C	8	8	8	8	8	8	SEE NOTE 11 LEAD FREE OPTION	C	10	10	10	10	10	10	SEE NOTE 11 LEAD FREE OPTION	C	10	10	10	10	10	10	SEE NOTE 11 LEAD FREE OPTION	C	11	11	11	11	11	
	B	7	7	7	7	7	7		B	14	14	14	14	14	14		B	10	10	10	10	10	10		B	11	11	11	11	11	11		B	11	11	11	11	11	
	A	7	7	7	7	7	7		A	14	14	14	14	14	14		A	12	12	12	12	12	12		A	12	12	12	12	12	12		A	11	11	11	11	11	

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	title	www.fciconnect.com	
AM					0.XX ±0.13		METRAL SIGNAL HEADER		
				angles	.XXX ±.051		I MOD, 4 ROW PRESS-FIT		
				dr	T. BRUNGARD 11/19/99	MM	product family	METRAL	code
				eng	M. STRAWSER 11/19/99	1:1	size	dwg no	213
				chr	M. STRAWSER 11/19/99			70232	sheet
				appd	M. STRAWSER 02/29/00				5
sheet index	revision	sheet							

REV E - 2006-04-18

PDM: Rev:AM STATUS:Released Printed: Jan 17, 2011



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N		CONTACT CODE MOD. I					
ROW	1	2	3	4	5	6	
70232-X70	D	4	4	4	4	4	
SEE NOTE 11 LEAD FREE OPTION	C	2	2	2	2	2	
	B	2	2	2	2	2	
	A	2	2	2	2	2	
70232-X71	D	3	3	3	3	3	
SEE NOTE 11 LEAD FREE OPTION	C	3	3	3	3	3	
	B	1	1	1	1	1	
	A	3	3	3	3	3	
70232-X72	D	2	2	2	2	2	
SEE NOTE 11 LEAD FREE OPTION	C	4	4	4	4	4	
	B	4	4	4	4	4	
	A	19	19	19	19	19	
70232-X73	D	2	2	2	2	2	
SEE NOTE 11 LEAD FREE OPTION	C	3	3	3	3	3	
	B	2	2	2	2	2	
	A	3	3	3	3	3	
70232-X74	D	2	2	2	2	2	
SEE NOTE 11 LEAD FREE OPTION	C	3	3	3	3	3	
	B	3	3	3	3	3	
	A	3	3	3	3	3	
70232-X75	D	2	2	2	2	2	
SEE NOTE 11 LEAD FREE OPTION	C	2	2	2	2	2	
	B	2	2	2	2	2	
	A	3	3	3	3	3	
70232-X76	D	19	19	19	19	19	
SEE NOTE 11 LEAD FREE OPTION	C	1	1	1	1	1	
	B	1	1	1	1	1	
	A	19	19	19	19	19	
70232-X77	D	2	2	2	2	2	
SEE NOTE 11 LEAD FREE OPTION	C	3	3	3	3	3	
	B	19	19	19	19	19	
	A	3	3	3	3	3	
70232-X78	D	1	1	1	1	1	
SEE NOTE 11 LEAD FREE OPTION	C	1	1	1	1	1	
	B	3	3	3	3	3	
	A	1	1	1	1	1	
70232-X79	D	3	3	3	3	3	
SEE NOTE 11 LEAD FREE OPTION	C	2	2	2	2	2	
	B	2	2	2	2	2	
	A	2	2	2	2	2	
70232-X80	D	8	8	8	8	8	
SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	
	B	6	6	6	6	6	
	A	6	6	6	6	6	
70232-X81	D	7	7	7	7	7	
SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	
	B	5	5	5	5	5	
	A	7	7	7	7	7	
70232-X82	D	6	6	6	6	6	
SEE NOTE 11 LEAD FREE OPTION	C	8	8	8	8	8	
	B	8	8	8	8	8	
	A	20	20	20	20	20	
70232-X83	D	6	6	6	6	6	
SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	
	B	6	6	6	6	6	
	A	7	7	7	7	7	
70232-X84	D	6	6	6	6	6	
SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	
	B	7	7	7	7	7	
	A	7	7	7	7	7	
70232-X85	D	6	6	6	6	6	
SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	
	B	6	6	6	6	6	
	A	7	7	7	7	7	
70232-X86	D	20	20	20	20	20	
SEE NOTE 11 LEAD FREE OPTION	C	5	5	5	5	5	
	B	5	5	5	5	5	
	A	20	20	20	20	20	
70232-X87	D	6	6	6	6	6	
SEE NOTE 11 LEAD FREE OPTION	C	7	7	7	7	7	
	B	20	20	20	20	20	
	A	7	7	7	7	7	
70232-X88	D	5	5	5	5	5	
SEE NOTE 11 LEAD FREE OPTION	C	5	5	5	5	5	
	B	7	7	7	7	7	
	A	5	5	5	5	5	
70232-X89	D	7	7	7	7	7	
SEE NOTE 11 LEAD FREE OPTION	C	6	6	6	6	6	
	B	6	6	6	6	6	
	A	6	6	6	6	6	

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	title	www.fciconnect.com	
AM				angles	0.XX ±0.13		METRAL SIGNAL HEADER		
				dr	.XXX ±.051	MM	1 MOD, 4 ROW PRESS-FIT		
				eng	0° ±2°	scale	product family	METRAL	code
				chr	T. BRUNGARD 11/19/99	1:1	size	dwg no	213
				appd	M. STRAWSER 11/19/99				sheet
sheet index	revision				M. STRAWSER 02/29/00				6
	sheet								

REV 1 - 2006-04-18

PDM: Rev:AM STATUS:Released Printed: Jan 17, 2011



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X90 SEE NOTE 11 LEAD FREE OPTION	D	12	12	12	12	12	12
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X94 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10
	C	11	11	11	11	11	11
	B	11	11	11	11	11	11
	A	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X98 SEE NOTE 11 LEAD FREE OPTION	D	9	9	9	9	9	9
	C	9	9	9	9	9	9
	B	11	11	11	11	11	11
	A	9	9	9	9	9	9

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X91 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11
	C	11	11	11	11	11	11
	B	9	9	9	9	9	9
	A	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X95 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X99 SEE NOTE 11 LEAD FREE OPTION	D	11	11	11	11	11	11
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X92 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10
	C	12	12	12	12	12	12
	B	12	12	12	12	12	12
	A	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X96 SEE NOTE 11 LEAD FREE OPTION	D	21	21	21	21	21	21
	C	9	9	9	9	9	9
	B	9	9	9	9	9	9
	A	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X93 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10
	C	11	11	11	11	11	11
	B	10	10	10	10	10	10
	A	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
70232-X97 SEE NOTE 11 LEAD FREE OPTION	D	10	10	10	10	10	10
	C	11	11	11	11	11	11
	B	21	21	21	21	21	21
	A	11	11	11	11	11	11

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecm no.	dr	date	linear	0.X ± 0.3	projection	www.fciconnect.com
AM				linear	0.XX ± 0.13	projection	title
				angles	.XXX ± .051		METRAL SIGNAL HEADER
				dr	0° ± 2°		1 MOD, 4 ROW PRESS-FIT
				engr	T. BRUNGARD 11/19/99	product family	METRAL
				chr	M. STRAWSER 11/19/99	size	dwg no
				oppd	M. STRAWSER 02/29/00	scale	70232
sheet index	revision sheet				1:1	A	code 213
							sheet 7

REV E - 2006-04-18

PDM: Rev:AM

STATUS:Released

Printed: Jan 17, 2011

code code 22526

1 | 2

3 |

4

PRODUCT NUMBER
70232-XYX
70232-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL  
POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:  
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:  
70232 -XYX IS SnPb  
70232-XYXLF IS SN (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE  
LEVEL SHOWN IN TABLE.
5. PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN  
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.  
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"  
WILL BE ADDED TO THE END OF THE PART NUMBER.  
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073
- 8 AFTER INSERTION INTO CIRCUIT BOARD WITH  
QUALIFIED TOOL.
- 9 -A PLATING HAS Au FLASH IN PRESS FIT  
AREA (LEAD FREE).
- 10 THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE  
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS  
AS DESCRIBED IN GS-22-008.
- 11 FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.  
EXAMPLE: 70232-X01LF
12. ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING  
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5--- WILL WITHSTAND EXPOSURE  
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR  
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---  
AND (DRAWINGS NO.)-N5--- WILL NOT WITHSTAND REFLOW AND Au CONTACT  
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR  
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0, X ±0,3	projection	COPY		METRAL SIGNAL HEADER		code		
AM				angles	0, XX ±0,13		1 MOD, 4 ROW PRESS-FIT		product family		213		
				dr	.XXX ±.051		scale		METRAL		sheet		
				eng	0° ±2°	1:1	A		70232		8		
				chr	T.BRUNGARD 11/19/99								
				oppd	M.STRAWSER 11/19/99								
					M.STRAWSER 02/29/00								
sheet index	revision sheet												

1 | 2

3 |

4

Pro/E

cage code 22526

PDM: Rev:AM STATUS:Released Printed: Jan 17, 2011



This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCJ.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCJ.  
 Copyright FCJ.

REV E - 2006-04-18