

Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

▶ Extract from the online catalog



Plastic sleeve housing for male insert RJ 45, Industrial Ethernet, IP65 protection, with push-pull locking to the panel mounting frame, for insert VS-08-ST-RJ45

Order No.	1688696
Ord designation	VS-08-T-RJ45/IP67
EAN	4017918863616
Pack	5 Pcs.
Customs tariff	85472000
Catalog page information	Page 30 (PC-2005)

▶ Technical data

Material data


Housing material	PA
Inflammability class acc. to UL 94	V0

Electrical characteristics

Ambient temperature (operation)	-40 ° C ... 80 ° C
---------------------------------	--------------------

► Drawings

Dimensioned drawing



▶ **Accessories**

Item	Designation	Description
General		
1688573	VS-08-ST-RJ45	Male insert RJ45, no. of positions 8, with IDC connection system

► Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057
USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>
Phoenix Contact
Technical modifications reserved;