

AI 1,5 - 8 BK


Order No.: 3200043

The figure shows the version AI 1,5-10

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200043>

Ferrule, Length: 14 mm, Color: black

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  4 017918 093693 |
| sales group | B250 |
| Pack | 100 pcs. |
| Customs tariff | 85369010 |
| Catalog page information | Page 305 (CL2-2011) |

Product notes

WEEE/RoHS-compliant since:
01/01/2005

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

| | |
|--|--------|
| Length (b) | 14 mm |
| Color | black |
| Material | E-CU |
| Sleeve length | 8 mm |
| Inner dimension of the insulating collar (d) | 3.4 mm |

| | |
|-----------------------------|---------|
| Ferrule diameter | 1.8 mm |
| Insulating collar thickness | 0.3 mm |
| Sleeve wall thickness | 0.15 mm |

Certificates / Approvals




Certification

CSA, CSAus-COMP

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;