

## AI 4 -18 GY


Order No.: 3200593

The figure shows the version AI 0,75-8 GY




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200593>

Ferrule, Length: 26 mm, Color: gray

Commercial data	
GTIN (EAN)	 4 017918 094201
sales group	B250
Pack	100 pcs.
Customs tariff	85369010
Catalog page information	Page 305 (CL2-2011)

**Product notes**

WEEE/RoHS-compliant since:  
01/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Length (b)	26 mm
Color	gray
Material	E-CU
Sleeve length	18 mm
Inner dimension of the insulating collar (d)	4.8 mm

Ferrule diameter	2.8 mm
Insulating collar thickness	0.3 mm
Sleeve wall thickness	0.2 mm

### Certificates / Approvals




Certification

CSA, CSAus-COMP

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;