



PRODUCT NUMBER  
SEE TABLE



NOTES 4 & 5

NOTES:

1. PIN LENGTH TO BE .210/5.33 MIN RECOMMENDED PIN LENGTH IS .225±.015/5.72±0.38.
2. MOLDING MATERIAL: MODIFIED POLYPHENYLENE ETHER COLOR-BLACK UL 94V-0
3. MAY BE USED WITH PRODUCT LINE NO. 65268 STYLE M.
4. ALL MARKINGS FOR MILITARY PART NUMBERS ARE TO BE PER MIL-STD-1285. SEE TABULATION.
5. PLACE DESC PART NO. AND CAGE NO. ON PACKAGING LABEL. PRODUCT LENGTH IS TO SMALL TO MARK PART.
6. APPLICABLE SPECIFICATIONS:  
BUS-12-067: PRODUCT SPECIFICATION  
TA-75: CRIMPING INSTRUCTIONS (TERMINALS MUST BE CRIMPED PROPERLY FOR SATISFACTORY LATCHING).  
TA-531: INSTALLING AND REMOVING TERMINALS
7. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
8. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESS.
9. EUROPEAN CUSTOMERS SHOULD ORDER PART NUMBERS WITH AN 'E' SUFFIX AS SHOWN IN TABLE TO CONTINUE TO BE SUPPLIED BY THE EUROPEAN PLANT. SEE DRAWING 65846EUR.



| mat'l. code |          | surface      | tolerance    | projection                            | product family                             |              |                  |
|-------------|----------|--------------|--------------|---------------------------------------|--|--------------|------------------|
| SEE NOTE 2  |          | ASME Y14.5 ✓ | ASME Y14.5   |                                       | PV HOUSINGS                                |              |                  |
| l/r         | ec'n no  | dr           | date         | tolerances unless otherwise specified | title                                      |              |                  |
| v           | v06-0357 | HTB          | 2006-04-17   | XX+01/XX+3                            | MINI LATCH HOUSING<br>DOUBLE ROW POLARIZED |              |                  |
| w           | v06-0886 | HTB          | 2006-08-31   | XXX+005/XXX+8                         |  |              |                  |
| x           | v07-0511 | HTB          | 2007-08-07   | XXXX+0020/XXX+051                     |  |              |                  |
|             |          |              |              | angles                                | INCH/MM                                    |              |                  |
|             |          |              |              | 0°±2'                                 | scale 2.5:1                                |              |                  |
|             |          | dr           | T. BREWBAKER | 2006-04-17                            |  |              |                  |
|             |          | engr         | T. BREWBAKER | 2006-04-17                            |  |              |                  |
|             |          | chr          | T. BREWBAKER | 2006-04-17                            |  |              |                  |
|             |          | appd         | T. BREWBAKER | 2006-04-17                            |  |              |                  |
| sheet       | revision | x            | x            | x                                     | dwg no                                     | sheet 1 of 3 | size             |
| index       | sheet    | 1            | 2            | 3                                     | 65846                                      | A4           |                  |
|             |          |              |              |                                       | type                                       | Product      | Customer Drawing |

Copyright FCJ



FCJconnect.com

1 | 2

3 |

4

| PRODUCT NO. | NO. OF POS. | DIM K       | DIM L       | DIM C     | EUROPEAN VERSION-NOTE 9 |
|-------------|-------------|-------------|-------------|-----------|-------------------------|
| 65846-001LF | 2 X 12      | 1.200/30.48 | 1.100/27.94 | .120/3.05 | 65846-001ELF            |
| 65846-002LF | 2 X 15      | 1.500/38.10 | 1.400/35.56 | .120/3.05 | 65846-002ELF            |
| 65846-003LF | 2 X 19      | 1.900/48.26 | 1.800/45.72 | .120/3.05 | 65846-003ELF            |
| 65846-004LF | 2 X 22      | 2.200/55.88 | 2.100/53.34 | .120/3.05 | -                       |
| 65846-005LF | 2 X 27      | 2.700/68.58 | 2.600/66.04 | .120/3.05 | 65846-005ELF            |
| 65846-006LF | 2 X 10      | 1.000/25.40 | .900/22.86  | .120/3.05 | 65846-006ELF            |
| 65846-007LF | 2 X 7       | .700/17.78  | .600/15.24  | .120/3.05 | 65846-007ELF            |
| 65846-008LF | 2 X 9       | .900/22.86  | .800/20.32  | .120/3.05 | 65846-008ELF            |
| 65846-009LF | 2 X 32      | 3.200/81.28 | 3.100/78.74 | .120/3.05 | -                       |
| 65846-010LF | 2 X 5       | .500/12.70  | .400/10.16  | .120/3.05 | 65846-010ELF            |
| 65846-011LF | 2 X 8       | .800/20.32  | .700/17.78  | .120/3.05 | 65846-011ELF            |
| 65846-012LF | 2 X 25      | 2.500/63.50 | 2.400/60.96 | .120/3.05 | 65846-012ELF            |
| 65846-013LF | 2 X 30      | 3.000/76.20 | 2.900/73.66 | .120/3.05 | -                       |
| 65846-014LF | 2 X 2       | .200/5.08   | .100/2.54   | .120/3.05 | 65846-014ELF            |
| 65846-015LF | 2 X 3       | .300/7.62   | .200/5.08   | .120/3.05 | 65846-015ELF            |
| 65846-016LF | 2 X 4       | .400/10.16  | .300/7.62   | .120/3.05 | 65846-016ELF            |
| 65846-017LF | 2 X 6       | .600/15.24  | .500/12.70  | .120/3.05 | -                       |
| 65846-018LF | 2 X 11      | 1.100/27.94 | 1.000/25.40 | .120/3.05 | -                       |
| 65846-019LF | 2 X 13      | 1.300/33.02 | 1.200/30.48 | .120/3.05 | -                       |
| 65846-020LF | 2 X 14      | 1.400/35.58 | 1.300/33.02 | .120/3.05 | -                       |
| 65846-021LF | 2 X 16      | 1.600/40.64 | 1.500/38.10 | .120/3.05 | -                       |
| 65846-022LF | 2 X 17      | 1.700/43.18 | 1.600/40.64 | .120/3.05 | -                       |
| 65846-023LF | 2 X 18      | 1.800/45.72 | 1.700/43.18 | .120/3.05 | -                       |
| 65846-024LF | 2 X 20      | 2.000/50.80 | 1.900/48.26 | .120/3.05 | -                       |
| 65846-025LF | 2 X 21      | 2.100/53.34 | 2.000/50.80 | .120/3.05 | -                       |
| 65846-026LF | 2 X 23      | 2.300/58.42 | 2.200/55.88 | .120/3.05 | -                       |
| 65846-027LF | 2 X 24      | 2.400/60.96 | 2.300/58.42 | .120/3.05 | -                       |
| 65846-028LF | 2 X 26      | 2.600/66.04 | 2.500/63.50 | .120/3.05 | -                       |
| 65846-029LF | 2 X 28      | 2.800/71.12 | 2.700/68.58 | .120/3.05 | -                       |
| 65846-030LF | 2 X 29      | 2.900/73.66 | 2.800/71.12 | .120/3.05 | -                       |
| 65846-031LF | 2 X 31      | 3.100/78.74 | 3.000/76.20 | .120/3.05 | -                       |
| 65846-032LF | 2 X 33      | 3.300/83.82 | 3.200/81.28 | .120/3.05 | -                       |
| 65846-033LF | 2 X 34      | 3.400/86.36 | 3.300/83.82 | .120/3.05 | -                       |
| 65846-034LF | 2 X 35      | 3.500/88.90 | 3.400/86.36 | .120/3.05 | -                       |
| 65846-035LF | 2 X 36      | 3.600/91.44 | 3.500/88.90 | .120/3.05 | -                       |
| 65846-036LF | 2 X 3       | .300/7.62   | .200/5.08   | .080/2.03 | -                       |

|             |                |         |              |                                       |               |            |                      |                          |
|-------------|----------------|---------|--------------|---------------------------------------|---------------|------------|----------------------|--------------------------|
| mat'l. code | SEE NOTE 2     | surface | ASME Y14.5 ✓ | tolerance                             | ASME Y14.5    | projection | product family       | PV HOUSINGS              |
| tr          | ecm no         | dr      | date         | tolerances unless otherwise specified |               | INCH/MM    | title                |                          |
| x           |                |         |              | angles                                | XXX+01/XX+3   | scale      | MINI LATCH HOUSING   |                          |
|             |                |         |              | 0°±2'                                 | XXX+005/XXX+8 | 1:1        | DOUBLE ROW POLARIZED |                          |
|             |                |         |              | dr                                    | T. BREWBAKER  | 2006-04-17 | dwg no               | sheet 2 of 3             |
|             |                |         |              | engr                                  | T. BREWBAKER  | 2006-04-17 | 65846                | size                     |
|             |                |         |              | chr                                   | T. BREWBAKER  | 2006-04-17 |                      | A4                       |
|             |                |         |              | appd                                  | T. BREWBAKER  | 2006-04-17 | type                 | Product Customer Drawing |
| sheet index | revision sheet |         |              |                                       |               |            |                      |                          |

form A4mmXc

1 | 2

3 |

4

Copyright FCJ




1 | 2

3

4

| MILITARY PRODUCT NO. | MADE FROM | MARKING STYLE | DESC P/N | CAGE NO. |
|----------------------|-----------|---------------|----------|----------|
| 65846-001-MIL        |           | DISCONTINUED  |          |          |
| 65846-002-MIL        |           | DISCONTINUED  |          |          |
| 65846-003-MIL        |           | DISCONTINUED  |          |          |
| 65846-004-MIL        |           | DISCONTINUED  |          |          |
| 65846-005-MIL        |           | DISCONTINUED  |          |          |
| 65846-006-MIL        |           | DISCONTINUED  |          |          |
| 65846-007-MIL        |           | DISCONTINUED  |          |          |
| 65846-008-MIL        |           | DISCONTINUED  |          |          |
| 65846-009-MIL        |           | DISCONTINUED  |          |          |
| 65846-010-MIL        |           | DISCONTINUED  |          |          |
| 65846-011-MIL        |           | DISCONTINUED  |          |          |
| 65846-012-MIL        |           | DISCONTINUED  |          |          |
| 65846-013-MIL        |           | DISCONTINUED  |          |          |
| 65846-014-MIL        |           | DISCONTINUED  |          |          |
| 65846-015-MIL        |           | DISCONTINUED  |          |          |
| 65846-016-MIL        |           | DISCONTINUED  |          |          |
| 65846-017-MIL        |           | DISCONTINUED  |          |          |
| 65846-018-MIL        |           | DISCONTINUED  |          |          |
| 65846-019-MIL        |           | DISCONTINUED  |          |          |
| 65846-020-MIL        |           | DISCONTINUED  |          |          |
| 65846-021-MIL        |           | DISCONTINUED  |          |          |
| 65846-022-MIL        |           | DISCONTINUED  |          |          |
| 65846-023-MIL        |           | DISCONTINUED  |          |          |
| 65846-024-MIL        |           | DISCONTINUED  |          |          |
| 65846-025-MIL        |           | DISCONTINUED  |          |          |
| 65846-026-MIL        |           | DISCONTINUED  |          |          |
| 65846-027-MIL        |           | DISCONTINUED  |          |          |
| 65846-028-MIL        |           | DISCONTINUED  |          |          |
| 65846-029-MIL        |           | DISCONTINUED  |          |          |
| 65846-030-MIL        |           | DISCONTINUED  |          |          |
| 65846-031-MIL        |           | DISCONTINUED  |          |          |
| 65846-032-MIL        |           | DISCONTINUED  |          |          |
| 65846-033-MIL        |           | DISCONTINUED  |          |          |
| 65846-034-MIL        |           | DISCONTINUED  |          |          |
| 65846-035-MIL        |           | DISCONTINUED  |          |          |



A

A

B

B

|             |            |                                       |            |            |  |
|-------------|------------|---------------------------------------|------------|------------|--|
| mat'l. code | SEE NOTE 2 | surface                               | tolerance  | projection | product family                             |
| lfr         | ecn no     | ASME Y14.5                            | ASME Y14.5 |            | PV HOUSINGS                                |
| x           | dr         | tolerances unless otherwise specified | angles     | INCH/MM    | title                                      |
|             | date       | XXX+01/XX+3                           | 0°±2'      | scale 1:1  | MINI LATCH HOUSING<br>DOUBLE ROW POLARIZED |
|             |            | XXXX+005/XXX+3                        | dr         |            | dwg no                                     |
|             |            | XXXX+0020/XXX+051                     | engr       |            | 65846                                      |
|             |            |                                       | chr        |            | sheet 3 of 3                               |
|             |            |                                       | appd       |            | size A4                                    |
| sheet       | revision   |                                       |            |            | type                                       |
| index       | sheet      |                                       |            |            | Product Customer Drawing                   |

form A4mmXc

1

2

3

4