

## PRODUCT BULLETIN

### NEW!

# PanTher™ LS8 Hand-Held Thermal Transfer Printer and Accessories

The versatile *PanTher*™ LS8 Hand-Held Thermal Transfer Printer with revolutionary label cut-to-length functionality eliminates label waste and label trimming labor. A partial cut feature is available to provide tear-apart strips of labels for quicker installation.

The Panther™ LS8 Hand-Held Thermal Transfer Printer prints high quality, industrial labels on a wide variety of materials for electrical and network applications such as wire/cable, components, safety and facility identification. The printer uses label cassettes that contain an integrated memory device for automatic formatting, recall of last legend used and number of labels remaining in cassette. The fast loading label cassettes include both label material and ribbon to make changing labels easy.

The compact and rugged  $PanTHER^{T}$  LS8 is easy to use and fits comfortably in one hand. The large, backlit display makes the  $PanTHER^{T}$  LS8 the ideal tool for printing labels at a remote job site. USB interface for importing data, system upgrades and printing labels from a wireless laptop or desktop computer.



### Key Features

### Benefits

Revolutionary label cut-to-length functionality	Eliminates label waste and label trimming labor
Unique cutter design allows full or partial label cutting	Flexibility to choose individually cut labels or a strip of tear-apart labels for quicker installation
Cassettes with automatic label recognition	Label cassettes contain an integrated memory device for automatic formatting, recall of last legend used and number of labels remaining in cassette
Fast loading label cassette	Contains both label material and ribbon to make changing labels easy
Print self-laminating labels, heat shrink tubing, die-cut component labels and continuous tape	One printer for all labeling applications  Printed labels withstand harsh operating conditions including abrasion, chemicals and temperature exposure
Large graphic display with backlight	Maximize label design area with backlight for improved visibility
USB interface	Allows importing data, system upgrades and printing labels from a wireless laptop or desktop computer
Compact, rugged design	Easy to use and fits comfortably in one hand
Crisp thermal transfer print	High quality print enhances label appearance




### PanTher™ LS8 Hand-Held Thermal Transfer Printer and Accessories

### Label Design Flexibility

- Revolutionary label cut-to-length functionality eliminates label waste and label trimming labor
- Partial cut feature available to provide tear-apart strips of labels
- Large graphic display with backlight for improved visibility
- Text editor allows simple label creation

- View and print labels directly from the preview screen
- Customize your labels with these advanced features:
  - Alpha and numeric serialization
- Date and time stamp
- Lines
- Frames
- Bar codesSymbols
- Data lists







Partial Cut Strip of Labels



Graphic Display with Backlight



Text Editor Allows Simple Label Creation



Customize Labels with Advanced Features

### Self-Laminating Label Cassettes



- Labels offer crisp, clear legends with superior legibility
- Self-laminating labels for wire/cable labeling include a colored print-on area and clear overlaminate to protect the legend for clear and durable identification
- Labels are available in a large range of wire/cable sizes

Part			Width		Length		Print-on Height		Min. Cable O.D.		Max. Cable O.D.		Std. Ctn.
Number	Description	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	Qty.	Qty.
S050X075VAC	White print-on, vinyl label for 18-14 AWG wires, 450/cassette.	.50	12.70	.75	19.05	.25	6.35	.08	2.02	.16	4.04	1	10
S050X125VAC	White print-on, vinyl label for 12-10 AWG wires, 225/cassette.	.50	12.70	1.25	31.75	.38	9.65	.12	3.07	.28	7.03	1	10
S050X150VAC	White print-on, vinyl label for Cat 5/ Cat 5e/Cat 6 cables, 200/cassette.	.50	12.70	1.50	38.10	.50	12.70	.16	4.04	.32	8.09	1	10
S100X075VAC	White print-on, vinyl label for 18-14 AWG wires, 350/cassette.	1.00	25.40	.75	19.05	.25	6.35	.08	2.02	.16	4.04	1	10
S100X125VAC	White print-on, vinyl label for 12-10 AWG wires, 225/cassette.	1.00	25.40	1.25	31.75	.38	9.65	.12	3.07	.28	7.03	1	10
S100X150VAC	White print-on, vinyl label for Cat 5/ Cat 5e/Cat 6 cables, 200/cassette.	1.00	25.40	1.50	38.10	.50	12.70	.16	4.04	.32	8.09	1	10
S100X225VAC	White print-on, vinyl label for 8-4 AWG wires, 125/cassette.	1.00	25.40	2.25	57.15	.75	19.05	.24	6.06	.48	12.13	1	10
S100X400VAC	White print-on, vinyl label for 2-1 AWG wires, 75/cassette.	1.00	25.40	4.00	101.60	1.00	25.40	.32	8.09	.95	24.26	1	10
S100X650VAC	White print-on, vinyl label for 1/0-250 MCM wires, 50/cassette.	1.00	25.40	6.50	165.10	1.50	38.10	.48	12.13	1.59	40.43	1	10

Order number of cassettes required.



### Continuous Heat Shrink Label Cassettes



- Labels offer crisp, clear legends with superior legibility
- Meets UL Standard 224 for flammability and UL Standard 2043 suitable for use in air handling spaces
- Shrink ratio of 3:1
- Each cassette contains a continuous roll of flattened polyolefin that can be cut-to-length and partially cut

Part	t l		Width		Length		Min. Cable Diameter		Max. Cable Diameter		Std. Ctn.
Number	Description	ft	M	in.	mm	in.	mm	in.	mm	Qty.	Qty.
H000X025F1C	White, 1/8" diameter heat shrinkable polyolefin.	.25	6.35	8.0	2.44	.04	1.02	.13	3.30	1	10
H000X034F1C	White, 3/16" diameter heat shrinkable polyolefin.	.34	8.64	8.0	2.44	.06	1.52	.19	4.83	1	10
H000X044F1C	White, 1/4" diameter heat shrinkable polyolefin.	.44	11.18	6.0	1.83	.08	2.03	.25	6.35	1	10
H000X084F1C	White, 1/2" diameter heat shrinkable polyolefin.	.84	21.34	6.0	1.83	.17	4.32	.50	12.70	1	10

Order number of cassettes required.

### General Component Label Cassettes



- Labels offer crisp, clear legends with superior legibility
- Multi-purpose labels for identifying flat surfaces such as components, control panels, circuit boards and general labeling
- Available in polyester and vinyl cloth materials

Part		Wi	dth	Hei	ight	Std. Pkg.	Std. Ctn.
Number	Description	in.	mm	in.	mm	Qty.	Qty.
C060X020YJC	White, polyester label, 750/cassette.	.60	15.24	.20	5.08	1	10
C100X025YJC	White, polyester label, 500/cassette.	1.00	25.40	.25	6.35	1	10
C100X050CBC	White, vinyl cloth label, 175/cassette.	1.00	25.40	.50	12.70	1	10
C100X050YJC	White, polyester label, 500/cassette.	1.00	25.40	.50	12.70	1	10
C150X075YJC	White, polyester label, 250/cassette.	1.50	38.10	.75	19.05	1	10
C200X050CBC	White, vinyl cloth label, 50/cassette.	2.00	50.80	.50	12.70	1	10
C200X050YJC	White, polyester label, 200/cassette.	2.00	50.80	.50	12.70	1	10
C200X100YJC	White, polyester label, 200/cassette.	2.00	50.80	1.00	25.40	1	10

Order number of cassettes required.

### Ultimate ID® Network Label Cassette



- Label cassettes designed for use with *Ultimate ID*® faceplates, patch panels, marker ties, modular furniture faceplates, surface mount boxes, and components
- Labels assist in compliance with TIA/EIA-606-A labeling standard
- Available in non-adhesive polyester material

Part		Не	ight	Len	gth	Std. Pkg.	Std. Ctn.
Number	Description	in.	mm	ft	M	Qty.	Qty.
UILS8BW	White, non-adhesive polyester label cassette.	.236	6.0	25.0	7.6	1	10

Order number of cassettes required.

For complete *Ultimate ID*® Network Labeling System product information visit www.panduit.com.



### Continuous Terminal Block Label Cassettes

- Tapes offer crisp, clear legends with superior legibility
- Print terminal block labels ranging in size from .24" to .38" wide
- Available in continuous polyolefin tape



Part		He	ight	Len	gth	Std. Pkg.	Std. Ctn.
Number	Description	in.	mm	ft	М	Qty.	Qty.
T024X000FJC-BK	Black on white, polyolefin tape.	.24	6.10	25.0	7.6	1	10
T031X000FJC-BK	Black on white, polyolefin tape.	.31	7.87	25.0	7.6	1	10
T038X000FJC-BK	Black on white, polyolefin tape.	.38	9.65	25.0	7.6	1	10

Order number of cassettes required.

## Continuous Tape Cassettes

- Tapes offer crisp, clear legends with superior legibility
- Print custom pipe markers, voltage markers, signs and bin marker labels on demand
- Available in a variety of colors, widths and materials including continuous polyester and vinyl







Part		Height		Len	gth	Pkg.	Otn.
Number	Description	in.	mm	ft	M	Qty.	Qty.
T038X000VPC-BK	Black on white, vinyl tape.	.38	9.65	25.0	7.6	1	10
T038X000VYC-WH	White on black, vinyl tape.	.38	9.65	25.0	7.6	1	10
T038X000YKC-BK	Black on clear, polyester tape.	.38	9.65	25.0	7.6	1	10
T050X000VPC-BK	Black on white, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VQC-BK	Black on blue, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VSC-BK	Black on green, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VUC-BK	Black on orange, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VWC-BK	Black on red, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VXC-BK	Black on yellow, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000VYC-WH	White on black, vinyl tape.	.50	12.70	25.0	7.6	1	10
T050X000YKC-BK	Black on clear, polyester tape.	.50	12.70	25.0	7.6	1	10
T075X000VPC-BK	Black on white, vinyl tape.	.75	19.05	25.0	7.6	1	10
T075X000YKC-BK	Black on clear, polyester tape.	.75	19.05	25.0	7.6	1	10
T100X000VPC-BK	Black on white, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VQC-BK	Black on blue, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VQC-WH	White on blue, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VSC-BK	Black on green, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VSC-WH	White on green, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VUC-BK	Black on orange, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VUC-WH	White on orange, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VWC-BK	Black on red, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VWC-WH	White on red, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VXC-BK	Black on yellow, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VXC-WH	White on yellow, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000VYC-WH	White on black, vinyl tape.	1.00	25.40	25.0	7.6	1	10
T100X000YKC-BK	Black on clear, polyester tape.	1.00	25.40	25.0	7.6	1	10
Order number of eccept							

Order number of cassettes required.

