







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC HB		DIST		REVISIONS					
P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD			
	B3	CORRECT MISTAKE	ECO-07-012729	31-MAY-07	K.S.L	W.Y			
	C	CHANGE NEW LOGO	ECR-08-018190	10-AUG-08	MH.L	BH.Y			
	C1	REVISION UPDATE ONLY	ECO-09-018236	27-AUG-09	D.L	BH.Y			



<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN Yang.Xiao CHK N.Funayama APVD HSU,CHHEN-HUI		Tyco Electronics Corporation Shenzhen,China	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±		NAME PRODUCT SPEC APPLICATION SPEC WEIGHT	
MATERIAL SEE MATERIAL TABLE		FINISH		SIZE GAGE CODE DRAWING NO A3 00779 C 5-1419121-7	
CUSTOMER DRAWING				RESTRICTED TO SCALE 4:1 SHEET 1 OF 2 REV C1	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC HB	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

NOTES:
 1. LOT NO. SYSTEM AS FOLLOWING:
 0 8 2 5 WEEK YEAR

2. GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3. TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.


RELAY TYPE

DESCRIPTION	TE PART NO	PART A	PART B
OMIH-SS-148L	9-1419121-0	OMIH-SS-148L	48V
OMIH-SS-148D	2-1419145-1	OMIH-SS-148D	48V
OMIH-SS-124L	8-1419121-7	OMIH-SS-124L	24V
OMIH-SS-124D	8-1419121-5	OMIH-SS-124D	24V
OMIH-SS-112L	8-1419121-0	OMIH-SS-112L	12V
OMIH-SS-112D	7-1419121-7	OMIH-SS-112D	12V
OMIH-SS-109L	7-1419121-5	OMIH-SS-109L	9V
OMIH-SH-148L	7-1419121-1	OMIH-SH-148L	48V
OMIH-SH-148D	7-1419121-0	OMIH-SH-148D	48V
OMIH-SH-124L	6-1419121-6	OMIH-SH-124L	24V
OMIH-SH-124D	6-1419121-4	OMIH-SH-124D	24V
OMIH-SH-112L	5-1419121-7	OMIH-SH-112L	12V
OMIH-SH-105L	5-1419121-3	OMIH-SH-105L	5V
OMIH-SH-105D	1-1419145-6	OMIH-SH-105D	5V

UV RESIN	UV SEAL	ITEM		
—	TAPE	18		
—	SEAL	17		
EPOXY RESIN	SEAL	16		
PBT	CASE	15		
UL94 V-0	CLASS E	14		
UL94 V-0	UW MAGNETIC WIRE	14		
UL94 V-0	PET BASE	13		
UL94 V-0	PBT BOBBIN	12		
UL94 V-0	SOLDER DIP CP WIRE	11		
UL94 V-0	PPS COIL TERMINAL	10		
UL94 V-0	Aq ALLOY MOVABLE CONTACT	9		
UL94 V-0	Aq ALLOY STATIONARY CONTACT	8		
UL94 V-0	Cu ALLOY HINGE SPRING	7		
UL94 V-0	SOLDER DIP Cu ALLOY B TERMINAL	6		
UL94 V-0	SOLDER DIP Cu ALLOY M TERMINAL	5		
UL94 V-0	SOLDER DIP Cu ALLOY MOVABLE SPRING	4		
UL94 V-0	STEEL CORE	3		
UL94 V-0	STEEL ARMATURE	2		
UL94 V-0	STEEL YOKE	1		
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
 IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
 SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± PLC ±	DWN YANG,XIAO	CHK N.FUNAYAMA	APVD HSU,CHIEN-HUI	NAME OMIH CUSTOMER DRAWING
MATERIAL SEE MATERIAL TABLE	FINISH	PRODUCT SPEC	APPLICATION SPEC	WEIGHT	SIZE A3
				DRAWING NO 5-1419121-7	
		CUSTOMER DRAWING		RESTRICTED TO	SCALE 4:1
				SHEET 2 OF 2	
				REV C1	



A
B
C
D
1
2
3
4
5
6
7
8