


# Switchcraft®



## **Cord-Switch® CORD SWITCHES**

**SERIES E900, ED900, EP900**

**E903**

Momentary cord (pendant) switches can be specified with red or black pushbuttons, 1-C or 1-D switching, solder terminals and metal handle (Series E900), plastic handle (Series EP900), or metal handle with clamp and strain relief (Series ED900).

## SPECIFICATIONS

(See IBS on page 261 for switch specs.)

### **SERIES E900, EP900:**

**Housing:** Series E900 - Copper alloy, plated. Series EP900 - Molded black plastic.

**Switch Bushing:** Copper alloy, plated.

**Insulation:** Rigid plastic.

### **SERIES ED900:**

**Housing:** Die-cast zinc, plated.

**Switch Body and Insert Bushing:** Copper alloy, plated.

**Insulation:** Rigid plastic.

**Cable Relief Bushing:** Black thermoplastic rubber.

**Pressure Plates:** Stainless steel.

**Cable Relief Screws:** Steel, plated.

## SPECIAL ORDER FEATURES

\* Other pushbutton colors.

\* Custom legends

### **PART NUMBERS** (examples)

Pushbutton Color/Part Number		Maximum Cable Outside Diameter	Circuit
Red	Black		
E903	E913	.375" [9.5 mm]	1-C
ED903	ED913	.375" [9.5 mm]	

EP903	EP913	.250" [6.4 mm]	1-D
*E903D	*E913D	.375" [9.5 mm]	
*ED903D	*ED913D	.375" [9.5 mm]	
*EP903D	*EP913D	.25" [6.4 mm]	

\* Special order only; contact Switchcraft for price and delivery.