

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0638190800**
Status: **Active**
Description: Hand Crimp Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com/review/apptool_survey.html
Tool Type	Handtool

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-638190800, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



EU RoHS **China RoHS**

Compliance Status
Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0102Series

Use With

- 1.57mm (.062")
- Pin and Socket Terminals 24-30 AWG
- 2.50mm (.098")
- SPOX™ Terminals, 24-30 AWG
- 2.54mm (.100")
- KK® Terminals 20-28 AWG

Application Tooling | **FAQ**

Description	Product #
-------------	-----------

KK® High Pressure Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au)	0008550124
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm (.145") Pitch, Male,	0039000337

Gold (Au) Plated Brass Contact, 22-28 AWG, Bag 1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm (.145") Pitch, Female, Gold (Au) Plated Brass Contact, 22-28 AWG, Bag	0039000341
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm (.145") Pitch, Male, Gold (Au) Plated Brass Contact, 22-28 AWG, Reel	0039000336
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, 3.68mm (.145") Pitch, Female, Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	0039000338
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm (.145") Pitch, Female, Gold (Au) Plated Brass Contact, 22-28 AWG, Reel	0039000340
2.50mm (.098") Pitch SPOX™ Crimp Terminal 5241, Bag	0008700103
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm (.145") Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Bag	0039000335
2.50mm (.098") Pitch SPOX™ Wire-to- Wire Male Crimp Terminal, Reel	0008700102
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp	0039000280

Terminal, Series 1854, 3.68mm (.145") Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel 1.57mm (.062")	0002066143
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel 1.57mm (.062")	0002065130
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm (15µ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm (.062")	0002061131
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm (.062")	0002062131
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm (.062")	0002062132
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm (.062")	0002065135
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm (15µ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	

1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm (30µ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	0002065138
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm (30µ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	0002065139
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	0002066130
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	0002066135
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	0002066138
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	0002066139
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold	0002065147

(Au) Plated Brass
Contact, 24-30 AWG,
Reel
1.57mm (.062") 0002065148
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1855, Female, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm (.062") 0002066144
Diameter,
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin (Sn)
Plated Crimp Area,
24-30 AWG, Bag

This document was generated on 05/04/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION