

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0011030043](#)
Status: **Active**
Description: Extraction Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General


Product Family	Application Tooling
Series	T0201
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com/review/apptool_survey.html
Tool Type	Handtool

Material Info

Old Part Number HT60923A

Reference - Drawing Numbers

Application Tooling Documents
 ATS-011030043, TM-638000029, TM-638000029CN,
 TM-638000029DE, TM-638000029FR,
 TM-638000029IT, TM-638000029JP,
 TM-638000029KR, TM-638000029MY,
 TM-638000029PL, TM-638000029RU,
 TM-638000029SK, TM-638000029SP,
 TM-638000029TH, TM-638000029TW,
 TM-638000029VN



EU RoHS **China RoHS**

Compliance Status
Not Reviewed

REACH SVHC
Not Reviewed

Low-Halogen Status
Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0201Series

Application Tooling | **FAQ**
Description **Product #**

Micro-Fit 3.0™ Crimp0430310007 Terminal, Male, with Tin (Sn) Plated Tin/ Brass Alloy Contact, 20-24 AWG, Bag	
Micro-Fit 3.0™ Crimp0430310009 Terminal, Male, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 20-24 AWG, Bag	
Micro-Fit 3.0™ High Mating Cycle, Reduced Mating Force, Crimp Terminal, Female, with 0.38µm (15µ") Selective Gold (Au) over Nickel (Ni), 20-24 AWG, with Lubricant	0462355001

OBD-II Crimp Terminal, Female, 50420, 4.00mm (.157") Pitch Micro-Fit 3.0™ Crimp	0504208000
Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Bag Micro-Fit 3.0™ Crimp	0430300009
Terminal, Male, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 26-30 AWG, Reel 1.25mm (.049") Pitch	0500798000
PicoBlade™ Crimp Terminal, 26-28 AWG, Reel 2.00mm (.079") Pitch Crimp Terminal	0503728000
50372, Female, 22-26 AWG, Reel Micro-Fit 3.0™ Reduced Mating Force, Crimp	0462350001
Terminal, Female, with 0.38µm (15µ") Selective Gold (Au) over Nickel (Ni), 20-24 AWG, without Lubricant	
Micro-Fit 3.0™ Reduced Mating Force, Crimp	0462350002
Terminal, Female, with .0.76µm (30µ") Selective Gold (Au) over Nickel (Ni), 20-24 AWG, without Lubricant	
Micro-Fit 3.0™ Reduced Mating Force, Crimp	0462350003
Terminal, Female, with 0.38µm (15µ") Selective Gold (Au) over Nickel (Ni), 26-30 AWG, without Lubricant	
Micro-Fit 3.0™ Reduced Mating Force, Crimp	0462350004
Terminal, Female, with .0.76µm (30µ") Selective Gold (Au) over Nickel (Ni), 26-30 AWG, without Lubricant	
Micro-Fit 3.0™ High Mating Cycle, Reduced Mating Force, Crimp	0462355002
Terminal, Female,	

with .076µm (30µ") Selective Gold (Au) over Nickel (Ni), 20-24 AWG, with Lubricant	
Micro-Fit 3.0™ High Mating Cycle, Reduced Mating Force, Crimp Terminal, Female, with 0.38µm (15µ") Selective Gold (Au) over Nickel (Ni), 26-30 AWG, with Lubricant	0462355003
Micro-Fit 3.0™ High Mating Cycle, Reduced Mating Force, Crimp Terminal, Female, with .076µm (30µ") Selective Gold (Au) over Nickel (Ni), 26-30 AWG, with Lubricant	0462355004
2.00mm (.079") Pitch MicroBlade™ Wire-to-Wire Crimp Terminal, Female, 24-30 AWG, Reel	0500118000
2.00mm (.079") Pitch MicroBlade™ Wire-to-Wire Crimp Terminal, Female, 24-30 AWG, Bag	0500118100
1.25mm (.049") Pitch Board-In Crimp Terminal, 28-32 AWG, Reel	0500618000
1.25mm (.049") Pitch Board-In Crimp Terminal, 28-32 AWG, Bag	0500618100
1.25mm (.049") Pitch Board-In Crimp Terminal, 26-28 AWG, Reel, for 51022 Housing	0500808000
1.25mm (.049") Pitch Board-In Crimp Terminal, Male, 50080, 26-28 AWG, Bag, for 51022 Housing	0500808100
2.00mm (.079") Pitch Crimp Terminal, Female, 24-30 AWG, Reel	0502128000
2.00mm (.079") Pitch Crimp Terminal, Female, 24-30 AWG, Bag	0502128100
Micro-Fit 3.0™ Crimp Terminal, Female, with Tin (Sn) Plated	0430300001

Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0™ Crimp0430300002
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0™ Crimp0430300003
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel
Micro-Fit 3.0™ Crimp0430300004
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel
Micro-Fit 3.0™ Crimp0430300005
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0™ Crimp0430300006
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel
Micro-Fit 3.0™ Crimp0430300008
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG,
Bag
Micro-Fit 3.0™ Crimp0430300010
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag
Micro-Fit 3.0™ Crimp0430300011
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0™ Crimp0430300012
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
1.25mm (.049") Pitch 0500588000
PicoBlade™ Crimp
Terminal, Female,
28-32 AWG, Reel
1.25mm (.049") Pitch 0500588100
PicoBlade™ Crimp

Terminal, Female,
 28-32 AWG, Bag
 1.25mm (.049") Pitch 0500798100
 PicoBlade™ Crimp
 Terminal, 26-28
 AWG, Bag
 Micro-Fit 3.0™ Crimp0430310001
 Terminal, Male,
 with Tin (Sn) Plated
 Phosphor Bronze
 Contact, 20-24 AWG,
 Reel
 Micro-Fit 3.0™ Crimp0430310004
 Terminal, Male, with
 Tin (Sn) Plated Tin/
 Brass Alloy Contact,
 26-30 AWG, Reel
 Micro-Fit 3.0™ Crimp0430310005
 Terminal, Male, with
 Gold (Au) Plated Tin/
 Brass Alloy Contact,
 26-30 AWG, Reel
 Micro-Fit 3.0™ Crimp0430310008
 Terminal, Male, with
 Gold (Au) Plated Tin/
 Brass Alloy Contact,
 20-24 AWG, Bag
 Micro-Fit 3.0™ Crimp0430310011
 Terminal, Male, with
 Gold (Au) Plated Tin/
 Brass Alloy Contact,
 26-30 AWG, Bag
 Micro-Fit 3.0™ Crimp0430310003
 Terminal, Male, with
 Select Gold (Au)
 Plated Tin/Brass
 Alloy Contact, 20-24
 AWG, Reel
 Micro-Fit 3.0™ Crimp0430310010
 Terminal, Male, with
 Tin (Sn) Plated Tin/
 Brass Alloy Contact,
 26-30 AWG, Bag
 1.25mm (.049") 0500588300
 Pitch Wire-to-Board
 Receptacle Terminal
 for 26-30 AWG,
 Phosphor Bronze,
 Pre-Tin Plating,
 Lead-free
 2.00mm (.079") 0503728100
 Pitch Crimp Terminal
 50372, Female,
 22-26 AWG, Bag
 Micro-Fit 3.0™ Crimp0430310002
 Terminal, Male, with
 Gold (Au) Plated Tin/
 Brass Alloy Contact,
 20-24 AWG, Reel
 Micro-Fit 3.0™ Crimp0430300007
 Terminal, Female,
 with Tin (Sn) Plated
 Phosphor Bronze
 Contact, 20-24 AWG,
 Bag

Micro-Fit 3.0™ Crimp0430310012
Terminal, Male, with
Select Gold (Au)
Plated Tin/Brass
Alloy Contact, 26-30
AWG, Bag

This document was generated on 05/11/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION