

This document was generated on 05/09/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

 Part Number:
 0622018605

 Status:
 Active

Description: Press-In Tool, GbX I-Trac™ Right Angle Receptacle and Header 11 Row, 6 Column

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series T3002

Comments See Tooling Specification (PDF) Above, Press-In Tool

Manual

Function Insertion
Geographic Area Global

More Detailed Tech Information applicationtooling@molex.com

Product Name N/

Survey <u>www.molex.com//review/apptool_survey.html</u>


Tool Type Handtool

Material Info

Level of Automation

Reference - Drawing Numbers

Application Tooling Documents ATS-622018605, TM-622018699, TM-622022099



China RoHS

EU RoHS

Compliance Status Not Reviewed REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T3002Series

Use With

<u>75710</u> GbX I-Trac[™] Daughtercard Signal Module Series . <u>75910</u> GbX I-Trac[™] RAM Signal Module Series

Application Tooling | FAQ | Product #

1.85mm by 3.70mm 0757105206

(.073" by .146")

Pitch, GbX I-

Trac[™] Right Angle

Receptacle Module,

Right Guide, 11

Rows, 6 Columns,

132 Circuits,

Polarization Key B

1.85mm by 3.70mm 0759100603

(.073" by .146")

Pitch, GbX I-Trac™

Right Angle Header

Module, Unguided,

Open Ends, 11

Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0759102633 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm (.185"), Tin/Lead 1.85mm by 3.70mm 0759104623 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Inverted. Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm (.185"), Tin/Lead 1.85mm by 3.70mm 0757100006 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Unguided, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0757101006 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Unguided, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0757102056 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Left Guide with ESD clip, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0759105633 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Open Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0759107633 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header

Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0757104106 (.073" by .146") Pitch, GbX I-Trac[™] Right Angle Receptacle Module, Right Guide, 11 Rows, 6 Columns, 132 Circuits, Polarization Key A 1.85mm by 3.70mm 0759105623 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0757102006 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Left Guide, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0757103006 (.073" by .146") Pitch, GbX I-Trac[™] Right Angle Receptacle Module, Left Guide, 11 Rows, 6 Columns, 132 Circuits, Lead Free 1.85mm by 3.70mm 0757103050 (.073" by .146") Pitch, GbX I-Trac[™] Right Angle Receptacle Module, Left Guide with ESD Clip, 11 Rows, 10 Columns, 220 Circuits, Lead Free 1.85mm by 3.70mm 0757103056 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Left Guide with ESD clip, 11 Rows, 6 Columns, 132 Circuits, Lead Free 1.85mm by 3.70mm 0757104006 (.073" by .146") Pitch, GbX I-Trac[™] Right Angle

Receptacle Module,

Right Guide, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0757105006 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Right Guide, 11 Rows, 6 Columns, 132 Circuits 1.85mm by 3.70mm 0757105106 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Right Guide, 11 Rows, 6 Columns, 132 Circuits, Polarization Key A 1.85mm by 3.70mm 0759101603 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 11 Rows, 6 Columns, 120 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0759101605 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Open Ends, 11 Rows, 6 Columns, 120 Circuits, StaggeredMating Pin Length 3.80mm (.149") & 4.70mm (.185") 1.85mm by 3.70mm 0759101633 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided, Dual End Walls, 11 Rows, 6 Columns, 120 Circuits, Mating Pin Length 4.70mm (.185")1.85mm by 3.70mm 0759103623 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0759103633 (.073" by .146")

Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 220 Circuits, Mating Pin Length 4.70mm (.185") 1.85mm by 3.70mm 0759107636 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Inverted, Right Wall, 11 Rows, 6 Columns, 132 Circuits, Staggered Mating Pin Length 4.70mm (.185") & 5.70mm (.224") 1.85mm by 3.70mm 0759109623 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Endwall, 11 Rows, 6 Columns, 132 Circuits, 4Mating Pin Length .70mm (.185")

This document was generated on 05/09/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION