

This document was generated on 05/09/2011

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

 Part Number:
 0622018604

 Status:
 Active

Description: Press-In Tool, GbX I-Trac™ Right Angle Receptacle and Header 11 Row, 5 Column

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series T3002

Comments See Tooling Specification (PDF) Above, Press-In Tool

Function Insertion
Geographic Area Global
Level of Automation Manual

More Detailed Tech Information <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>

Product Name N/


Survey <u>www.molex.com//review/apptool\_survey.html</u>

Tool Type Handtool

**Material Info** 

**Reference - Drawing Numbers** 

Application Tooling Documents ATS-622018604, TM-622018699, TM-622022099



**China RoHS** 

EU RoHS

Compliance Status Not Reviewed

REACH SVHC Not Reviewed

Low-Halogen Status

**Not Reviewed** 

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

T3002Series

**Use With** 

<u>75710</u> GbX I-Trac<sup>™</sup> Daughtercard Signal Module Series . <u>75910</u> GbX I-Trac<sup>™</sup> RAM Signal Module Series

Application Tooling | FAQ | Product #

1.85mm by 3.70mm 0759101503

(.073" by .146")

Pitch, GbX I-Trac™

Right Angle Header

Module, Unguided,

Open Ends, 11

Rows, 5 Columns,

110 Circuits, Mating

Pin Length 4.70mm

(.185")

1.85mm by 3.70mm 0759101533

(.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Unguided

Dual Wall, 11 Rows, 5 Columns, 110 Circuits, Mating PinLength 4.70mm (.185")1.85mm by 3.70mm 0757100005 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Unguided, 11 Rows, 5 Columns, 110 Circuits 1.85mm by 3.70mm 0757101005 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Unguided, 11 Rows, 5 Columns, 110 Circuits 1.85mm by 3.70mm 0757102005 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Left Guide, 11 Rows, 5 Columns, 110 Circuits 1.85mm by 3.70mm 0757103005 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Left Guide, 11 Rows, 5 Columns, 110 Circuits, Lead Free 1.85mm by 3.70mm 0757104005 (.073" by .146") Pitch, GbX I-Trac<sup>™</sup> Right Angle Receptacle Module, Right Guide, 11 Rows, 5 Columns, 110 Circuits 1.85mm by 3.70mm 0757105005 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Receptacle Module, Right Guide, 11 Rows, 5 Columns, 110 Circuits 1.85mm by 3.70mm 0759103523 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Left Guided Coplanar, Right Open, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm

(.185")

1.85mm by 3.70mm 0759105523 (.073" by .146") Pitch, GbX I-Trac™ Right Angle Header Module, Right Guided Coplanar, Left Open, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm (.185")

This document was generated on 05/09/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION