







PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1Y1/1Y1LF	TELECORDIA CO
-2Y1/2Y1LF	CUSTOMER SPECIAL
-3Y1/3Y1LF	CUSTOMER SPECIAL

PC BOARD VERSIONS		
PRODUCT NR:	PCB THICKNESS	DIM "A"
89013-X02/X02LF	1.6	2.90
89013-X12/X12LF	2.4	3.53



- NOTES:
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
  - 2 FLAME RETARDANT ACC. UL 94-V0
  - 3 TERMINAL MATERIAL: PHOSPHOR BRONZE.
  - 4 INDICATED HOLES ARE UNPLATED.
  - 5 PLATING OF SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn FOR LEAD FREE.
  - 6 PRODUCT MARKING: PART NUMBER & BATCH ID.
  - 7 SET BACK FOR TAIL BLOCK
  - 8 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
  - 9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 280DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

maFL code		tolerances unless otherwise specified		CUSTOMER COPY	
litr	scrn no	dr	date	projection	title
A	144010	lincj	940509	1	5 ROW R.A. S.T.B. SIGNAL RECEPT. 12 mm MODULE
B	V00578	LILA	000316	mm	product family
C	V00850	QNY	000512	scale	5:1
D	0044-0104	Clu	041223	dr	H v Woensel 940128
E	0001-0700	canb26/22/03	dr	H v Woensel 940128	sheet 213
F	0009-0001	canb26/08/04	chr	E Feljan 940128	sheet 1 of 1
sheet	revision	F			
index	sheet	1			

PDM: Rev:F STATUS: Released Printed: May 19, 2011