





PRODUCT NUMBER
73326-XXXXLF

PLATING OPTION
1 = GXT 0.76 µm
3 = GOLD 0.76 µm
5 = GOLD 1.27 µm

PACKAGE OPTION
1 = TAPE ON REEL
2 = TUBE
3 = TAPE ON REEL IN PLASTIC BAG

TERMINAL LOADING
1 = FULLY LOADED
2 = POS 2,3,4,5
3 = POS 1,2,5,6

WHEN NEEDED, SUFFIX LETTER "LF" INDICATES THE PRODUCT IS ROHS COMPATIBLE, SEE NOTE 4.



NOTES:
1 - MATERIAL: HOUSING: HIGH TEMP. NYLON, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.

2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2µm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2µm MIN MATTE TIN OVER 1.27 MIN N. IS SUPPLIED INSTEAD OF SnPb. NO RAW EDGES EXEPT SOLDER TAIL TIPS

3 - SOLDER TAILS COPLANARITY : 0.1 mm

4 - ROHS COMPATIBLE PRODUCT SPECIFICATIONS

a - PLATING:

- "LF" MEANS THE PRODUCT IS LEAD-FREE, 2µm MINIMUM MATTE TIN OVER 1.27µm MINIMUM NICKEL UNDERPLATE.

b - MANUFACTURING PROCESS COMPATIBILITY

- THE HOUSING WILL WITHSTAND EXPOSURE TO 245°C PEAK TEMPERATURE FOR 30 SECONDS MAX IN A CONVECTION, INFRA-RED OR VAPOR PHASE OR REFLOW OVEN.

c - LABELING:

- MEETS PACKAGING SPECS AS PER GS-14-920

d - LEGAL STATEMENT: SEE GS-22-008

5 - PACKAGING FOR OPTION 3 : EACH REEL IS WRAPPED INTO A PLASTIC BAG TO PROTECT FROM MOISTURE DURING STACKING TIME.

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code	surface	tolerance	projection	product family
ISO 1302	ISO 406	ISO 1101	mm	MOD JACK
Ulr ecn no	dr	date	tolerances unless otherwise specified	angles
H F06-024d	DLE	06.07.18	±0.13	linear
J F09-007d	LSA	09.07.23	±2°	linear
D F80620	DLE	98.11.26	df	D LEGRAND
E F03020	DLE	03.01.27	Engl	P NIZZI
F F04-0363	DLE	04.10.18	chr	D LEGRAND
G F05-0247	DLE	05.09.12	pppl	P NZ
sheet	revision	J	E	B
index	sheet	1	2	3





File
SMT RA JACK
6 POS INSIDE

dwg no
73326
sheet 1 of 3
size
A3


Type
CUSTOMER Drawing

PRODUCT NUMBER
SEE SHEET 1

LTR	PART NAME	QTY
1	PRODUCT	230
2	TAPE	1
3	REEL	1
4	COVER TAPE	1



DIRECTION OF UNREELING



1 - IN ACCORDANCE WITH EIA-481 AND IEC 296-3


CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code	surface	tolerance	projection	product family
ISO 1302	ISO 406	ISO 1101	mm	MOD-JACK
ISO 1302	ISO 406	ISO 1101	mm	MOD-JACK

Utr-ecdn no	dr	date	angles	linear	scale
D: F80620	DLE	98.11.26			1:1
E: F06-024d	DLE	06.07.18			1:1

engr	chr	appd	scale	dwg no	sheet 2 of 3	size
P NIZZI	D LE	P NZ	1:1	73326	2	A3

sheet	revision	type
1		CUSTOMER Drawing



FCIconnect.com

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>		tolerance ISO 406 ISO 1101		projection 		product family MOD JACK	
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm		title	
A	F04-0363	DLE	04.10.18	±0.13		mm		SMT RA JACK	
B	F06-0240	DLE	06.07.18	angles	linear	scale 2:1		6 POS INSIDE	
				±2°					
		dr	D LEGRAND	04.10.18			dwg no		sheet 3 of -
		engr	P NIZZI	04.10.18			73326		A4
		chr	D LEGRAND	04.10.18			type		CUSTOMER Drawing
		appd	P NZ	04.10.18					
sheet index	revision sheet								

form: A4