


Tous droits strictement réservés. Réproduction ou communication à des tiers lit
 sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Property of FCJ BERNE ELECTRONICS. All rights reserved. No part of this document
 may be reproduced or transmitted in any form or by any means electronic, mechanical,
 photocopying, recording, or by any information storage and retrieval system without
 written permission from the proprietor. Copyright FCJ BERNE ELECTRONICS.



- NOTES:
1. RECOMMENDED P.C.B. THICKNESS 1.60 MM.
 2. HOUSING MATERIAL: ZYTEL FR50, COLOR: SEE TABLE.
 3. CONTACTS: PHOS BRONZE ALLOY UNS-C51000, 0.460 DIA. ROUND WIRE. PLATING SEE TABLE.
 4. PACKAGE PER BUS-14-164. (TUBE PACKAGING) WHEN PART NUMBER IS 88400-XXXT/-XXXTLF, APPLY PACKAGING SPEC. GES-14-351 (TRAY PACKAGING).
 5. THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
 6. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.60mm MINIMUM THICK CIRCUIT BOARD.
 7. IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		FCJ		www.fcjconnect.com	
rev.	ecn no.	dr	date	linear	.0 ± 0.25	projection	title		
K	T90139	M	04/06/99	W	.00 ± 0.13		SNAP-IN MODULAR JACK ASS'Y		
L	N05-0019	YS	01/27/05		.000 ± 0.05		product family		code
				angles	± 2°	unit	size		TWN
				dr	KCHOU	04/26/92	mm/inch	dwg no.	
				enr	TONY CHIEN	04/26/92	2/1	88400	
				chr	TONY CHIEN	04/26/92	sheet		
				appd	JENN TSAO	04/26/92	1 Of 2		
sheet	revision	L	L						
index	sheet	1	2						

PDM: Rev:L STATUS:Released Printed: Dec 04, 2009


Tous droits réservés. Reproduction ou communication de cet avis sans autorisation écrite du propriétaire.
 All rights reserved. Reproduction or communication of this notice without written authority from the proprietor.
 Property of C. BERNE ELECTRONICS. Copyright BERNE ELECTRONICS by



All rights reserved. Reproduction or communication of this notice without written authority from the proprietor.
 Property of C. BERNE ELECTRONICS. Copyright BERNE ELECTRONICS by

DIM.	NO OF POS	DIM A	DIM B	DIM C	DIM D	DIM E	DIM G	DIM H	DIM I	LOADED POS	REMARK
88400-X44/-X44LF	4	3.05	3.81	7.62	11.20	13.72	7.87	5.50	3.05	ALL POS	
88400-X42/-X42LF										2,3	
88400-X66/-X66LF	6	5.08	6.35	10.16	13.20	15.72	9.906	6.60	4.06	ALL POS	
88400-X64/-X64LF										2,3,4,5	
88400-X62/-X62LF										3,4	
88400-X88/-X88LF	8	7.11	8.89	11.43	15.24	17.76				ALL POS	NOT AVAILABLE
88400-X86/-X86LF										2,3,4,5,6,7	
88400-X84/-X84LF										3,4,5,6	

PLATING & HSG COLOR CODE	PLATING	HSG COLOR
0	30 v " G.X.T.	BLACK
1	15 v " GOLD.	
2	20 v " G.F.P.D.	
3	30 v " GOLD.	
4	15 v " G.X.T.	
5	50 v " GOLD.	
6	6 v " GOLD.	
7	2 v " GOLD.	



mat'l code		tolerance unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
rev.	ecn no.	dr	date	linear	.0 ± 0.25	projection	title		
L					.00 ± 0.13	⊕	SNAP-IN MODULAR JACK ASS'Y		
				angles	.000 ± 0.05		product family	code	
				dr	± 2°		size	TWN	
				enr		unit	dwg no.	sheet	
				chr		mm/inch	88400	2 Of 2	
				appd		scale			
				JENN TSAO		2/1			
sheet	revision								
index	sheet								

PDM: Rev:L STATUS:Released Printed: Dec 04, 2009