


# STP 5-2/S

Order No.: 0800970




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0800970>

Double marker carrier, snaps onto the double-level spring-cage terminal block ZFKK 1,5, with MSTBV or ICV pick-off

Commercial data	
GTIN (EAN)	
sales group	B108
Pack	100 pcs.
Customs tariff	85389099
Catalog page information	Page 400 (CL1-2011)

**Product notes**

WEEE/RoHS-compliant since: 01/01/2003



<http://www.download.phoenixcontact.com>  
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General	
Length (b)	12 mm
Height	32 mm
Width (a)	5 mm
Color	gray
Inflammability class acc. to UL 94	V2

Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen
Material	PA

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;