

VC-K-KV-PG16(11,5-15,5)


Order No.: 1854844


The illustration shows a version of the product



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854844>

Half screw connection Pg16, made of plastic, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 11.5 - 15.5

Commercial data	
GTIN (EAN)	
sales group	D290
Pack	5 pcs.
Customs tariff	39269097
Catalog page information	Page 588 (PC-2011)

Product notes
WEEE/RoHS-compliant since: 11/26/2008 

<http://www.download.phoenixcontact.com>
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General data	
Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Type of the screw connection	Half screw connection
Material, pressure screw	Polyamide

Seal material	TPE
Wrench size, union nut	27 mm
Thread type on seal side	PG16
External cable diameter	11.5 mm ... 15.5 mm
Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 80 °C

Certificates / Approvals



Certification GOST

Accessories

Item	Designation	Description
------	-------------	-------------

Assembly

1885363	VC-K-KV-PG21-O	Half screw connection made of plastic with rubber seal without hole or for individual holes
---------	----------------	---

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;