

## Rackmount Power Outlet Strips



### ***Design Features*** **Features**

- Standard 19" EIA rack mountable
- Utilizes 1U (1.75") panel height
- Have convenient lighted power switches on front surface which also indicate if power is on or off
- Popular black color
- UL Recognized
  
- 15 amp surge suppressed models meet UL 1363 and UL 1449 specifications for 330 volt suppressed voltage rating
  
- 20 amp non-surge suppressed models meet UL1363 specifications

### **15 amp models**

- Are surge suppressed for use with your sensitive equipment
- Have outlets located either on the front surface or on the rear surface for maximum versatility
- Transient energy rating of 450 joules.
- Have 12 foot long power cords with standard 3-prong AC plug to allow the POS strip to be mounted anywhere in the cabinet rack, in any size cabinet rack, and to connect to any standard wall outlet

### **20 amp models**

- Will accept your higher power rated equipment
- Have outlets located on the front surface for easy accessibility
- Have 12 foot long power cords to allow the POS strips to be mounted anywhere in the cabinet rack, and in any size cabinet rack

- Have either one or two power cords feeding either one or two separate circuits to allow for maximum capacity in one POS strip
- Have either standard 3-prong AC plugs or safety conscious locking AC plugs

Catalog Number		Surge Suppressed	Amp Capacity	Power Cords			Outlets	
				Number	Length	Plug	Number	Location
POS-194-S		Yes	15	1	12'	Non-locking	8	Rear
POS-195-S		Yes	15	1	12'	Non-locking	8	Front
POS-201		No	20	1	12'	Non-locking	8	Front
POS-202		No	20	1	12'	Locking	8	Front

