
ADNS-6150 Small Form Factor Lens


Data Sheet






Description

The ADNS-6150 small form factor (SFF) laser mouse lens is designed for use with Avago Technologies ADNS-6530, ADNS-7530 and ADNS-7550 LaserStream[™] sensors. Together with the VCSEL, the ADNS-6150 SFF lens provides the directed illumination and optical imaging necessary for proper operation of the sensor. ADNS-6150 SFF lens is a precision molded optical component and should be handled with care to avoid scratching of the optical surfaces.





Mechanical Assembly Requirements

Parameters	Symbol	Min.	Тур.	Max.	Units	Conditions	
Distance from Object Surface to Lens Reference Plane	A	2.18	2.40	2.62	mm	For ADNS-6150 with ADNS-6530, ADNS-7550 and ADNS-7530 sensors	
Distance from Sensor Board to Object Surface	В		8.35		mm	ADNS-6530 Sensor Board must be in contact with lens housing surface	
Distance from Object Surface to Sensor Pin Reference Plane	С		8.35 mm		mm	ADNS-7550 or ADNS-7530 Sensor Pin Referer Plane must be in contact with Lens Housing Surface	


All specifications reference Figure 2 and Figure 3, Optical System Assembly Diagram

Lens Design Optical Performance Specifications

All specifications are based on the Mechanical Assembly Requirements.

Parameters	Symbol	Min.	Тур.	Max.	Units	Conditions	
Design Wavelength	λ		842		nm		
Lens Material* Index of Refraction	Ν	1.5693	1.5713	1.5735		$\lambda = 842 \text{ nm}$	

*Lens material is polycarbonate. Cyanoacrylate based adhesives should not be used as they will cause lens material deformation.






Figure 2. ADNS-6530 optical system assembly cross section diagram

Figure 3. ADNS-7550 and ADNS-7530 optical system assembly (front view)



Figure 4. Avago Technologies logo location

Mounting Instructions for the ADNS-6150 SFF Laser Mouse Lens to the Base Plate

An STEP or IGES format drawing file with design specifications for laser mouse base plate features is available. These features are useful in maintaining proper positioning and alignment of the ADNS-6150 SFF lens when used with the Avago Technologies ADNS-6530, ADNS-7530 or ADNS-7550 LaserStream[™] sensor. This file can be obtained by contacting your local Avago Technologies sales representative.




Figure 5. Illustration of base plate mounting features for ADNS-6150 SFF lens

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies Limited in the United States and other countries. Data subject to change. Copyright © 2005-2008 Avago Technologies Limited. All rights reserved. AV02-0686EN - June 12, 2008

