

■ MASTER HEAT GUN® & KIT



Quick Jump:

Professional, heavy-duty, industrial quality, multiple use heat guns & heat gun kit

- High temperature and power ratings: 1000°F/540°C at up to 1740 watts, accommodates many industrial and commercial heating applications
- High air flow rating: 23 CFM at 3000 FPM gets the job done fast
- Powerful high speed universal motor
- Sturdy die cast housing
- Adjustable non-slip stand
- Kits include Heat Gun, A-160-HG Shrink Attachment, 51543 Reducer Attachment & 51544 Spreader Attachment & 51013 Storage Case
- Use to bend plastics, cure adhesives, dry parts, heat parts, shrink tubing and packaging, strip paint and more
- Optional Momentary Contact Safety Switch turns heat gun off when operator is not pressing it. Available on all Master HG and VT Models, to order ask for the "MC" option or simply add the "MC" suffix to the heat gun model number. Example: HG-501A-MC



ORDERING INFORMATION

120V MODELS (UL Listed)

MODEL NO.	ITEM NO.	DESCRIPTION						
HG-201A	10100	Master Heat Gun®	200-300°F	93-150°C	120V	60Hz	5A	600W
HG-301A	10102	Master Heat Gun®	300-500°F	150-260°C	120V	60Hz	12A	1440W
HG-501A	10104	Master Heat Gun®	500-750°F	260-400°C	120V	60Hz	14A	1680W
HG-751B	10109	Master Heat Gun®	750-1000°F	400-540°C	120V	60Hz	14.5A	1740W

120V KIT MODELS (UL Listed)

MODEL NO.	ITEM NO.	DESCRIPTION						
HG-201AK	10111	Master Heat Gun® Kit	200-300°F	93-150°C	120V	60Hz	5A	600W
HG-301AK	10112	Master Heat Gun® Kit	300-500°F	150-260°C	120V	60Hz	12A	1440W
HG-501AK	10113	Master Heat Gun® Kit	500-750°F	260-400°C	120V	60Hz	14A	1680W
HG-751BK	10114	Master Heat Gun® Kit	750-1000°F	400-540°C	120V	60Hz	14.5A	1740W

CANADIAN MODELS (CSA Certified)

MODEL NO.	ITEM NO.	DESCRIPTION						
HG-201A	10100	Master Heat Gun®	200-300°F	93-150°C	120V	60Hz	5A	600W
HG-301A	10102	Master Heat Gun®	300-500°F	150-260°C	120V	60Hz	12A	1440W
HG-501A-D *	10204	Master Heat Gun®	500-750°F	260-400°C	120V	60Hz	12A	1440W
HG-751A-C *	10108	Master Heat Gun®	750-1000°F	400-540°C	120V	60Hz	18A	2160W

CANADIAN KIT MODELS (CSA Certified)

MODEL NO.	ITEM NO.	DESCRIPTION						
HG-201AK	10100	Master Heat Gun® Kit	200-300°F	93-150°C	120V	60Hz	5A	600W
HG-301AK	10102	Master Heat Gun® Kit	300-500°F	150-260°C	120V	60Hz	12A	1440W
HG-501A-DK	10029	Master Heat Gun® Kit	500-750°F	260-400°C	120V	60Hz	12A	1440W
HG-751A-CK	10030	Master Heat Gun® Kit	750-1000°F	400-540°C	120V	60Hz	18A	2160W

220V MODELS

MODEL NO.	ITEM NO.	DESCRIPTION						
HG-202A	10101	Master Heat Gun®	200-300°F	93-150°C	220V	50Hz	3A	600W
HG-302A	10103	Master Heat Gun®	300-500°F	150-260°C	220V	50Hz	6A	1440W
HG-502A	10106	Master Heat Gun®	500-750°F	260-400°C	220V	50Hz	7A	1680W
HG-752A	10110	Master Heat Gun®	750-1000°F	400-540°C	220V	50Hz	9A	1740W

All 120 volt models meet NOM requirements in Mexico.

**Comes standard with NEMA plug type-5-20P.*

SPECIFICATIONS

<ul style="list-style-type: none"> ■ Ave. Air Volume: 23 CFM ■ Ave. Air Velocity: 3000 FPM ■ Motor: Universal ■ Nozzle Opening: 1.2" Diameter I.D. 	<ul style="list-style-type: none"> ■ Dimensions: 9" L x 5.2" W x 10.1" H ■ Cordset: 6 ft., 3-wire grounded ■ Net Weight - Single Unit 3.7 lbs., Kit: 8 lbs. ■ Shipping Weight - Single Unit: 5 lbs., Kit: 10 lbs.
--	---

[View Attachments Page](#)

All Master Heat Gun attachments are designed to be used with either the Standard or Varitemp models.

[View Replacement Parts List](#)

Many international voltages/cordsets available upon request.

Contact our Sales Department for appropriate Model Numbers. CSA models also available.

Users should independently evaluate the suitability of the product for their application.

[HOME](#) [BACK TO PRODUCT LISTING](#)