

Surge Suppressor

Surge, spike and line noise protection with Hospital-Grade plug & receptacles



Model #: SPS-615-HG

- ▶ 6 hospital-grade outlets
- ▶ 450 joule rating
- ▶ 15-ft. cord with molded hospital-grade plug
- ▶ All metal housing

DESCRIPTION

Tripp Lite's SPS-615-HG offers 15 amp capacity AC surge suppression and power distribution in a rugged all-metal outlet strip for 120 volt applications. Includes 6 output receptacles, 15 foot AC power cord, built-in resettable circuit breaker and 450 joules AC surge suppression. Features safety enhanced hospital grade plug and outlets. Switchless design prevents accidental shutoff. Optional use keyhole mounting tabs. 15 amp circuit breaker controls power to all outlets and protects against overloads. LED indicator verifies line power available.

PLUG / OUTLETS: Incorporate NEMA 5-15PHG Hospital-Grade Plug and 6 NEMA5-15RHG Hospital-Grade Receptacles

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: All-metal corded multi-outlet surge suppression strip

SUPPRESSION: AC: 150V RMS Clamping / 450 joules

KEY BUYING POINTS

- 450 joules AC surge suppression rating
- Rugged all-metal housing withstands years of use without loss of ground path continuity
- 6 Hospital-Grade NEMA5-15R output receptacles
- 15 foot AC cord with integrated, molded Hospital-Grade NEMA5-15PHG plug
- Keyhole mounting tabs and flanges
- Switchless design prevents accidental shutoff
- 15 amp electrical capacity with built-in resettable circuit breaker
- 120 volt, 50/60Hz electrical compatibility
- Certified by UL (USA) and cUL (Canada)
- UL1449 listed

TYPICAL APPLICATIONS

- AC power distribution and surge suppression with hospital-grade receptacles and plug where durability and reliability are required. Not for use where NEC requires hospital-grade receptacles.

PACKAGE INCLUDES

- SPS-615-HG Surge Suppressor
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	SPS-615-HG surge suppressor with hospital-grade plug and outlets prevents equipment damage and performance problems resulting from damaging transient surges and line noise. All-metal, mountable housing fitted with high quality output receptacles. 6 outlets, 450 joules AC protection level, LED indicator.
Voltage compatibility:	120 VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	15
Output watt capacity (watts):	1800
Outlet quantity / type:	6 NEMA 5-15R Hospital-Grade output receptacles
Transformer accomodation:	Supports up to 1 large transformer plug accessories without covering remaining outlets
INPUT	
Input connection type:	NEMA 5-15P hospital grade input plug
Input cord length (ft.):	15
Input cord length (m):	4.6
Recommended electrical service:	120V 15A
LEDS ALARMS & SWITCHES	
Diagnostic LEDs:	LINE POWER PRESENT (green)
Switches:	Two position on/off power switch
Locking switch cover:	Transparent locking switch cover prevents accidental shutoff
AC SURGE / NOISE SUPPRESSION	
Protection modes:	Includes full normal mode surge suppression
AC suppression joule rating:	450 joules
Clamping voltage (RMS):	140V
AC suppression response time:	< 1 ns
PHYSICAL	
Unit Dimensions (HWD/in):	13.75 x 2.5 x 1.5
Unit Dimensions (HWD/cm):	34.9 x 6.4 x 3.8
Material of construction:	Metal
Integrated keyhole mounting tabs:	Includes keyhole mounting tabs and flanges
Housing color:	Gray
Receptacle color:	White
AC line cord color:	Gray
CERTIFICATIONS	
UL1449 1998 Rev. (AC Suppression):	UL1449 (Series Number: AGIB12015SL)
UL1363 (Power Tap):	UL1363 (Series Number: AGIB12015SL)
cUL / CSA (Canada):	cUL (Series Number: AGIB12015SL)
WARRANTY	
Product warranty:	Lifetime

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.