


# 15 Amp - Vertical Rack Mount Strips

1585, 1586, 1587 & 1588 "H" Series

## Key Features

- 1 5/8" x 1 3/8" aluminum profiles with hardware included for mounting to rack cabinet Amhal Struts or open relay racks.
- Most are natural aluminum finish - some models (as noted in tables below) are available in black powder paint finish.
- Receptacles are 1" square and are equally spaced over the length of the power strip (see tables below for spacing)
- With lighted on/off switch (or pilot light - see tables below) and 15 Amp. circuit breaker.
- Heavy 14 gauge wire cord - 14/3 SJT or SJTW for extreme temperature ranges and integral molded plug.
- Plug types available are NEMA 5-15P straight blade or NEMA L5-15P twist-lock (see table below).
- For additional hardware kit, order part number 1585CLIP.
- These strips are also handy for work benches.
- Rated 15 amps, 120 volt.
- CSA certified, Standards C22.2 (No. 21-95 and No. 42-99)
- UL listed, Standard UL1363
- Outlet strips can NOT be used between the front & rear panel rails of rack cabinets as they (and the equipment plugs) will interfere with mounted equipment and mounted accessories.
- To properly use on rack cabinets, allow sufficient depth BEHIND the rear panel rails for vertically mounting to the amhal struts.
- Surge Protected models also available - please see the 1585, 1586, 1587 & 1588 "S" models on **page 28**



Rack Mount Outlet Strips

## With On/Off Switch

Part No.	Outlets	Center to Center	Cord Length	Color	Plug Type	Strip Length
15851H6A1	6	1.63"	6'	Natural	Straight	18"
15851H6B1	6	1.63"	15'	Natural	Straight	18"
15851H6C1	6	1.63"	6'	Natural	Twist-Lock	18"
15851H6D1	6	1.63"	15'	Natural	Twist-Lock	18"
15852H6A1	6	1.75"	6'	Natural	Straight	24"
15852H6B1	6	1.75"	15'	Natural	Straight	24"
15852H6C1	6	1.75"	6'	Natural	Twist-Lock	24"
15852H6D1	6	1.75"	15'	Natural	Twist-Lock	24"
15852H8A1	8	1.75"	6'	Natural	Straight	24"
15852H8B1	8	1.75"	15'	Natural	Straight	24"
15852H8C1	8	1.75"	6'	Natural	Twist-Lock	24"
15852H8D1	8	1.75"	15'	Natural	Twist-Lock	24"
15853H6A1	6	5.00"	6'	Natural	Straight	36"
15853H6B1	6	5.00"	15'	Natural	Straight	36"
15853H6C1	6	5.00"	6'	Natural	Twist-Lock	36"
15853H6D1	6	5.00"	15'	Natural	Twist-Lock	36"
15854H7A1	7	5.00"	6'	Natural	Straight	42"
15854H7B1	7	5.00"	15'	Natural	Straight	42"
15854H7C1	7	5.00"	6'	Natural	Twist-Lock	42"
15854H7D1	7	5.00"	15'	Natural	Twist-Lock	42"
1585H8A1	8	5.00"	6'	Natural	Straight	48"
1585H8A1BK	8	5.00"	6'	Black	Straight	48"
1585H8B1	8	5.00"	15'	Natural	Straight	48"
1585H8B1BK	8	5.00"	15'	Black	Straight	48"
1585H8C1	8	5.00"	6'	Natural	Twist-Lock	48"
1585H8D1	8	5.00"	15'	Natural	Twist-Lock	48"
1585H10A1	10	3.50"	6'	Natural	Straight	48"
1585H10B1	10	3.50"	15'	Natural	Straight	48"
1585H10C1	10	3.50"	6'	Natural	Twist-Lock	48"
1585H10D1	10	3.50"	15'	Natural	Twist-Lock	48"
1585H11A1	11	3.50"	6'	Natural	Straight	48"
1585H11B1	11	3.50"	15'	Natural	Straight	48"
1585H11C1	11	3.50"	6'	Natural	Twist-Lock	48"
1585H11D1	11	3.50"	15'	Natural	Twist-Lock	48"
1585H15A1	15	2.50"	6'	Natural	Straight	48"
1585H15B1	15	2.50"	15'	Natural	Straight	48"
1585H15C1	15	2.50"	6'	Natural	Twist-Lock	48"
1585H15D1	15	2.50"	15'	Natural	Twist-Lock	48"
1585H16A1	16	2.25"	6'	Natural	Straight	48"
1585H16B1	16	2.25"	15'	Natural	Straight	48"

Part No.	Outlets	Center to Center	Cord Length	Color	Plug Type	Strip Length
1585H16C1	16	2.25"	6'	Natural	Twist-Lock	48"
1585H16D1	16	2.25"	15'	Natural	Twist-Lock	48"
1586H10A1	10	5.00"	6'	Natural	Straight	60"
1586H10B1	10	5.00"	15'	Natural	Straight	60"
1586H10C1	10	5.00"	6'	Natural	Twist-Lock	60"
1586H10D1	10	5.00"	15'	Natural	Twist-Lock	60"
1586H12A1	12	4.75"	6'	Natural	Straight	60"
1586H12A1BK	12	4.75"	6'	Black	Straight	60"
1586H12B1	12	4.75"	15'	Natural	Straight	60"
1586H12B1BK	12	4.75"	15'	Black	Straight	60"
1586H12C1	12	4.75"	6'	Natural	Twist-Lock	60"
1586H12D1	12	4.75"	15'	Natural	Twist-Lock	60"
1587H10A1	10	5.00"	6'	Natural	Straight	70"
1587H10A1BK	10	5.00"	6'	Black	Straight	70"
1587H10B1	10	5.00"	15'	Natural	Straight	70"
1587H10B1BK	10	5.00"	15'	Black	Straight	70"
1587H10C1	10	5.00"	6'	Natural	Twist-Lock	70"
1587H10D1	10	5.00"	15'	Natural	Twist-Lock	70"
1587H11A1	11	5.00"	6'	Natural	Straight	70"
1587H11B1	11	5.00"	15'	Natural	Straight	70"
1587H11C1	11	5.00"	6'	Natural	Twist-Lock	70"
1587H11D1	11	5.00"	15'	Natural	Twist-Lock	70"
1587H12A1	12	5.00"	6'	Natural	Straight	70"
1587H12B1	12	5.00"	15'	Natural	Straight	70"
1587H12C1	12	5.00"	6'	Natural	Twist-Lock	70"
1587H12D1	12	5.00"	15'	Natural	Twist-Lock	70"
1587H19A1	19	3.00"	6'	Natural	Straight	70"
1587H19B1	19	3.00"	15'	Natural	Straight	70"
1587H19C1	19	3.00"	6'	Natural	Twist-Lock	70"
1587H19D1	19	3.00"	15'	Natural	Twist-Lock	70"
1587H24A1	24	2.50"	6'	Natural	Straight	70"
1587H24B1	24	2.50"	15'	Natural	Straight	70"
1587H24C1	24	2.50"	6'	Natural	Twist-Lock	70"
1587H24D1	24	2.50"	15'	Natural	Twist-Lock	70"
1588H12A1	12	5.00"	6'	Natural	Straight	77"
1588H12A1BK	12	5.00"	6'	Black	Straight	77"
1588H12B1	12	5.00"	15'	Natural	Straight	77"
1588H12B1BK	12	5.00"	15'	Black	Straight	77"
1588H12C1	12	5.00"	6'	Natural	Twist-Lock	77"
1588H12D1	12	5.00"	15'	Natural	Twist-Lock	77"

\*Also Available\* (by special order) - change to 90 degree receptacles on any models shown above.

# 15 Amp - Vertical Rack Mount Strips

1585, 1586, 1587 & 1588 "T" Series

With Pilot Light (No Switch)

Part No.	Outlets	Center to Center	Cord Length	Color	Plug Type	Strip Length
15851T6A1	6	1.63"	6'	Natural	Straight	18"
15851T6B1	6	1.63"	15'	Natural	Straight	18"
15851T6C1	6	1.63"	6'	Natural	Twist-Lock	18"
15851T6D1	6	1.63"	15'	Natural	Twist-Lock	18"
15852T6A1	6	1.75"	6'	Natural	Straight	24"
15852T6B1	6	1.75"	15'	Natural	Straight	24"
15852T6C1	6	1.75"	6'	Natural	Twist-Lock	24"
15852T6D1	6	1.75"	15'	Natural	Twist-Lock	24"
15852T8A1	8	1.75"	6'	Natural	Straight	24"
15852T8B1	8	1.75"	15'	Natural	Straight	24"
15852T8C1	8	1.75"	6'	Natural	Twist-Lock	24"
15852T8D1	8	1.75"	15'	Natural	Twist-Lock	24"
15853T6A1	6	5.00"	6'	Natural	Straight	36"
15853T6B1	6	5.00"	15'	Natural	Straight	36"
15853T6C1	6	5.00"	6'	Natural	Twist-Lock	36"
15853T6D1	6	5.00"	15'	Natural	Twist-Lock	36"
15854T7A1	7	5.00"	6'	Natural	Straight	42"
15854T7B1	7	5.00"	15'	Natural	Straight	42"
15854T7C1	7	5.00"	6'	Natural	Twist-Lock	42"
15854T7D1	7	5.00"	15'	Natural	Twist-Lock	42"
1585T8A1	8	5.00"	6'	Natural	Straight	48"
1585T8A1BK	8	5.00"	6'	Black	Straight	48"
1585T8B1	8	5.00"	15'	Natural	Straight	48"
1585T8B1BK	8	5.00"	15'	Black	Straight	48"
1585T8C1	8	5.00"	6'	Natural	Twist-Lock	48"
1585T8D1	8	5.00"	15'	Natural	Twist-Lock	48"
1585T10A1	10	3.50"	6'	Natural	Straight	48"
1585T10B1	10	3.50"	15'	Natural	Straight	48"
1585T10C1	10	3.50"	6'	Natural	Twist-Lock	48"
1585T10D1	10	3.50"	15'	Natural	Twist-Lock	48"
1585T11A1	11	3.50"	6'	Natural	Straight	48"
1585T11B1	11	3.50"	15'	Natural	Straight	48"
1585T11C1	11	3.50"	6'	Natural	Twist-Lock	48"
1585T11D1	11	3.50"	15'	Natural	Twist-Lock	48"
1585T15A1	15	2.50"	6'	Natural	Straight	48"
1585T15B1	15	2.50"	15'	Natural	Straight	48"
1585T15C1	15	2.50"	6'	Natural	Twist-Lock	48"
1585T15D1	15	2.50"	15'	Natural	Twist-Lock	48"
1585T16A1	16	2.25"	6'	Natural	Straight	48"
1585T16B1	16	2.25"	15'	Natural	Straight	48"

Part No.	Outlets	Center to Center	Cord Length	Color	Plug Type	Strip Length
1585T16C1	16	2.25"	6'	Natural	Twist-Lock	48"
1585T16D1	16	2.25"	15'	Natural	Twist-Lock	48"
1586T10A1	10	5.00"	6'	Natural	Straight	60"
1586T10B1	10	5.00"	15'	Natural	Straight	60"
1586T10C1	10	5.00"	6'	Natural	Twist-Lock	60"
1586T10D1	10	5.00"	15'	Natural	Twist-Lock	60"
1586T12A1	12	4.75"	6'	Natural	Straight	60"
1586T12A1BK	12	4.75"	6'	Black	Straight	60"
1586T12B1	12	4.75"	15'	Natural	Straight	60"
1586T12B1BK	12	4.75"	15'	Black	Straight	60"
1586T12C1	12	4.75"	6'	Natural	Twist-Lock	60"
1586T12D1	12	4.75"	15'	Natural	Twist-Lock	60"
1587T10A1	10	5.00"	6'	Natural	Straight	70"
1587T10A1BK	10	5.00"	6'	Black	Straight	70"
1587T10B1	10	5.00"	15'	Natural	Straight	70"
1587T10B1BK	10	5.00"	15'	Black	Straight	70"
1587T10C1	10	5.00"	6'	Natural	Twist-Lock	70"
1587T10D1	10	5.00"	15'	Natural	Twist-Lock	70"
1587T11A1	11	5.00"	6'	Natural	Straight	70"
1587T11B1	11	5.00"	15'	Natural	Straight	70"
1587T11C1	11	5.00"	6'	Natural	Twist-Lock	70"
1587T11D1	11	5.00"	15'	Natural	Twist-Lock	70"
1587T12A1	12	5.00"	6'	Natural	Straight	70"
1587T12B1	12	5.00"	15'	Natural	Straight	70"
1587T12C1	12	5.00"	6'	Natural	Twist-Lock	70"
1587T12D1	12	5.00"	15'	Natural	Twist-Lock	70"
1587T19A1	19	3.00"	6'	Natural	Straight	70"
1587T19B1	19	3.00"	15'	Natural	Straight	70"
1587T19C1	19	3.00"	6'	Natural	Twist-Lock	70"
1587T19D1	19	3.00"	15'	Natural	Twist-Lock	70"
1587T24A1	24	2.50"	6'	Natural	Straight	70"
1587T24B1	24	2.50"	15'	Natural	Straight	70"
1587T24C1	24	2.50"	6'	Natural	Twist-Lock	70"
1587T24D1	24	2.50"	15'	Natural	Twist-Lock	70"
1588T12A1	12	5.00"	6'	Natural	Straight	77"
1588T12A1BK	12	5.00"	6'	Black	Straight	77"
1588T12B1	12	5.00"	15'	Natural	Straight	77"
1588T12B1BK	12	5.00"	15'	Black	Straight	77"
1588T12C1	12	5.00"	6'	Natural	Twist-Lock	77"
1588T12D1	12	5.00"	15'	Natural	Twist-Lock	77"

Rack Mount Outlet Strips

\*Also Available\* (by special order) - change to 90 degree receptacles on any models shown above.

## Color Options




Natural Aluminum Finish



Black Powder Paint Finish

## NOTES

DESIGNED FOR POWER DISTRIBUTION FOR EQUIPMENT RACKS – ALSO HANDY FOR WORK STATIONS.  
 RUGGED EXTRUDED ALUMINUM CASE.  
 HEAVY-DUTY CORD – 14/3 SJTW WIRE FOR EXTREME TEMPERATURE RANGES.  
 INTEGRAL MOLDED PLUG AVAILABLE IN STRAIGHT-BLADE (NEMA 5-15P) OR TWIST-LOCK (NEMA L5-15P) CONFIGURATIONS.  
 COMES WITH ON/OFF SWITCH.  
 INCLUDES 15A, OR 20A 125VAC CIRCUIT BREAKER TO PREVENT ACCIDENTAL LINE OVERLOAD.  
 INCLUDES HARDWARE FOR RACK MOUNTING TO AMHAL STRUTS.  
 CSA CERTIFIED, UL LISTED.



\*SEE CATALOG FOR THE COMPLETE PART NUMBER BASED ON THE OPTIONS LISTED IN THE NOTE SECTION

UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES  
 X +/- .1  
 XX +/- .05  
 XXX +/- .015  
 DIMS +/- .005  
 ANGLES +/- .2 DEG



**HAMMOND  
 MANUFACTURING**

TITLE		HAMMOND INDUSTRIAL GRADE POWER STRIPS	
DRAWN BY		NJM	
SCALE		PAGE	1 OF 1
PART NUMBER		1588T12***	