

Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

► **Extract from the online catalog**

HEAVYCON panel mounting base B6, with single locking latch, height 27 mm, with cover



Order No.	1771147
Ord designation	HC-B 6-AMLD
EAN	4017918035884
Pack	10 Pcs.
Customs tariff	76169910
Weight/Piece	0.13027 KG
Catalog page information	Page 395 (PC-2007)

► **Product notes**

WEEE/RoHS-compliant since: 01/31/2006



**IMPORTANT : This date is valid for Customers in Germany only. Date Format is MM/DD/YYYY. Please contact your local in-country Phoenix Contact location or designated business partner for a Logistics Compliant date in your area. In order to guarantee delivery of RoHS-Compliant product, please purchase Phoenix Contact parts from authorized Phoenix Contact representatives and distributors.**

HC-B 6-AMLD



---

▶ **Technical data**


---

**General data**

Note	For contact inserts HC-B6, BB10, DD24, M
Design	B6
Height	27 mm
Width	43 mm
Length	80 mm
Housing type	Panel mounting base with cover
Locking type	With single locking latch
Protective cover	Yes
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Locking latch material	High-grade steel, handle: PA-GF
Material grip body interlock	PA-GF
Material, protective cover	PA
Length of the assembly cutout	52 mm
Width of the assembly cutout	35 mm

## ► Drawings

### Dimensioned drawing



---

## ► Address

---

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>  
Phoenix Contact  
Technical modifications reserved;