

Isobar Home/Business Theater Surge Suppressor

Premium-performance surge and line-noise protection for all components



Model #: HT10DBS

- ▶ 10 outlets / 8 ft. cord
- ▶ 3570 joule rating
- ▶ Isolated Filter Banks / all-metal housing
- ▶ 3-line coaxial (gold) surge protection
- ▶ 1-line tel/modem and 1-line network (100BaseT, high-speed) surge protection
- ▶ \$500,000 Ultimate Lifetime Insurance with Data Recovery Warranty (USA and Canada only)

DESCRIPTION

Tripp Lite's HT10DBS Isobar Home/Business Theater Surge Suppressor provides premium protection--3570 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for medium-to-large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD players and more. Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing and plug-in safety covers), 3-line coaxial protection, 1-line tel/modem protection and 1-line network (100BaseT, high-speed) protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage with Data Recovery Warranty (USA and Canada only). Includes all-metal housing, color-coordinated outlet/plug labels, three diagnostic LEDs, 8 ft. cord with a right-angle plug, 6 ft. gold coax cable, 6 ft. phone cord and 6 ft. network cable.

KEY BUYING POINTS

- 3570 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- \$500,000 Ultimate Lifetime Insurance (USA and Canada only) covers connected components against surge damage...for life!
- Data Recovery Warranty (USA and Canada only) covers a hard drive and the valuable information stored on it
- Isolated Filter Banks eliminate interference between connected components
- All-metal housing safely withstands the strongest surges
- 10 surge-protected NEMA 5-15R AC outlets safeguard an entire home/business theater system
- Widely-spaced outlets accommodate up to 6 transformers
- Four plug-in safety covers protect against accidental contact with unused outlets
- 3 sets of surge-protected Type F gold coaxial connectors (with included 6 ft. gold coax cable) safeguard components on cable, satellite and antenna line
- 1-line tel/modem and 1-line network (100BaseT, high-speed) surge protection (with included 6 ft. phone cord and 6 ft. network cable) safeguards personal video recorders (PVRs) on up to two lines simultaneously.
- 8 ft. cord with right-angle NEMA 5-15P plug provides convenient location anywhere within a home/business theater system
- 3 diagnostic LEDs alert user to protection, line power and ground status
- Keyhole slots provide convenient wall or cabinet mounting
- Illuminated master switch provides one-touch power control over all components. Circuit breaker protects against dangerous system overload
- All-metal housing (black) stands up to the most demanding environments
- UL and cUL listed
- Lifetime product warranty
- Color-coordinated outlet/plug labels

TYPICAL APPLICATIONS

- Perfect for medium-to-large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD players and more.

PACKAGE INCLUDES

- HT10DBS Home/Business Theater Surge Suppressor
- 6 ft. DSS cable
- 6 ft. phone cord
- 6 ft. network cable
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	Tripp Lite's HT10DBS Home/Business Theater Surge Suppressor provides premium protection--3570 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing), 3-line coaxial protection, single line tel/modem protection and single line network/Ethernet (100BaseT, high-speed) protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage with Data Recovery Warranty (USA and Canada only). Includes all-metal housing, three diagnostic LEDs, 8 ft. cord with a right-angle plug, 6 ft. DSS cable, 6 ft. phone cord and 6 ft. network cable.
Voltage compatibility:	120 VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	12 A
Output watt capacity (watts):	1440 W
Outlet quantity / type:	10 NEMA 5-15R output receptacles
Transformer accomodation:	Accommodates 6 transformers
INPUT	
Input connection type:	NEMA 5-15P
Input cord length (ft.):	8
Input cord length (m):	2.4
Input plug features:	Space-saving right angle input plug
Input cord gauge, type:	14 gauge, SJT
Recommended electrical service:	120V 15A
LEDS ALARMS & SWITCHES	
Diagnostic LEDs:	Built-in LEDs confirm line power, protection and ground status
Switches:	Combination AC circuit breaker and illuminated 2 position on/off power switch
AC SURGE / NOISE SUPPRESSION	
Protection modes:	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
AC suppression joule rating:	3570 joules
Clamping voltage (RMS):	140V
AC suppression response time:	NM = instantaneous CM = < 1 ns
UL1499 let through rating:	330V - UL verified
EMI / RFI filtering:	Up to 60 dB
DATALINE SURGE SUPPRESSION	
TEL / Modem line protection:	Includes single line phone suppression via one set of built-in RJ-style connectors (260V

	clamping, center 2 wires protected), includes cable
Network Ethernet line protection:	Includes single line network/Ethernet (10/100 BaseT) line surge suppression (RJ45 jacks, all 8 wires protected)
Coax line protection:	Includes coax surge suppression via 3 sets of built-in Type F gold coax jacks, includes coax cables
PHYSICAL	
Unit weight (lbs):	3.5
Unit weight (kg):	1.6
Unit Dimensions (HWD/in):	14.25 x 2.25 x 3.5
Unit Dimensions (HWD/cm):	36.2 x 2 x 5.7
Material of construction:	Extruded aluminum
Integrated keyhole mounting tabs:	Keyhole mounting slots allow desk or wall mounting
Housing color:	Attractive black color scheme
AC line cord color:	Black
CERTIFICATIONS	
UL1449 1998 Rev. (AC Suppression):	UL1449
UL1363 (Power Tap):	UL1363
UL497A (Communications):	UL497A
FCC Part 68 (Communications):	FCC Part 68
cUL / CSA (Canada):	cUL
Approvals:	Exceeds IEEE 587 category A&B specifications
WARRANTY	
Product warranty:	Lifetime
Connected equipment insurance (USA and Canada Only):	\$500,000
Data recovery warranty:	Included

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2005 Tripp Lite. All Rights Reserved.