# **Protect It! Surge Suppressor**

### State of the art protection for every application



#### Model #: TRAVELER

- 2 outlets/Direct plug-in
- 1050 joule rating
- Retractable plug
- Modem/fax surge protection

#### **DESCRIPTION**

Tripp Lite's portable TRAVELER surge suppressor offers complete AC and phone line surge suppression for laptops, electronic notepads, personal organizers and other portable electronic devices. Compact portable housing weighing less than 4 ounces neatly fits into laptop travel cases. Retractable plug prevents scratching of expensive portable electronics. Set of RJ11 telephone line suppression jacks protect dialup and DSL modem lines. TRAVELER offers 2 total outlets in a space saving direct plug-in format and diagnostic LEDs to warn of wiring problems and suppressor damage. Ultimate Lifetime Insurance (USA & Canada Only).

PLUG / OUTLETS: Input: NEMA5-15P / Output: 2 NEMA5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A (Requires NEMA5-15R wall receptacle)

FORMAT: Direct plug-in suppressor hangs off of standard wall socket

SUPPRESSION: AC: 140V RMS Clamping / 1050 joules / 330V UL1449 Let-through Rating Phone: Single telephone line surge suppression (RJ11 jacks, 2 wire, 1 line)

#### **KEY BUYING POINTS**

- 1050 joules AC surge suppression shields equipment from the strongest surges and line noise
- 2 AC outlets with room for 2 transformer plugs without blocking outlets covers computer and one peripheral
- Phone line surge suppression protects both dialup and DSL modems, plus fax machines, cordless phones and more (pair of RJ11 jacks, 2 wire, 1 line, includes 6 ft phone cable)
- Exceeds IEEE 587 category A & B surge suppression specifications
- Extra-small portable housing weighing less than 4 ounces neatly fits into laptop travel cases retractable input plug prevents scratching of laptops and other devices
- Fail-safe thermal fusing protects against fire and other damage in the event of an extreme, extended overvoltage or surge condition
- Diagnostic LEDs confirm outlet grounding and surge suppression status
- UL1449 Rated (330V all modes), UL1363 (Power Tap), UL497A (Communications), Meets FCC part 68 rules, cUL (Canada)
- Lifetime warranty with Ultimate Lifetime Insurance (USA & Canada Only)

#### TYPICAL APPLICATIONS

Ideal for use with laptops, electronic notepads, personal organizers and other portable electronic devices.

## **PACKAGE INCLUDES**

- TRAVELER Surge Suppressor
- 6-ft. telephone cord
- Instruction manual with warranty information

#### **COMPLETE SPECIFICATIONS**

#### SYSTEM OVERVIEW

System overview: Traveler direct plug-in surge suppressor includes 2 AC outlets, single phone line protection,

two diagnostic LEDs, 1050 joules suppression, lifetime warranty and connected

equipment insurance. Ultra compact housing with unique retractable prongs fits safely in

carrying case of laptops and other portable electronics.

Voltage compatibility: 120 VAC Frequency compatibility: 50/60 Hz

OUTPUT

Output volt amp capacity (amps): 15
Output watt capacity (watts): 1800

Outlet quantity / type: 2 NEMA 5-15R output receptacles

Transformer accommodation: Supports up to 2 large transformer plug accessories without covering remaining outlets

**INPUT** 

**Input connection type:**NEMA 5-15P with retractable input prongs

Input cord length (ft.): Direct plug-in connection, no cord

Recommended electrical service: 120V 15A

**LEDS ALARMS & SWITCHES** 

Diagnostic LEDs:

Two built-in LEDs confirm suppressor "protection present" (green) and outlet

"grounded" (red) status

**AC SURGE / NOISE SUPPRESSION** 

Protection modes: Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression

AC suppression joule rating: 1050 joules

Clamping voltage (RMS): 150V

AC suppression response time: < 1 ns

UL1499 let through rating: 330V - UL Verified

**DATALINE SURGE SUPPRESSION** 

TEL / Modem line protection: Includes single line phone suppression via built-in RJ11 connectors, includes cable (260V

clamping, 120 joules, center 2 wires protected. 1 input jack and 1 output jack)

**PHYSICAL** 

Shipping weight (lbs): 0.4
Shipping weight (kg): 0.2
Unit weight (lbs): 0.3
Unit weight (kg): 0.15

Unit Dimensions (HWD/in):  $3.5 \times 2.5 \times 1.75$ Unit Dimensions (HWD/cm):  $8.9 \times 6.4 \times 4.4$ Shipping Dimensions (HWD/in):  $4 \times 4 \times 1.8$ 

Shipping Dimensions (HWD/cm): 10.2 x 10.2 x 4.6

Material of construction: Plastic

Form factors supported: Direct plug-in connection enables mounting to any AC wall receptacle

Housing color: Attractive black color scheme

**CERTIFICATIONS** 

 UL1449 1998 Rev. (AC Suppression):
 UL1449

 UL1363 (Power Tap):
 UL1363

 UL497A (Communications):
 UL497A

FCC Part 68 (Communications): FCC Part 68

cUL / CSA (Canada): cUL

Industry Canada (Communications): Industry Canada

NOM (Mexico): NOM

Approvals: Exceeds IEEE 587 category A&B specifications

WARRANTY

Product warranty: Lifetime

Connected equipment insurance (USA and

Canada Only):

#### SPECIAL FEATURES

Appearance: Ultra-compact, portable suppressor with retractable input plug fits easily in carrying case for

laptops and other portable electronics

When you order today, you will receive the updated new version of these surge suppressors, however, they may be in packaging that still reflects the old specifications for joule and insurance amounts. In some cases the packaging you receive may have a sticker indicating these upgrades. This is simply due to an excess supply of existing packaging. Tripp Lite's ongoing commitment to having large quantities of product in stock at all times requires us to maintain large quantities of packaging. We are using this supply up as quickly as possible and are in the process of transitioning to new packaging. The timing will vary by product.

Please bear with us during this period of transition and rest assured that Protect It! Surge Suppressors are among the finest surge protection products available. If you want to know if your Protect It! Surge Suppressor offers the latest joule ratings and/or insurance amounts, refer to the date code on the back of your unit. If it was manufactured after 1/7/02 it is an upgraded version. For additional questions feel free to contact our Technical support hotline at (773) 869-1234 or email techsupport@tripplite.com.

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2005 Tripp Lite. All Rights Reserved.