

Home/Business Theater Surge Suppressor

High-performance surge and line-noise protection for all components



Model #: HT706TV

- ▶ 7 outlets / 6 ft. cord
- ▶ 1080 joule rating
- ▶ Coaxial surge protection
- ▶ \$50,000 Ultimate Lifetime Insurance (USA and Canada only)

DESCRIPTION

Tripp Lite's HT706TV Home/Business Theater Surge Suppressor provides high-performance protection--1080 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more. 7 outlets (with transformer spacing) and 1-line coaxial protection safeguard an entire home/business theater system. \$50,000 Ultimate Lifetime Insurance coverage (USA & Canada only). Includes two diagnostic LEDs, 6 ft. cord with a right-angle plug and 6 ft. coaxial cable.

KEY BUYING POINTS

- 1080 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- \$50,000 Ultimate Lifetime Insurance (USA & Canada only) covers connected components against surge damage...for life!
- 7 surge-protected NEMA 5-15R AC outlets safeguard an entire home/business theater system
- Widely-spaced outlets accommodate up to 4 transformers
- 1 set of Type F surge-protected coaxial connectors (with included 6 ft. coaxial cable) safeguard components on cable, satellite or antenna line
- 6 ft. cord with right-angle NEMA 5-15P plug provides convenient location anywhere within a home/business theater system
- 2 diagnostic LEDs alert user to protection and grounding status
- Keyhole slots provide convenient wall or cabinet mounting
- Illuminated master switch provides one-touch power control over all components. Integrated circuit breaker protects against dangerous system overload
- High-impact plastic housing (black) stands up to the most demanding environments
- UL and CSA listed
- Lifetime product warranty

TYPICAL APPLICATIONS

- Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more

PACKAGE INCLUDES

- HT706TV Home/Business Theater Surge Suppressor
- 6 ft. coaxial cable
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:	HT706TV Home/Business Theater Surge Suppressor provides high-performance protection--1080 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! 7 outlets (with transformer spacing) and 1-line coaxial protection safeguard an entire home/business theater system. \$50,000 Ultimate Lifetime Insurance coverage (USA & Canada only). Includes two diagnostic LEDs, 6 ft. cord with a right-angle plug and 6 ft. coaxial cable.
Voltage compatibility:	120 VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	15 A
Output watt capacity (watts):	1800 W
Outlet quantity / type:	7 NEMA 5-15R output receptacles
Transformer accomodation:	Accommodates 4 transformers
INPUT	
Input connection type:	NEMA 5-15P
Input cord length (ft.):	6
Input cord length (m):	1.8
Input plug features:	Space-saving right angle input plug
Input cord gauge, type:	14 gauge, SJT
Recommended electrical service:	120V 15A
LEDS ALARMS & SWITCHES	
Diagnostic LEDs:	Built-in LEDs confirm protection and grounding status
Switches:	Combination AC circuit breaker and 2 position red illuminated on/off power switch
AC SURGE / NOISE SUPPRESSION	
Protection modes:	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
AC suppression joule rating:	1080 joules
Clamping voltage (RMS):	150V
AC suppression response time:	< 1 ns
UL1499 let through rating:	330V - UL verified
EMI / RFI filtering:	Up to 40 dB
DATALINE SURGE SUPPRESSION	
Coax line protection:	Includes coax surge suppression via built-in Type F coax jacks, includes coax cable
PHYSICAL	
Shipping weight (lbs):	5.02
Shipping weight (kg):	2.28
Unit weight (lbs):	1
Unit weight (kg):	0.45
Unit Dimensions (HWD/in):	1.5 x 14 x 2.75
Unit Dimensions (HWD/cm):	3.8 x 35.6 x 7
Shipping Dimensions (HWD/in):	2 x 15 x 6
Shipping Dimensions (HWD/cm):	5.1 x 38.1 x 15.2
Material of construction:	High-impact plastic
Integrated keyhole mounting tabs:	Keyhole mounting slots allow desk or wall mounting
Housing color:	Attractive black color scheme

AC line cord color:	Black
CERTIFICATIONS	
UL1449 1998 Rev. (AC Suppression):	UL1449
UL1363 (Power Tap):	UL1363
UL497A (Communications):	UL497A
cUL / CSA (Canada):	CSA
Approvals:	Exceeds IEEE 587 category A&B specifications
WARRANTY	
Product warranty:	Lifetime
Connected equipment insurance (USA and Canada Only):	\$50,000

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.